View NSN Online: https://aerobasegroup.com/nsn/6850-01-398-2398

VERBATIM CORPORATION -- EP-N LASER TONER CARTRIDGE (NX) -- 6850-01-398-2398

Product ID:EP-N LASER TONER CARTRIDGE (NX)

MSDS Date: 10/28/1994

FSC:6850

NIIN:01-398-2398

MSDS Number: CHHXC === Responsible Party ===

Company Name: VERBATIM CORPORATION

Address:1200 W.T. HARRIS BLVD

City:CHARLOTTE

State:NC ZIP:28262 Country:US

Info Phone Num:704-547-6500

Emergency Phone

Num:704-547-6500/800-424-9300(CHEMTREC)

CAGE:0E6G7

=== Contractor Identification ===
Company Name: VERBATIM CORP

Address:1200 W. T. HARRIS BOULEVARD

Box:City:CHARLOTTE

State:NC ZIP:28213 Country:US

Phone:704-547-6500

CAGE:0E6G7

====== Composition/Information on Ingredients ========

Ingred Name: STYRENE ACRYLATE COPOLYMER

CAS:25153-46-2

Fraction by Wt: 55-60%

Other REC Limits: NONE RECOMMENDED

Ingred Name: IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000 Fraction by Wt: NP Other REC Limits :NONE RECOMMENDED OSHA PEL:10 MG/M3 (FE) ACGIH TLV:5MG(FE)/M3FUME,B2;96 Ingred Name: METAL AZO DYE CAS:84179-66-8 Fraction by Wt: 1-5% Other REC Limits: NONE RECOMMENDED Ingred Name: POLYOLEFIN WAX CAS:25322-69-4 RTECS #:TR5250000 Fraction by Wt: 1-5% Other REC Limits: NONE RECOMMENDED Ingred Name: SILICA CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: NP Other REC Limits: NONE RECOMMENDED OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3 ========== Hazards Identification ================ R outes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE Effects of Overexposure:NONE Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:EYE:FLUSH W/WATER.INHAL:REMOVE FROM EXPOSURE.SKIN:WASH W/SOAP/WATER.ORAL:DRINK SEVERAL GLASSES OF WATER. Flash Point:NA Autoignition Temp: Autoignition Temp Text: NP Lower Limits:NA **Upper Limits:NA** Extinguishing Media:WATER, FOAM, DRY CHEMICAL. Fire Fighting Procedures: AVOID BREATHING SMOKE. Unusual Fire/Explosion Hazard: EXCESS DUST IN AIR CAN FORM EXPLOSIVE MIXTURE: COMBUSTIBLE. ========= Accidental Release Measures ============== Spill Release Procedures: NONE Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. =========== Handling and Storage ===============

Handling and Storage Precautions: NONE SPECIFIED BY MANUFACTURER. Other Precautions: NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE Ventilation:NONE Protective Gloves:NONE Eye Protection:NONE Other Protective Equipment:NONE Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health
======================================
HCC:N1 Boiling Pt:B.P. Text:NA Me It/Freeze Pt:M.P/F.P Text:>248F,>120C Decomp Temp:Decomp Text:NP Vapor Pres:NA Vapor Density:NA Spec Gravity:1.1 pH:NP Viscosity:NP Evaporation Rate & amp; Reference:NA Solubility in Water:INSOLUBLE Appearance and Odor:FNE BLACK POWDER/RESIN ODOR Percent Volatiles by Volume:NA Corrosion Rate:NP
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:PRODUCTS OF COMBUSTI ON ARE TOXIC.AVOID SMOKE INHALATION.
======== Disposal Considerations ===========
Waste Disposal Methods:DO NOT INCINERATE.DISPOSE OF IN ACCORDANCE W

/ITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate a

nd disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.