View NSN Online: https://aerobasegroup.com/nsn/9150-01-410-8972 VIRGINIA KMP CORP -- EMKARATE RL 68H -- 9150-01-410-8972 ============ Product Identification ========================= Product ID:EMKARATE RL 68H MSDS Date:02/01/1994 FSC:9150 NIIN:01-410-8972 MSDS Number: CHHXF === Responsible Party === Company Name: VIRGINIA KMP CORP Address:4100 PLATINUM WAY City: DALLAS State:TX ZIP:75237 Country:US Info Phone Num:214-330-7731 Emergency Phone Num:800-424-9300(CHEMTREC) CAGE:DO738 === Con tractor Identification === Company Name: VIRGINIA K M P CORPORATION Address:4100 PLATINUM WAY Box:City:DALLAS State:TX ZIP:75237 Country:US Phone:214-330-7731 CAGE:8J132 Company Name: VIRGINIA KMP CORP. Address:4100 PLATINUM WAY City: DALLAS State:TX ZIP:75237 Country:US Phone:214-330-7731 CAGE:DO738 ======= Composition/Information on Ingredients ======== Ingred Name: POLYOL ESTERS; (POLYOL ESTER WITH ANTIOXIDANT)

Fraction by Wt: 100%

======== Hazards Identification ==

\_\_\_\_\_\_

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION-NO DATA AVAILABLE

BUT MILD IRRITATION MAY DEVELOP AS WITH ANY VAPOR.

INGESTION-SLIGHTLY IRRITATING. SKIN-MILD IRRITATION. EYES-MAY IRRITATE. CHRONIC: NO ADVERSE EFFECTS ARE PRESENTLY KNOWN.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER.

Medical Cond

Aggravated by Exposure: EXISTING SKIN DISORDERS.

First Aid:INGEST:DO NOT INDUCE VOMITING. GIVE 1-2 GLASSES OF WATER TO DRINK. CONSULT PHYSICIAN. INHALE:REMOVE TO FRESH AIR. IF COUGH DEVELOPS, CONSULTPHYSICIAN. EYES:IMMEDIATELYFLUSH WITH PLENTY OF WATER FOR 15 MIN. IF REDNESS, ITCHING/BURNING DEVELOPS, GET MEDICAL ATTENTION. SKIN:WASH OFF SKIN WITH PLENTY OF SOAP & WATER. IF REDNESS, ITCHING/BURNING SENSATI

ON DEVELOPS, GET MEDICAL ATTENTION.

========== Fire Fighting Measures ===============

Flash Point Method:COC

Flash Point:518F,270C

Extinguishing Media:WATER FOG, FOAM, CARBON DIOXIDE, DRY CHEMICAL, HALOGENATED AGENTS.

Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: NONE KNOWN.

======== Accidental Release Measures ============

Spill Release Procedures:WEAR SK

IN AND NIOSH APPROVED RESPIRATORY (IF

MIST OR VAPORS ARE PRESENT) PROTECTION DURING CLEANUP. CONTAIN SPILL. KEEP OUT OF SEWERS AND DRAINS. SOAK UP MATERIAL WITH ABSORBENT AND SHOVEL INTO A CHEM ICAL WASTE CONTAINER.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

============ Handling and Storage ===============

Handling and Storage Precautions:PRODUCT IS HIGHLY HYDROSCOPIC. KEEP CONTAINER CLOSED TIGHTLY.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

====== Exposure Controls/Personal Protection =======
Respiratory Protection:USE NIOSH APPROVED FOR ORGANIC VAPORS, DUST AND MISTS FOR 0.05 MG/M3 IF VAPORS OR MIST AREA PRESENT. Ventilation:LOCAL EXHAUST. Protective Gloves:IMPERVIOUS GLOVES. Eye Protection:SAFETY GOGGLES. Other Protective Equipment:APRON. NORMAL FOOTWARE. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE
======================================
HCC:V6 Vapor Pres: