

TACC INTERNATIONAL CORP. -- ACCELERATOR -- 8040-00-515-2246

===== Product Identification =====

Product ID:ACCELERATOR

MSDS Date:09/13/1995

FSC:8040

NIIN:00-515-2246

Kit Part:Y

MSDS Number: CHKGW

=== Responsible Party ===

Company Name:TACC INTERNATIONAL CORP.

Address:AIR STATION INDUSTRIAL PARK

Box:390

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Info Phone Num:617-878-7015

Emergency Phone Num:617-878-7015

CAGE:0HZU1

=== Contractor Identification ===

Company Name:TACC INTERNATIONAL CORP

Address:AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:781-878-7015

CAGE:0HZU1

===== Composition/Information on Ingredients =====

Ingred Name:POLYMERIC ALIPHATIC AMINE VP = 0

CAS:63512-71-0

Fraction by Wt: 5-20%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHYL ALCOHOL (ETHANOL) VP = 40 @ 68F

CAS:64-17-5

RTECS #:KQ6300000

Fraction by Wt: 50-75%

Othe

r REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM/STEL 250

ACGIH TLV:1000 PPM/STEL 250

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: STRONG IRRITATION, CORROSIVE.
SKIN: REDNESS, BURNING, SENSITIZATION. INGEST: HARMFUL IF
SWALLOWED, CORRSIVE LIQUID. INHAL: IRRITATION TO UPPER RESPIRATORY
TRACT, LIVER/KIDNEY EFFECTS.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN OR LUNG ALLERGIES
MAY INCREASE THE CHANCE OF DEVELOPING INCREASED ALLERGY SYMPTOMS.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. SKIN: WASH W/MILD
SOAP & WATER. APPLY MILD CREAM. INHAL: GET FRESH AIR. INGEST: CALL
POISON CONTROL CENTER IMMED.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:50.0F,1
0.0C
Lower Limits:3.3
Upper Limits:19.0
Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR
FOG.
Fire Fighting Procedures:AVOID BREATHING SMOKE. USE AIR SUPPLIED RESCUE
EQUIPMENT FOR ENCLOSED AREA. WATER SPREADS BURNING LIQUID IF LARGE
AMOUNTS USED.
Unusual Fire/Explosion Hazard:VAPORS IGNIT EXPLOSIVELY, CAUSE FLASH
FIRES. ELIM IGNIT SOURCE. USE ADEQUATE CROSS VENT. ELECTRICALLY
GROUND ALL CONTAINERS DURING TRANSFER.

===== Accidental Release
Measures =====

Spill Release Procedures:SMALL QUANTITIES MAY BE ABSORBED W/APPROPRIATE
ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE.
STORE AT 60-95F OUT OF THE SUN. USE ADEQUATE VENTILATION. AVOID
BREATHING VAPORS. GROUND EQUIP WHEN HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED SELF CONTAI

NED ORGANIC MASK.

Ventilation:SUFFICIENT TO MAINTAIN BELOW TLV.

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GLASSES OR FACE SHIELD.

Other Protective Equipment:BARRIER CREAM FOR SENSITIVE SKIN.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:173 TO 215F

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:>AIR

Spec Gravity:0.86194

pH:NA

Viscosity: