

MORTON -- THIOKOL MC-275 ACCELERATOR -- 8030-00-560-8758

=====  
Product Identification  
=====

Product ID:THIOKOL MC-275 ACCELERATOR

MSDS Date:04/16/1993

FSC:8030

NIIN:00-560-8758

Kit Part:Y

MSDS Number: CHKHB

=== Responsible Party ===

Company Name:MORTON

Address:7341 ANACONDA AVE.

City:GARDEN GROVE

State:CA

ZIP:92641

Info Phone Num:714-373-2837

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:KO006

=== Contractor Identification ===

Company Name:MORTON

Address:7341 ANACONDA AVE.

City:GARDEN GROVE

State:CA

ZIP:92641

Country:US

Phone:714-373-2837

CAGE:KO006

Company Name:MORTON INTERNATIONAL AEROSPACE POLYMER SYSTEMS

Address:7341 ANACONDA AVENUE

Box:City:GARDEN GROVE

State:CA

ZIP:92641

Country:US

Phone:714-373-2837

CAGE:0U317

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MANGANESE DIOXIDE

CAS:1313-13-9

RTECS #:OP0350000

Fraction by Wt: 66.4%

Other REC Limi

ts:NONE RECOMMENDED  
ACGIH TLV:1 MG/M3/STEL 3MG/M3

Ingred Name:HYDROGENATED TERPHENYLS LD50 >10000 MG/KG ORAL RAT  
CAS:61788-32-7  
RTECS #:WZ6535000  
Fraction by Wt: 22.7%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.5 PPM CEILING  
ACGIH TLV:0.5 PPM

Ingred Name:TERPHENYL LD50 13200 MG/KG ORAL RAT  
CAS:26140-60-3  
RTECS #:WZ6450000  
Fraction by Wt: 0.19%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.5 PPM  
ACGIH TLV:0.5 PPM

Ingred Name:EXOLATED NONYL PHENYL PHOSPHATE LD50 36.30 MG/KG ORAL RAT  
CAS:51811-79-1  
Fraction by Wt: 2.9%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:1,3 DIPHENYL GUANIDINE LD50 507 MG/KG ORAL RAT LD50 290  
MG/KG ORAL MOUSE  
CAS:102-06-7  
Fraction by Wt: 4.8%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM HYDROXIDE (CERCLA)  
CAS:1310-73-2  
RTECS #:WB4900000  
Fraction by Wt: 0.7%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:2 MG/M3 CEILING  
ACGIH TLV:2 MG/M3 CEILING  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: IRRIT, REDNESS, PAIN, BURNS,  
CORNEAL CLOUDING, BLINDNESS CORROSIVE. SKIN: IRRIT, REDNESS, PAIN,  
BLISTERS, BURNS. ABSORBED THROUGH SKIN, SENSITIZATION, CORROSIVE.  
INHAL: IRRIT TO MUCOUS MEMBRANE, COUGHING, BREATHING DIFFICULT,  
CORROSIVE. INGEST: GI IRRIT, NAUSEA, VOMITING & GI UPSET, ABDOMINAL  
PAIN, FEVER, LIVER \*

Effects o

f Overexposure:\* KIDNEY DAMAGE, EYE, SKIN IMMUNE SYSTEM AND  
ALLERGIC REACTION. HEADACHE, NAUSEA, DIARRHEA, ANEMIA, BURNS TO  
MOUTH/THROAT PULMONARY EDEMA.

Medical Cond Aggravated by Exposure:LIVER/KIDNEY, SKIN, IMMUNE, SYSTEM,  
CHEMICAL ALLERGIES.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR 15 MINUTES, LIFT LIDS. GET MED AID.  
SKIN: WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES/SHOES, WASH BEFORE  
REUSE. INHAL: REMOVE TO F  
RESH AIR, GET MED AID. ARTIF RESP/CPR IF  
BREATH ING DIFFICULT. INGEST: INDUCE VOMITING W/SYRUP OF IPECAC,  
DRINK 2 GLASSES WATER OR STICK FINGER DOWN THROAT. DONT GIVE  
ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. GET MED AID.

===== Fire Fighting Measures =====

Flash Point Method:SCC  
Flash Point:>200F,>93C  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:SM FIRES: DRY CHEMICAL, CARBON DIOXIDE, HALON,  
WATER SPRAY OR FOAM. LG FIRE: WATER SPRAY, FOG  
OR ALCOHOL FOAM.  
Fire Fighting Procedures:NIOSH APPROVED POSITIVE PRESSURE SCBA & FULL  
PROTECTIVE CLOTHING.  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SHOVEL/VACUUM SPILLED PRODUCT. PLACE IN CLOSED  
CONTAINER. DO NOT FLUSH TO STREAMS/SEWERS/ANY BODIES OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY WELL VENTED AREA.

EMPTY CONTAINERS MAY RETAIN PRODUCT RESIDUE. DO NOT REUSE CONTAINER.

Other Precautions:IF AIRBORNE CONCENTRATIONS EXCEED EXPOSURE LIMITS, EVAC & VENTILATE AREA. USE AIR SUPPLIED RESPIRATOR/SCBA IN INADEQUATELY VENTED AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED EQUIPMENT. USE SCBA/SUPPLIED AIR RESPIRATOR. COMPLY W/29CFR1910.134.

Ventilation:LOCAL EXHAUST RECOMMENDED TO MAINTAIN AIRBORNE CONCENTRATIONS BELOW LIMITS. GENERAL DILUTION ACCEPTABLE.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYEWASH FACILITY, PROTECTIVE CLOTHING.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING/SMOKING/DRINKING/USING RESTROOM FACILITIES.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA

Vapor Pres:0.1 @ 25C

Vapor Density:>1.0

Spec Gravity:2.1 WATER = 1

pH

:NA

Evaporation Rate & Reference:>1.0

Solubility in Water:NA

Appearance and Odor:BLACK PASTE, PHENYL ODOR.

Percent Volatiles by Volume:NA

Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS, NICKEL, COBALT, IRON OR COPPER.

Hazardous Decomposition Products:AMINES, SMOKE, SOOT AND TOXIC FUMES, OXIDES OF CARBON & METAL OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:IF DISCARDED IN UNUSED FORM, DISPOSE OF AT LICENSED FACILITY ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS. CONTACT EPA IF NEEDED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.