

DEL PAINT CORP. -- TT-E-2784 ENAMEL BLUE #15526 -- 8010-01-435-2120
===== Product Identification =====

Product ID:TT-E-2784 ENAMEL BLUE #15526
MSDS Date:06/14/1995
FSC:8010
NIIN:01-435-2120
MSDS Number: CHKMH
=== Responsible Party ===
Company Name:DEL PAINT CORP.
Address:3105 E. RENO
City:OKLAHOMA CITY
State:OK
ZIP:73117
Country:US
Info Phone Num:405-672-1431/FAX 405-672-0804

Emergency Phone Num:
800-424-9300 24 HRS
Preparer's Name:ONEY FLEMING
CAGE:JO954
=== Contractor Identification ===
Company Name:DEL PAINT CORP.
Address:3105 E. RENO
City:OKLAHOMA CITY
State:OK
ZIP:73117
Country:US
Phone:405-672-1431/FAX 405-672-0804

CAGE:JO954
Company Name:DEL PAINT MFG
Address:3105 EAST RENO
Box:City:OKLAHOMA CITY
State:OK
ZIP:73117
Country:US
Phone:405-672-1431
CAGE:39934

===== Composition/Information on Ingredients =====

Ingred Name:PROPYLENE GLYCOL
CAS:57-55-6
RTECS #:TY20000

00

Fraction by Wt: 6.25%

Other REC Limits:NONE RECOMMENDED

Ingred Name:2,2,4-TRIMETHYL-3,3,-PENTANEDIOL MONOISOBUTYRATE

CAS:25265-77-4

RTECS #:UF6000000

Fraction by Wt: 4.86%

Other REC Limits:NONE RECOMMENDED

Ingred Name:2-N-OCTYL-1-ISOTHAZOLIN-3-ONE

CAS:26530-20-2

Fraction by Wt: .18%

Other REC Limits:NONE RECOMMENDED

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 88.33%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

Ingred Name:DIMETHYLAMINOETHANOL LO

W VOC

CAS:108-01-0

RTECS #:KK6125000

Fraction by Wt: .38%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: SLIGHT IRRITATION. SKIN: SLIGHT

IRRITATION. INHAL: HEADACHE, NAUSEA, IRRIT TO NOSE/THROAT/LUNGS.

Medical Cond Aggravated by Exposure:PRE-EXISTING DISEASES.

=====
===== Fir

st Aid Measures =====

First Aid:EYE: FLUSH W/WATER 15 MINUTES, GET MED AID. SKIN: WASH

THOROUGHLY W/SOAP & WATER. INGEST: GIVE 2 GLASSES OF WATER TO

DRINK, GET MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:SCC

Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:SCBA, NIOSH APPROVED PRESSURE DEMAND, FULL

PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:CAN SPLATTER ABOVE 1

00C. POLYMER FILM CAN
BURN.

===== Accidental Release Measures =====

Spill Release Procedures:KEEP PEOPLE AWAY. FLOOR MAY BE SLIPPERY. USE CARE. CONTAIN SPILL W/INERT ABSORBENT. TRANSFER LIQUID/SOLID DIKING MATERIAL TO SEPARATE SUITABLE CONTAINERS FOR RECOVERY/DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM FREEZING.
Other Precautions:DONT TAKE INTERNALLY. KEEP AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MECHANICAL FILTER RESPIRATOR
Ventilation:NORMAL, SUCH AS FAN
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equipment:EYEWASH STATION
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212 TO 644F
Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C
Decomp Temp:Decomp Text:351F,177C
Vapor Pres:NONE
Vapor Dens
ity:>AIR
Spec Gravity:1.01
pH:9.0
Viscosity:77-95 KU
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:SLIGHT
Appearance and Odor:BLUE LIQUID/SLIGHT ODOR.
Percent Volatiles by Volume:60.6
Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NK
Hazardous Decomposition Products:ACRYLIC MONOMERS

===== Disposal Considerations =====

Waste Disposal Methods:KEEP SPILLS/CL

EANING RUNOFF OUT OF SEWERS/OPEN
BODIES OF WATER. CONSULT FEDERAL, STATE AND LOCAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person ut
ilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.