

DEL PAINT CORP. -- TT-E-2784 ENAMEL BLUE #15526 -- 8010-01-435-2120  
===== Product Identification =====

Product ID:TT-E-2784 ENAMEL BLUE #15526  
MSDS Date:06/14/1995  
FSC:8010  
NIIN:01-435-2120  
MSDS Number: CHKMH  
=== Responsible Party ===  
Company Name:DEL PAINT CORP.  
Address:3105 E. RENO  
City:OKLAHOMA CITY  
State:OK  
ZIP:73117  
Country:US  
Info Phone Num:405-672-1431/FAX 405-672-0804

Emergency Phone Num:  
800-424-9300 24 HRS  
Preparer's Name:ONEY FLEMING  
CAGE:JO954  
=== Contractor Identification ===  
Company Name:DEL PAINT CORP.  
Address:3105 E. RENO  
City:OKLAHOMA CITY  
State:OK  
ZIP:73117  
Country:US  
Phone:405-672-1431/FAX 405-672-0804

CAGE:JO954  
Company Name:DEL PAINT MFG  
Address:3105 EAST RENO  
Box:City:OKLAHOMA CITY  
State:OK  
ZIP:73117  
Country:US  
Phone:405-672-1431  
CAGE:39934

===== Composition/Information on Ingredients =====

Ingred Name:PROPYLENE GLYCOL  
CAS:57-55-6  
RTECS #:TY20000

00

Fraction by Wt: 6.25%

Other REC Limits:NONE RECOMMENDED

Ingred Name:2,2,4-TRIMETHYL-3,3,-PENTANEDIOL MONOISOBUTYRATE

CAS:25265-77-4

RTECS #:UF6000000

Fraction by Wt: 4.86%

Other REC Limits:NONE RECOMMENDED

Ingred Name:2-N-OCTYL-1-ISOTHAZOLIN-3-ONE

CAS:26530-20-2

Fraction by Wt: .18%

Other REC Limits:NONE RECOMMENDED

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 88.33%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

Ingred Name:DIMETHYLAMINOETHANOL LO

W VOC

CAS:108-01-0

RTECS #:KK6125000

Fraction by Wt: .38%

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: SLIGHT IRRITATION. SKIN: SLIGHT

IRRITATION. INHAL: HEADACHE, NAUSEA, IRRIT TO NOSE/THROAT/LUNGS.

Medical Cond Aggravated by Exposure:PRE-EXISTING DISEASES.

=====  
===== Fir

st Aid Measures =====

First Aid:EYE: FLUSH W/WATER 15 MINUTES, GET MED AID. SKIN: WASH

THOROUGHLY W/SOAP & WATER. INGEST: GIVE 2 GLASSES OF WATER TO

DRINK, GET MED AID.

=====  
===== Fire Fighting Measures =====

Flash Point Method:SCC

Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:SCBA, NIOSH APPROVED PRESSURE DEMAND, FULL

PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:CAN SPLATTER ABOVE 1

00C. POLYMER FILM CAN  
BURN.

===== Accidental Release Measures =====

Spill Release Procedures:KEEP PEOPLE AWAY. FLOOR MAY BE SLIPPERY. USE CARE. CONTAIN SPILL W/INERT ABSORBENT. TRANSFER LIQUID/SOLID DIKING MATERIAL TO SEPARATE SUITABLE CONTAINERS FOR RECOVERY/DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM FREEZING.  
Other Precautions:DONT TAKE INTERNALLY. KEEP AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MECHANICAL FILTER RESPIRATOR  
Ventilation:NORMAL, SUCH AS FAN  
Protective Gloves:RUBBER  
Eye Protection:SAFETY GLASSES OR GOGGLES  
Other Protective Equipment:EYEWASH STATION  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212 TO 644F  
Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C  
Decomp Temp:Decomp Text:351F,177C  
Vapor Pres:NONE  
Vapor Dens  
ity:>AIR  
Spec Gravity:1.01  
pH:9.0  
Viscosity:77-95 KU  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Solubility in Water:SLIGHT  
Appearance and Odor:BLUE LIQUID/SLIGHT ODOR.  
Percent Volatiles by Volume:60.6  
Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NK  
Hazardous Decomposition Products:ACRYLIC MONOMERS

===== Disposal Considerations =====

Waste Disposal Methods:KEEP SPILLS/CL

EANING RUNOFF OUT OF SEWERS/OPEN  
BODIES OF WATER. CONSULT FEDERAL, STATE AND LOCAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person ut  
ilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.