

EUREKA CHEMICAL CO -- FLUID FILM, GEL WRO-EP -- 9150-00-530-6814

=====
Product Identification
=====

Product ID:FLUID FILM, GEL WRO-EP

MSDS Date:09/01/1997

FSC:9150

NIIN:00-530-6814

MSDS Number: CHKXG

=== Responsible Party ===

Company Name:EUREKA CHEMICAL CO

Address:234 LAWRENCE AVE

Box:2205

City:SOUTH SAN FRANCISCO

State:CA

ZIP:94080

Country:US

Info Phone Num:415-761-3536

Emergency Phone Num:707-

448-3069

CAGE:4E827

=== Contractor Identification ===

Company Name:EUREKA CHEMICAL CO

Address:234 LAWRENCE AVE

Box:2205

City:SOUTH SAN FRANCISCO

State:CA

ZIP:94080

Country:US

Phone:650-761-3536

CAGE:4E827

=====
Composition/Information on Ingredients
=====

Ingred Name:LEAD (SARA 313) (CERCLA)

CAS:7439-92-1

RTECS #:OF7525000

Fraction by Wt: 0.45%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:SEE 1910.1025

ACGIH TLV:0.05MG/M3, A3; 9596

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: MINIMALLY IRRITATING. SKIN:
MINIMALLY IRRITATING.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH THOROUGHLY WITH POTABLE WATER FOR A MINIMUM OF 15
MINUTES AND SEEK PROMPT MEDICAL ATTENTION. SKIN: WIPE EXCESS
MATERIAL FROM THE SKIN WITH
A CLOTH, FOLLOWED BY WASHING WITH SOAP
AND WATER . DO NOT USE SOLVENTS, THINNERS OR GASOLINE FOR THIS
PURPOSE. A WATERLESS SKIN CLEANSER IS BENEFICIAL IN REMOVING THE
MATERIAL FROM THE SKIN.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:490F,254C
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY, FOAM,
SAND, OR EARTH. WATER AND FOAM MAY CAUSE FROTHING.
Fire Fighting Procedures:PROVIDE POSITIVE PRESSURE RESPIR
ATORY
PROTECTION. WATER SPRAY MAY BE USEFUL IN MINIMIZING VAPORS AND
COOLING CONTAINERS EXPOSED TO HEAT AND FLAME.
Unusual Fire/Explosion Hazard:AVOID SPREADING BURNING LIQUID WITH WATER
USED FOR COOLING PURPOSES. MOVE UNDAMAGED CONTAINERS FROM FIRE AREA
IF YOU CAN DO SO WITHOUT RISK.

=====
Accidental Release Measures
=====

Spill Release Procedures:TRANSFER BULK OF MATERIAL INTO ANOTHER
CONTAINER. ABSORB REMAINING RESIDUE WITH PROPER ABSORBENTS S
UCH AS
SAND, EARTH, VERMICULITE. SWEEP UP AND DISPOSE.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINER CLOSED AND IN UPRIGHT
POSITION.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:APPROVED CHEMICAL MECHANICAL FILTER RESPIRATOR
WITH BULK HANDLING.
Ventilation:FORCED AIR WHEN SPRAYING IN CONFINED SPACES WITH BULK
HAND

LING.

Protective Gloves:RECOMMENDED FOR PROLONGED HANDLING.

Work Hygienic Practices:WASH WITH SOAP AND WATER. REMOVE ANY
CONTAMINATED CLOTHING.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Vapor Pres:8.7

Spec Gravity:0.935

Evaporation Rate & Reference:NEGLIGIBLE

Appearance and Odor:DARK GRAY GEL; MILD PINEY ODOR.

Percent Volatiles by Volume:1.0

===== Stability and Reactivity Data =====

Stabil

ity Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:EXTENDED EXPOSURE TO HIGH TEMPERATURES MAY
CAUSE DECOMPOSITION.

Hazardous Decomposition Products:DENSE SMOKE, CARBON DIOXIDE, CARBON
MONOXIDE, OXIDES OF SULFUR, AND LEAD SULFIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE AS SOLID WASTE IN ACCORDANCE WITH LOCAL,
STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the
compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.