

DOW CORNING CORP -- DOW CORNING 510(R) FLUID, 30,000 CST -- 9150-01-056-7347

=====
Product Identification
=====

Product ID:DOW CORNING 510(R) FLUID, 30,000 CST

MSDS Date:06/28/1995

FSC:9150

NIIN:01-056-7347

MSDS Number: CHKYF

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000/517-496-8577

E

mergency Phone Num:517-496-5900/800-424-9300(CHEMTREC)

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

=====
Composition/Information on Ingredients
=====

Ingred Name:2,6-CIS-DIPHENYLHEXAMETHYLCYC

LOTETRASIOXANE

CAS:33204-76-1

RTECS #:GZ4390000

Fraction by Wt: 101C

Extinguishing Media:WATER, WATER FOG (OR SPRAY), CARBON DIOXIDE(CO2),
DRY CHEMICAL, FOAM.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING
CHEMICALS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. MOP UP, WIPE UP, OR SOAK UP
WITH ABSORBEN

T AND DEPOSIT IN CONTAINER FOR SALVAGE OR DISPOSAL.

CLEAN RESIDUAL SLIPPERY SURFACES BY WASHING WITH SOLVENTS/MILD
CAUSTIC DETERGENTS. OBSERVE A LL LOCAL,STATE AND FEDERAL REPORTING
REQUIREMENTS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS REQUIRED. USE
REASONABLE CARE.

Other Precautions:NONE

===== Exposure Controls/Personal Protection ==

=====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:GENERAL MECHANICAL VENTILATION RECOMMENDED.

Protective Gloves:NO SPECIAL PROTECTION NEEDED.

Eye Protection:WEAR SAFETY GLASSES AS MINIMUM.

Other Protective Equipment:WASHING AT MEALTIE AND END OF SHIFT IS
ADEQUATE.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NONE

===== Physical/Chem

ical Properties =====

HCC:V6

Spec Gravity:0.98

Viscosity:30,000 CST

Solubility in Water:NONE

Appearance and Odor:LIQUID, COLORLESS, ODOR NOT REPORTED.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIAL CAN CAUSE A REACTION.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:DURING FIRE MAY EVOLVE SILICON
DIOXIDE, CARBON OXIDES, TRACES OF INCOMPLETELY BURNED CARBON
COMPOUNDS, FO

RMALDEHYDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS. CALL DOW CORNING CORP ENVIRONMENTAL
MANAGEMENT, 517-496-6315, IF ADDITIONAL INFORMATION IS REQUIRED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The

United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.