View NSN Online: https://aerobasegroup.com/nsn/6850-00-702-4297

FOAM SEAL INC DBA NOVAGARD -- G697 DIMETHYLPOLYSILOXANE GREASE -- 6850-00-702-4297

======== Product Identification ============

Product ID:G697 DIMETHYLPOLYSILOXANE GREASE

MSDS Date:10/27/1995

FSC:6850

NIIN:00-702-4297

MSDS Number: CHMCD === Responsible Party ===

Company Name: FOAM SEAL INC DBA NOVAGARD

Address:5109 HAMILTON AVE

City:CLEVELAND

State:OH ZIP:44114 Country:US

Info Phone Num:216-881-8111 / 80

0-626-6527

Emergency Phone Num:216-881-8111 / 800-626-6527

Preparer's Name: GARY BUSH

CAGE:KO912

=== Contractor Identification ===

Company Name: FOAM SEAL INC DBA NOVAGARD

Address:5109 HAHILTON AVE

Box:City:CLEVELAND

State:OH ZIP:44114 Country:US

Phone:210-881-3890 / 800-626-6527

CAGE:KO912

Company Name: FOAM SEAL INC DBA NOVAGARD

Address:5109 HAMILTON AVENUE

Box:City:CLEVELAND

State:OH

ZIP:44114-3907

Country:US

Phone:800-626-6527/216-881-8111


CAGE:00CE9

Company Name: SDB CONSULTANTS LTD

Address:40

1 WHITNEY AVE SUITE 120 Box:City:GRETNA
State:LA
ZIP:70056
Country:US Phone:504-366-9105
CAGE:0PGK2
======= Composition/Information on Ingredients ========
Ingred Name:ZINC NAPHTHENATE
CAS:12001-85-3
RTECS #:QK9275000
Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED
Ingred Name:POLY (DIMETHYLSILOXANE)
CAS:63148-62-9
RTECS #:JJ6484500
Fraction by Wt: 10-30% Other REC Limits:NONE RECOMMENDED
Other REC Limits. NONE RECOMMENDED
Ingred Name:SILICA, AMORPHOUS (FUMED)
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: .5-5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3
======================================
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE CONTACT MAY IRRITATE EYES. SKIN CONTACT MAY CAUSE MILD SKIN IRRITATION. A DUST HAZARD MAY BE
CREATED IF, UNDER CONDITIONS OF USE, SOLLID PARTICLES ARE SEPARATEI
FROM THE POLYMERIC MATRIX. INGES
TIO N NOT EXPECTED TO CAUSE
HAZARDOUS EFFECTS.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, RESPIRATORY
TRACT IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES. IF

First Aid:EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR 15 MINUTES. IF CHRONI



Respiratory Protection: NONE NORMALLY REQUIRED.

Ventilation: USE IN A WELL VENTILATED AREA.

Protective Gloves: CLOTH GLOVES Eye Protection: SAFETY GLASSES

Other Protective Equipment: EYE WASH STATIONS

Work H

ygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health

THIS PRODUCT CONTAINS POLYDIMETHYLSILOXANES WHICH CAN GENERATE FORMALDEHYDE AT ABOUT 300F (150C). FORMALDEHYDE IS A SKIN AND RESPIRATORY SENSITIZER, EYE & THROAT IRRITANT, ACUTE TOXICANT, AND POTENTIA L CANCER HAZARD. AN MSDS FOR FORMALDEHYDE IS AVAILABLE FROM GE SILICONES.

========== Physical/Chemical Properties

HCC:V7

Boiling Pt:B.P. Text:>572F,>300C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN

Spec Gravity:1.04

Evaporation Rate & Dr. Reference: NOT GIVEN

Solubility in Water: INSOLUBLE

Appearance and Odor:PASTE, SLIGHT ODOR

Percent Volatiles by Volume: