

CHEVRON CHEMICAL CO/CONSUMER PRODUCTS DIV -- DIESEL ENGINE OIL DELO 6170 SAE 40 --
9150-00-135-2634

===== Product Identification =====

Product ID:DIESEL ENGINE OIL DELO 6170 SAE 40

MSDS Date:07/11/1996

FSC:9150

NIIN:00-135-2634

MSDS Number: CHQGQ

=== Responsible Party ===

Company Name:CHEVRON CHEMICAL CO/CONSUMER PRODUCTS DIV

Address:575 MARKET STREET

Box:3744

City:SAN FRANCISCO

State:CA

ZIP:9410

5-2823

Country:US

Info Phone Num:415-894-4461

Emergency Phone Num:415-894-4461/800-424-9300(CHEMTREC)

CAGE:0ACV2

=== Contractor Identification ===

Company Name:CHEVRON CHEMICAL CO CONSUMER PRODUCTS DIV

Address:575 MARKET ST

Box:3744

City:SAN FRANCISCO

State:CA

ZIP:94105-2823

Country:US

Phone:800-822-5823

CAGE:8X116

Company Name:CHEVRON CHEMICAL CO DIV OF CHEVRON USA INC

Address:63149 COLUMBIA RIVER HWY

Box:810

City:ST. HELENS

State:OR

ZIP:97051

Country:US

Phone:503-397-6947/503-397-2225

CAGE:0AC

V2

Company Name:CHEVRON PRODUCTS COMPANY LUBRICANTS AND SPECIALTY PRODUCTS

Address:6001 BOLLINGER CANYON RD

Box:City:SAN RAMON

State:CA

ZIP:94583

Country:US

Phone:800-414-6737 / 800-582-3835

CAGE:81230

Company Name:TRUEBLOOD OIL

Box:UNKNOW

CAGE:NO716

=====
===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, SOLVENT REVFINE D HEAVY PARAFFINIC, SEVERELY
HYDROTREATED

CAS:64741-88-4

RTECS #:PY8040501

Fraction by Wt: 0 - >80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:PETROLEUM OIL

CAS:64741-89-5

RTECS #:PY8041500

Fraction by Wt: 0 - >80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT REFINED (MILD),
HEAVY NAPHTHENIC (CARCENOGENIC - IARC)

CAS:64741-96-4

RTECS #:PY8040000

Fraction by Wt: 0 - >80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT REFINED
(SEVERE), LIGHT NAPHTHENIC, (NON-CARCINOGENIC - IARC)
CAS:64741-97-5
RTECS #:PY8041001
Fraction by Wt: 0 - >80%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:SOLVENT REFINED RESIDUE
CAS:64742-01-4
Fraction by Wt: 0 - >80%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 OIL MIST
ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:MINERAL OIL, HYDROTREATED (MILD), HEAVY NAPHTHENI
C
DISTILLATE, PETROLEUM
CAS:64742-52-5
RTECS #:PY8035000
Fraction by Wt: 0 - >80%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 AS OIL MIST
ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL
CAS:64742-53-6
RTECS #:PY8036000
Fraction by Wt: 0 - >80%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED
(MILD), HEAVY PARAFFINIC
CAS:64742-54-7
RTECS #:PY8035500
Fraction by Wt: 0 - >80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:SOLVENT DEWAXED RESIDUAL OIL (PETROLEUM)

CAS:64742-62-7

Fraction by Wt: 0 - >80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (MILD),
HEAVY PARAFFINIC/PETROLEUM LUBE OIL

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 0 - >80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 A

S OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:LUBRICATING BASE OIL, SEVERELY REFINED PETROLEUM DISTILLATE

CAS:72623-83-7

Fraction by Wt: 0 - >80%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 OIL MIST

ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:ADDITIVES

Fraction by Wt: