

SPRAYON PRODUCTS -- 00620 ANTI SEIZE -- 8030-00-155-6444

=====
Product Identification
=====

Product ID:00620 ANTI SEIZE

MSDS Date:06/01/1994

FSC:8030

NIIN:00-155-6444

Status Code:A

MSDS Number: CHWPZ

=== Responsible Party ===

Company Name:SPRAYON PRODUCTS

Address:31500 SOLON RD

City:SOLON

State:OH

ZIP:44139

Country:US

Info Phone Num:800-777-2966

Emergency Phone Num:216-292-7400

CAGE:DO662

=== Con

tractor Identification ===

Company Name:SPRAYON PRODUCTS; SHERWIN WILLIAMS

Address:26300 FARGO AVENUE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Phone:216-292-7400

CAGE:DO662

=====
Composition/Information on Ingredients
=====

Ingred Name:N-HEPTANE

CAS:142-82-5

RTECS #:MI7700000

Fraction by Wt: 37%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM STEL 500PPM

ACGIH TLV:400 PPM/500STEL;9495

Ingred Name:PETROLIUM OIL

CAS:64742-54-7

RTECS #:PY8035500

Fraction by Wt: 14%

Other REC

Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:3 MG/M3

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 12%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIAN; 9495

Ingred Name:2 METHEL PROPANE

CAS:75-28-5

RTECS #:TZ4300000

Fraction by Wt: 15%

Other REC Limits:NONE RECOMMENDED

Ingred Name:GRAPHITE, NATURAL

CAS:7782-42-5

RTECS #:MD9659600

Fraction by Wt: 5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:2.5 MG/N3 RESPIRDUST

ACGIH TLV:2MB/N3 RESPIR DUST

Ingred Name:VOC

RTECS #:9999999VO

Fraction by Wt: 64%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

==== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: IRRITANT, CNS DEPRESSION,
UNCONSCIOUSNESS, DEATH HEADACHE, DIZZINESS, NAUSEA, LOSS OF
CO-ORDINATION, SKIN: IRRITANT, REDNESS AND ITCHING, BURNING, EYE:
IRRITANT REDNESS,ITCHING AND BURN

ING

Effects of Overexposure:MAY CAUSE ADVERSE EFFECTS TO LIVER, URINARY, BLOOD-FORMING CARDIOVASCULAR AND REPRODUCTIE SYSTEMS, ALSO POSSIBLE PERMINANT BRAIN AND NERVOUS SYSTEM DAMAGE. POSSIBLE PERIFERAL NEUROPATHY RESULTING IN M USCULAR WEAKNESS AND LOSS OF SENSATION
Medical Cond Aggravated by Exposure:CARDIO-VASCULAR PROBLEMS

===== First Aid Measures =====

First Aid:VENTELATION: REMOVE TO FRESH AIR, RESTORE BREATHING, AND KEEP WARM AND QU

IET. SKIN: WASH THOROUGHLY W/SOAP AND WTR, REMOVE CONTAM CLOTHING, LAUNDER BEFORE RE-USE. EYES: FLUSH W/LARGE AMOUNTS OF HO2 FOR 15 MIN, GET MED AID. INGESTION: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON, DO NOT INDUCE VOMITING, GIVE SEVERAL GLASSES OF WATER, GET MED AID

===== Fire Fighting Measures =====

Flash Point:LESS THAN 0

Extinguishing Media:CO2, DRY CHEMICAL FOAM,

Fire Fighting Procedures:FULL PROTECTIVE EQUPT INCLUDING SCUBA, WATER

SPRAY MAY BE INEFFECTIVE, IF WATER IS USED FOG NOZZLES ARE PREFERRABLE. HO2 USED TO CLOSE CNTNR TO PREVENT EXPLSN

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION, VENTILATE AND REMOVE WITH ABSORBANT.

===== Handling and Storage =====

Handling and Storage Precautions:

CONTENTS ARE EXTREMELY FLAMIBLE. KEEP

AWAY FROM ALL IGNITABLES. VAPORS WILL ACCUMULATE READILY AND MAY IGNITE EXPLISIVELY DURING USE AND UNTILL *

Other Precautions:* ALL VAPORS ARE GONE. KEEP VENTILATED. DO NOT SMOKE. LEVEL 3 AEROSOLS. USE APPROVED BONDING AND GROUNDING PROCEDURES. CONTENTS UNDER PRESSURE, DO NOT PUNCTURE OR EXPOSE TO *

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR A PROPERLY FITTED ORGANIC VAPOR/PARTICULATE

RESPIRATOR.APPROVED BY NIOSH/MSHA.

Ventilation:LOCAL EXHAUSE PREFFERABLE, GENERAL ACCEPTABLE IF IF EXPOSURE IS MAINTAINED BELOW APPLICABLE EXPOSURE LIMITS

Protective Gloves:AS RECOMMENDED BY GLOVE SUPPLIER

Eye Protection:WEAR SAFETY SPECS W/UNPERFERATED SDESHLS

Work Hygienic Practices:WASH HANDS AFTER USING

Supplemental Safety and Health

USE ONLY W/ADIQUITE VENT, AVOID BRTHING VAPOR AND MIST, AVOID CONTACT WITH SKIN AND EYES. * TEMPS ABOVE 120F. HEAT FROM SUNLITE RADIATORS, S

TOVES, HOT WATER, ETCCAUSE CONTNR TO BURST. DON'T TAKE INTERNALLY, OUT OF REACH OF CHLDRN. INTENTIONAL MIS-USE BY CONCENTRATING AND INHALING, HARMFUL OR FATAL.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:174F,79C

Vapor Density:HVR /AIR

Evaporation Rate & Reference:FASTER THAN ETHER

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:BY FIRE:

CO2, CO, OXIDES OF METAL

===== Disposal Considerations =====

Waste Disposal Methods:WASTE FROM PRODUCTS MAY BE HAZARDOUS, ADVISABLE THAT WASTE SHOULD BE TESTED FOR EXTRACTIBILITY. DO NOT INSINORATE, OR DEPRESSURIZE CONTAINERS. DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGU LATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The

United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.