

S I A ADHESIVES INC -- A-1273-B-1, 3010650

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 00-940-7997
MSDS Date: 04/06/1995
MSDS Num: CHXQL
Product ID: A-1273-B-1, 3010650
MFN: 01
Kit Part: Y
Responsible Party
Cage: MO326
Name: S I A ADHESIVES INC
Address: 123 WEST BARTGES ST
City: AKRON OH
44311
Info Phone Number: 330-374-2786
Emergency Phone Number: 330-374-5143;800-424-9300(CHEMTREC)
Preparer's Name: CLIFFORD PEARSON
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: MO326
Name: S I A ADHESIVES INC
Address: 123 WEST BARTGES ST
City: AKRON OH 44311
Phone: 330-374-2786
Cage: 1HS43
Name: SIA ADHESIVES INC
Address: 123 W BARTGES ST
City: AKRON OH 44311
-1081
Phone: 330-374-2786 / 330-374-2900

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT
UI Container Qty: 0

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

Hea

lth Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE: EYES: MINOR TRANSIENT IRRITATION. SKIN: MINOR IRRITATION, SOME PEOPLE MAY DEVELOP ALLERGIC REACTION AND SENSITIZATION. INHALATION: NONE LIKELY UNLESS HEATED TO HIGH TEMPERATURE. CHRONIC: SOME PEOPLE MAY DEVELOP SKIN RASH, ALLERGIC REACTIONS AND/OR SKIN SENSITIZATION.

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: SKIN RASHES.

First Aid: EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SEE A PHYSICIAN IF IRRITATION DEVELOPS. SKIN: WASH WITH SOAP AND WATER; REMOVE AND WASH CONTAMINATED CLOTHING. SEE A PHYSICIAN IF IRRITATION DEVELOPS. INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. INGESTION: INDUCE VOMITING AND

CONSULT A PHYSICIAN.

Handling and Disposal

Spill Release Procedures: AVOID EYE AND SKIN CONTACT. ABSORB WITH INERT ABSORBANT, SCRAPE UP AND PLACE IN A CONTAINER FOR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: THIS MATERIAL IF DISCARDED MAY BE HAZARDOUS AS DEFINED BY GOVERNMENT REGULATION AND, THEREFORE MAY BE SUBJECT TO STORAGE, TRANSPORTIO

N, AND DISPOSAL REQUIREMENTS. DISCARD IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: AVOID EYE & SKIN CONTACT. KEEP OUT OF REACH OF CHILDREN STORE IN A COOL DRY PLACE AWAY FROM HEAT.

Other Precautions: EMPTY CONTAINERS MAY BE HAZARDOUS AND ALL PRECAUTIONS CITED SHOULD BE OBSERVED.

Fire and Explosion Hazard Information

Flash Point

Method: TOC

Flash Point Text: 480F,249C

Upper Limits: 0.00%

Extinguishing Media: WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: TOXIC FUMES POSSIBLE.

=====
Control Measures
=====

Respiratory Protection: NONE
USUALLY NECESSARY UNDER MOST INDUSTRIAL OPERATING CONDITIONS. NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).

Ventilation: GOOD GENERAL VENTILATION USUALLY ADEQUATE.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS (FP N).

Other Protective Equipment: EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA (FP N). CLEAN LONG SLEEVES. LONG LEG CLOTHING.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental

Safety and Health: VAPOR DENSITY: NON VOLATILE.

=====
Physical/Chemical Properties
=====

M.P/F.P Text: 1.39 (FP N)

Vapor Pres: SEE ING 2

Vapor Density: SUPDAT

Spec Gravity: 1.38896

Evaporation Rate & Reference: N-BUTYL ACETATE

Appearance and Odor: THICK GREEN PASTE WITH EPOXY ODOR.

Percent Volatiles by Volume: 0.0

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: AMINE COMPOUNDS IN UNCONTROLLED CONDITIONS.

Materials To Avoid: ACID, BASE.

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE AND OTHERS POSSIBLE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: MO326
Trans ID NO: 137641
Product ID: A-1273-B-1, 3010650
MSDS Prepared Date: 04/06/1995
Review Date: 01/20/1999
MFN: 1
Multiple KIT Number: 0
Kit Part IND: Y
Unit Of Issue: KT
Container QTY: 0

=====
Detail DOT Information
=====

=====
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code

: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
HAZCOM Label
=====

Product ID: A-1273-B-1, 3010650
Cage: MO326
Assigned IND: Y
Company Name
Name: S I A ADHESIVES INC
Street: 123 WEST BARTGES ST
City: AKRON OH
Zipcode: 44311
Health Emergency Phone: 330-374-5143;800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 09/24/1998
Status Code: C
Label Date: 09/24/1998
Origination
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: WARNING
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Moderate
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: ACUTE: EYES: M
INOR TRANSIENT IRRITATION. SKIN: MINOR
IRRITATION, SOME PEOPLE MAY DEVELOP ALLERGIC REACTION AND SENSITIZATION.
INHALATION: NONE LIKELY UNLESS HEATED TO HIGH TEMPERATURE. CHRONIC: SOME PEOPLE MAY DEVELOP SKIN RASH, ALLERGIC REACTIONS AND/OR SKIN SENSITIZATION.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.
The United States of

America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.