

CLIFTON ADHESIVE INC -- PC 5685 BLACK -- 8030-00-463-9955

=====
Product Identification
=====

Product ID:PC 5685 BLACK

MSDS Date:01/17/1997

FSC:8030

NIIN:00-463-9955

MSDS Number: CHXRQ

=== Responsible Party ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:282

City:WAYNE

State:NJ

ZIP:07474-0282

Country:US

Info Phone Num:201-694-0845

Emergency Phone Num:201-694-0845

CAGE:79833

=== Contra

ctor Identification ===

Company Name:CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-0845; 973-694-0845

CAGE:79833

=====
Composition/Information on Ingredients
=====

Ingred Name:XYLOL (SARA 313) (CERCLA)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 15%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:MINERAL SPIRITS

CAS:8052-41-3

RTECS #:WJ8

925000
Fraction by Wt: 30%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM; 9495

Ingred Name:CYCLOSOL 53
CAS:64742-95-6
Fraction by Wt: 15%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:50 PPM

Ingred Name:CLAY
CAS:1332-58-7
RTECS #:GF1670500
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYISOPRENE SYNTHETIC RUBBER
CAS:9010-98-4
RTECS #:EI9640000
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: SKIN, EYE, INHALE, AND INGEST: NAUSEA AND/OR NARCOSIS. SKIN: DRYNESS AND CRACKING. EYES: IRRITATION. INHALE: MUCCUS MEMBRANE IRRITATION
Effects of Overexposure: XYLENE=CARDIAC ABNORMALITIES; MINERAL SPIRITS=CNS EFFECTS; CYCLOSOL 53=LIVER, KIDNEY, LUNG, SPLEEN DAMAGE
Medical Cond Aggravated by Exposure: RESPIRATORY AILMENTS

=====
===== First Aid Measures =====

First Aid: SKIN: WASH W/SOAP AND WATER; GET MED AID. EYES: FLUSH WITH MUCH WATER; GET MED AID. INGEST: DO NOT INDUCE VOMITING; GET MED AID. INHALE: REMOVE TO FRESH AIR; GIVE OXYGEN; USE CPR; GET MED AID

=====
===== Fire Fighting Measures =====

Flash Point Method: CC
Flash Point: 81.0F, 27.2C
Autoignition Temp: Autoignition Temp Text: 473F
Lower Limits: 1
Upper Limits: 7
Extinguishing Media: CO2, FOAM, DRY CHEMICAL
Fire Fighting Procedures: NI

OSH/MSHA APPROVED SCUBA; USE WATER SPRAY TO
COOL FIRE EXPOSED STRUCTURES AND DISPERSE VAPOR CLOUD IF FIRE IS
NOT PRESENT

Unusual Fire/Explosion Hazard:VAPOR IS HEAVIER THAN AIR AND MAY TRAVEL
CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH SAND, EARTH, VERMICULITE, OIL-DRI,
SOL-SPEED-DRI. SHOVEL ABSORBED MATERIAL INTO STEEL CONTAINER AND
COVER

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED AND
STORE IN AN APPROVED SOLVENT STORAGE AREA; KEEP AWAY FROM ALL
IGNITABLES AND OXIDIZING AGENTS

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ATMOSPHERE SUPPLYING OR AIR
PURIFYING RESPIRATOR FOR ORGANIC VAPORS
Ventilation:AS SPECIFIED: LOCAL EXHAUST; MECHANICAL EXHAUST (EXPLOSION
PROOF EQUIP; RE
DUCE VAPOR CONCENTRATIONS BELOW SPECIFIED LIMIT
Protective Gloves:PVA GLOVES
Eye Protection:SAFETY GLASSES
Other Protective Equipment:PROTECTIVE CLOTHING
Work Hygienic Practices:KEEP AREA CLEAN; CLEAN UP SPILLS IMMED;
PRACTICE GOOD PERSONAL HYGEINE
Supplemental Safety and Health
EXPOSURE LIMITS ARE FOR AIR LEVELS ONLY; WHEN SKIN CONTACT OCCURS
OVEREXPOSURE MAY RESULT THOUGH AIR LEVELS ARE LESS THAN THE LIMITS
LISTED UNDER INGREDIENTS

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:281F,138C
Vapor Pres:11
Vapor Density:4.7
Spec Gravity:.984
VOC Grams/Liter:5.07
Appearance and Odor:BLACK RUBBERY, SOLVENTY ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NK
Stability Condition to Avoid:HEAT AND ALL IGNITABLES, AND OXIDIZING
AGENTS
Hazardous Decomposition Products:OXIDES OF CARBON, MAGNESIUM, ZINC,
HYDROGEN CHLORIDE

===== Disposal Consideratio

ns =====

Waste Disposal Methods:PER FED, STATE, AND LOCAL CHEMICAL AND SOLVENT
REGS

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any pers
on utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.