

NILES CHEMICAL PAINT CO. -- N-6238A 2K HAZE GRAY T-IIIF#151 -- 8010-01-302-6838

=====  
Product Identification  
=====

Product ID:N-6238A 2K HAZE GRAY T-IIIF#151

MSDS Date:12/03/1997

FSC:8010

NIIN:01-302-6838

Kit Part:Y

MSDS Number: CHXSQ

=== Responsible Party ===

Company Name:NILES CHEMICAL PAINT CO.

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Info Phone Num:616-683-33

77

Emergency Phone Num:219-236-5856

Preparer's Name:MICHAEL LICHATOWICH

CAGE:02388

=== Contractor Identification ===

Company Name:NILES CHEMICAL PAINT

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Phone:616-683-3377/219-236-5856

CAGE:02388

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TALC (CONTAINING ASBESTOS)

CAS:14807-96-6

RTECS #:MW2700000

Fraction by Wt: 37%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:2MG/M3

ACGIH TLV:2MG/M3

In

Ingredient Name:N-BUTYL ALCOHOL (SARA 313) (CERCLA)  
CAS:71-36-3  
RTECS #:EO1400000  
Fraction by Wt: 27%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:50 PPM  
ACGIH TLV:50 PPM (SKIN)  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingredient Name:POLYAMIDE ADUCT RESIN  
Fraction by Wt: 20%  
Other REC Limits:NONE RECOMMENDED

Ingredient Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
Fraction by Wt: 9%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NONE  
ACGIH TLV:NONE

Ingredient Name:AMIDO-AMINE-RESIN  
CAS:68443-08-3  
Fraction by Wt: 1%  
Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: SEVERE IRRITATION, LACRIMATION,  
REDNESS, BLURRED VISION; SKIN: HARMFUL IF ABSORBED, CAN BE ABSORBED IN  
TOXIC AMOUNTS FROM PROLONGED REPT EXPOS. INHALE: NASAL/RESP  
IRRITATION, CNS DEPRESSION, NAUSEA, HEADACHE, VERTIGO,  
UNCONSCIOUSNESS, ASPHYXIATION; SWALLOWING: GI IRRITATION, ABDOMINAL  
PAIN, NAUSEA, VOMITING, DIARRHEA.  
Explanation of Carcinogenicity:NO  
Effects of Overexposure:LIVER/KIDNEY/RESP/SKIN/EYE/CNS HAZARD, DRYNESS  
OF SKIN MAY OCCUR. NUISANCE DUST, CORNEAL INFLAMMATION AND  
PHOTOPHOBIA

=====  
===== First Aid Measures =====

First Aid:INHALE: REMOVE TO FRESH AIR IMMEDIATELY; GIVE CPR; GET MEDICAL AID  
ASAP. SKIN: \*\* EYE: IMMEDIATELY FLUSH WITH MUCH WATER AT LEAST 15 MINUTES  
LI

FTING UPPER/LOWER LIDS; GET MED AID IMMEDIATELY; DO NOT WEAR CONTACT LENSES WHILE WORKING. INGEST: DRINK 1 OR 2 GLASSES OF WATER; DO NOT INDUCE VOMITING; GET MED AID IMMEDIATELY; TREAT SYMPTOMATICALLY.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:101F,38C

Lower Limits:0.9

Upper Limits:11.0

Extinguishing Media:DRY CHEMICAL, FOAM, CO2

Fire Fighting Procedures:WEAR SCUBA WITH FULL FACEPIECE IN POSITIVE PRESSURE MODE; FULL PROTECTIVE CLOTHING; WATER MAY BE USED TO COOL CONTAINERS TO PREVENT EXPLOSION.

Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED; ISOLATE FROM ALL IGNITABLES; CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT; EXPOSURE TO DECOMP PRODUCTS MAY CAUSE HAZARDS.\*

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITABLES; MINIMIZE ALL CONTACT WITH PRODUCT;DIKE; AVOID RUNOFF INTO SOIL, SEWERS, OR WATERWAYS. ABSORB WITH INERT MATERIAL SUCH AS CLAY, SOIL, OR A COMMERCIALY AVAILABLE ABSORBENT; SHOVEL INTO SALVAGE DRUMS FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID STORAGE IN HIGH TEMPERATURE AREAS OR NEAR IGNITABLES; KEEP CONTAINERS CLOSED; AVOID ROUGH HANDLING.

Other Precautions:EMPTY CONTAINERS MAY BE HAZARDOUS; DO NOT WELD/FLAME CUT ON EMPTY DRUMS; SHOCK FROM DROPPING MAY SPLIT CONTAINER.

===== Exposure Control  
s/Personal Protection =====

Respiratory Protection:WEAR AN APPROPRIATE (TYPE TC-23C-75) PROPERLY FITTED HALF-MASK OR FULL FACEPIECE RESPIRATOR (NIOSH/MSHA).

Ventilation:SUFFICIENT VENTILATION REQUIRED; REMOVE DECOMP PRODUCTS FORMED DURING WELDING/FLAME CUTTING.

Protective Gloves:CHEMICAL RESISTANT NITRILE/VITON

Eye Protection:CHEMICAL SAFETY GOGGLES/FACE SHIELD.

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING.

Work Hygienic Practices:WASH IMMEDIATELY UPON CONTAMINATION; REMOVE

ANY WET

CLOTHING AND WASH BEFORE REUSE; WASH BEFORE EATING, SMOKING, USING TOILET

Supplemental Safety and Health

VAPORS ARE HVR THAN AIR AND MAY TRAVEL ALONG GROUND TO AN IGNITION SOURCE \*\*SKIN: IMMED FLUSH W/MUCH WTR. IMMED REMOVE CONTAM CLOTHING. FLUSH SKIN W/WTR. GET MED AID WASH CLOTHING AND DECONTAM SHO ES BEFORE REUSE

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:242F,100C

Vapor Density:>AIR

Spec Gravity:1.345

VOC Grams

/Liter:3.15

Viscosity:99-109 KU

Evaporation Rate & Reference: