

MORTON INTL INC SPECIALTY CHEMICALS GROUP -- LP-3 -- 5999-00-787-8326

=====
Product Identification
=====

Product ID:LP-3
MSDS Date:12/17/1996
FSC:5999
NIIN:00-787-8326
Status Code:A
MSDS Number: CHYZB
=== Responsible Party ===
Company Name:MORTON INTL INC SPECIALTY CHEMICALS GROUP
Address:333 W WACKER DR
City:CHICAGO
State:IL
ZIP:60606-1218
Country:US
Info Phone Num:312-807-2000/3422
Emergency Ph
one Num:800-257-9596/800-424-9300(CHEMTREC)
CAGE:32063
=== Contractor Identification ===
Company Name:MORTON INTL INC SPECIALTY CHEMICALS GROUP
Address:333 W WACKER DR
City:CHICAGO
State:IL
ZIP:60606-1218
Country:US
Phone:312-807-2000
CAGE:32063

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:L

D50 (ORAL, RAT) 3,400 MG/KG

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: EYE, SKIN,
GASTROINTESTINAL TRACT. ACUTE- EYE CONTACT MAY CAUSE IRRITATION.
Prolonged or repeated skin contact may cause irritation.
Inhalation is not likely in normal industrial use. Ingestion may
cause stomach upset. Chronic- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRI

TATION, NAUSEA, VOMITING, TEARING, PAIN,
DIARRHEA

Medical Cond Aggravated by Exposure:NOT EXPECTED TO WORSEN OR AGGRAVATE
ANY PRE-EXISTING MEDICAL CONDITIONS.

=====
First Aid Measures
=====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN: FLUSH WITH
WATER. EYE: FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN.
Inhaled: MOVE TO FRESH AIR. ORAL: IF CONSCIOUS, INDUCE VOMITING
IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. CALL

A

PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY
MOUTH TO AN UNCONSCIOUS PERSON

=====
Fire Fighting Measures
=====

Flash Point Method:SCC

Flash Point:>200F,>93C

Extinguishing Media:SMALL FIRE: DRY CHEMICAL, CARBON DIOXIDE, HALON,
WATER SPRAY, FOAM. LARGE FIRE: ALCOHOL FOAM, WATER SPRAY OR FOG

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:

IRRITATING AND HIGHLY TOXIC GASES MAY BE
FORMED.

=====
Accidental Release Measures
=====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA.
ABSORB ON SAND, VERMICULITE OR SIMILAR MATERIAL. SWEEP UP AND PLACE
IN AN APPROPRIATE CONTAINER. HOLD FOR DISPOSAL. WASH CONTAMINATED
SPILL AREA WITH DETERGENT AND WATER.

Neutralizing Agent:NOT RELEVANT

=====
Handling and Storage
=====

Handling and Storage

Precautions:STORE IN COOL, DRY, VENTILATED AREA
AWAY FROM INCOMPATIBLE MATERIALS.

Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING
AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF
CHILDREN. DO NOT TAKE INTERNALLY. DO NOT GET IN EYES OR ON SKIN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USUALLY NOT REQUIRED.

Ventilation:GENERAL MECHANICAL VENTILATION IS ADEQUATE FOR NORMAL USE.
LOCAL EXHAUST IS RECOMM

ENDED FOR CONFINED AREAS.

Protective Gloves:LATEX FOR REPEATED/PROLONGED CONTACT

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE
CLOTHING

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V5

NRC/State Lic Num:NOT RELEVANT

Spec Gravity:1.27

Evaporation Rate & Re
ference: