View NSN Online: https://aerobasegroup.com/nsn/6850-01-447-3543

Product ID:PLASTI-KLEEN, PRODUCT #2 MSDS Date:11/23/1998 FSC:6850 NIIN:01-447-3543 MSDS Number: CHZDG === Responsible Party === Company Name: HESS INC. Address:4761 GERMANTOWN PIKE **City:DAYTON** State:OH ZIP:45418 Country:US Info Phone Num:513-268-4377 Emergency Phone Num:513-268-4377 CAGE:0KFG3 === Contract or Identification === Company Name: HESS INC. Address:4761 GERMANTOWN PIKE Box:City:DAYTON State:OH ZIP:45418 Country:US Phone:513-268-4377 CAGE:0KFG3

Ingred Name:NON-HAZARDOUS INGREDIENTS Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health

<ul> <li>Hazards Acute and Chronic:EYE-MAY CAUSE SLIGHT IRRITATION. CHRONIC: NO KNOWN EFFECTS.</li> <li>Explanation of Carcinogenicity:NONE.</li> <li>Effects of Overexposure:SKIN-MAY CAUSE MILD DRYNESS AND CRACKING. INGESTION-MAY CAUSE NAUSEA IF SWALLOWED.</li> <li>Medical Cond Aggravated by Exposure:NONE KNOWN.</li> </ul>
======================================
First Aid:INHALATION-NO SPECIFIC TREATMENT. EYE-FLUSH EYES WITH WATER FOR 15 MIN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.
SKIN-RI NSE WITH WATER. INGESTION-DO NOT INDUCE VOMITING. CONSUME LARGE AMOUNTS OF CITRIC JUICES, VINEGAR OR WATER.
======================================
Flash Point:NONE Autoignition Temp:Autoignition Temp Text:NONE Lower Limits:NONE Upper Limits:NONE
Extinguishing Media:MATERIAL WILL NOT BURN. Fire Fighting Procedures:NONE. Unusual Fire/Explosion Hazard:NONE KNOWN.
======================================
Spill Release Procedures:MOP O R SOAK UP WITH APPROPIATE MATERIAL. REMOVE OUT OF DOORS. FLUSH WITH WATER. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:STORE IN A COOL DRY AREA. AVOID TEMPERATURES ABOVE 100F OR BELOW FREEZING. Other Precautions:NONE
========= Exposure Controls/Personal Protection ====================================
Ventilation:NO SPECIAL VENTILATION REQUIREMENTS. Eye Protection:SAFETY GLASSES RECOMMENDED. Other Protective Equipment:NOT

NORMALLY REQUIRED. HOWEVER, THE USE OF SAFETY GLASSES IS REQUIRED. Work Hygienic Practices:WASH AFTER HANDLING. Supplemental Safety and Health NONE

HCC:N1 Boiling Pt:=100.C, 212.F Melt/Freeze Pt:=0.C, 32.F Vapor Pres:18 MMHG Spec Gravity:1.00 Evaporation Rate & amp; Reference:>1 Solubility in Water:100% Appearance and Odor:UNSCENTED, LIGHT PINK LIQUID.

Stability Indicator/Materials to Avoid:YES DO NOT MIX WITH STRONG ACIDS. Stability Condition to Avoid:NONE. Hazardous Decomposition Products:NONE.

Waste Disposal Methods:DISPOSE OF RESIDUE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL GUIDELINES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.