

MARTIN ELECTRONICS INC -- 17004000 MEI 101 NIGHT VISION HAND SIGNAL -- 5855-01-456-5752
===== Product Identification =====

Product ID:17004000 MEI 101 NIGHT VISION HAND SIGNAL

MSDS Date:07/14/1994

FSC:5855

NIIN:01-456-5752

Status Code:A

MSDS Number: CHZDK

=== Responsible Party ===

Company Name:MARTIN ELECTRONICS INC

Address:ROUTE 1

Box:700

City:PERRY

State:FL

ZIP:32347

Country:US

Info Phone Num:9

04-584-2634

Emergency Phone Num:904-584-2634

CAGE:4A902

=== Contractor Identification ===

Company Name:MARTIN ELECTRONICS INC

Address:ROUTE 1 BOX 700

Box:City:PERRY

State:FL

ZIP:32347

Country:US

Phone:904-584-2634

CAGE:4A902

Company Name:NIGHT VISION EQPMT CO INC

Address:542 KEMMERER LN

Box:City:ALLENTOWN

State:PA

ZIP:18104-9339

Country:US

Phone:610-391-9101

Contract Num:SPO920-98-M-6195

CAGE:0NTN5

===== Composition/Information on Ingredients =====

Ingred Name:C.I. SOLVENT OR

ANGE 7 (SARA 313); XYLENE-AZO-B-NAPHTHOL
CAS:3118-97-6
RTECS #:QL5850000
Other REC Limits:NONE RECOMMENDED

Ingred Name:C.I. SOLVENT RED 111; DYE
CAS:82-38-2
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM CHLORATE
CAS:3811-04-9
RTECS #:FO0350000
Other REC Limits:NONE RECOMMENDED

Ingred Name:SUCROSE; SUGAR
CAS:57-50-1
RTECS #:WN6500000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3; 9596

Ingred Name:GRAPHITE, NATURAL
CAS:7782-42-5
RTECS #:MD9659600
Other
REC Limits:NONE RECOMMENDED
OSHA PEL:15 MPPCF; Z-3
ACGIH TLV:2 MG/M3 RDUST; 9596

Ingred Name:DIATOMACEOUS EARTH
Other REC Limits:NONE RECOMMENDED

Ingred Name:LEAD OXIDE, (RED LEAD OXIDE)
CAS:1314-41-6
RTECS #:OG5425000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:SEE 1910.1025
ACGIH TLV:0.15 MG/M3

Ingred Name:SILICON
CAS:7440-21-3
RTECS #:VW0400000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:FLUOROELASTOMERIC BINDER
RTECS #:9999999ZZ
Oth

er REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM NITRATE
CAS:7757-79-1
RTECS #:TT3700000
Other REC Limits:NONE RECOMMENDED

Ingred Name:BORON; ELEMENTAL
CAS:7440-42-8
RTECS #:ED7350000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG B203/M3
ACGIH TLV:10 MG B2O3/M3

Ingred Name:M29 PRIMER
RTECS #:9999999ZZ
Other REC Limits:NONE RECOMMENDED

Ingred Name:ZIRCONIUM
CAS:7440-67-7
RTECS #:ZH7070000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3/10 STEL;9596

Ingred Name:BAR
IUM CHROMATE
CAS:10294-40-3
RTECS #:CQ8760000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.5 MG CR/M3
ACGIH TLV:0.5 MG CR/M3

Ingred Name:CELLULOSE (PAPER FIBER)
CAS:9004-34-6
RTECS #:FJ5691460
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3; 9596

Ingred Name:HEXAMINE/HEXAMETHYLENETETRAMINE
CAS:100-97-0
RTECS #:MN4725000
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICON
CAS:7440-21-3
RTECS #:VW0400000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
AC

GIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:ASPHALTUM
RTECS #:9999999ZZ
Other REC Limits:NONE RECOMMENDED

Ingred Name:BLACK POWDER CLASS 6
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50:NO AVAILABLE DATA.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY BE HARMFUL IF INGESTED OR UPON
SKIN/EYE CONTACT. ACUTE:RESP-
MINOR IRRITATION. DERMAL-MINOR
IRRITATION. EYE-MINOR IRRITATION MAY OCCUR. INGEST-NOT VIABLE
ROUTE. CHRONIC:RESPIRATORY-MAY CAUSE DAMAGE TO BLOOD & CENTRAL
NERVOUS SYSTEM. DERMAL-MINOR IRRITATION. INGESTION-NOT A VIABLE
ROUTE.
Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY:NA.
Medical Cond Aggravated by Exposure:NONE KNOWN OR REPORTED.

=====
===== First Aid Measures =====

First Aid:EYE:IMMED FLUSH W/LG AMTS OF WATER FOR @LEAST 15MINS

OCCASIONALLY LIFTING UPPER AND LOWER EYELIDS. IF EYE IRRITATION
DEVELOPS CALL DR. SKIN:FOR BURNS USE STANDARD FIRST AID METHODS.
INGEST:NOT A VIABLE ROUTE. INHAL:REMOVE TO FRESH AIR. CONSULT
PHYSICIAN IF IRRITATION OCCURS.

=====
===== Fire Fighting Measures =====

Flash Point:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:WATER SPRAY. APPLY BY MECHANICAL MEANS ONLY.
Fire Fighting Procedures:FIGHT ALL FIRES FROM REMOTE & EXPLOSION
RESISTANT

SITE. EVACUATE ALL NON-ESSENTIAL PERSONNEL. USE WATER TO COOL CONTAINER EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:EXPLOSIVE.

===== Accidental Release Measures =====

Spill Release Procedures:PRODUCT MAY REPRESENT EXPLO HAZ. REMOVE ALL SOURCES OF IGNITION. STOP SOURCE OF SPILL AS SOON AS POSSIBLE & NOTIFY APPROPRIATE PERSONNEL .MATL SPILL SHOULD ONLY BE ADDRESSED BY PERSONNEL EXPERIENCED I N HANDLING ENERGETIC MATERIALS. USE NON-SPARK TOOLS A

ND AVOID SUBJECTING MATERIALS TO MECHANICAL SHOCK.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY PLACE AWAY FROM ALL SOURCES OF IGNITION.DO NOT STORE @TEMPS ABOVE:65.5C/150F. DO NOT SUBJECT TO MECHANICAL SHOCK.

Other Precautions:PRODUCT IS EXPOSIVE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATORY PROTECTION NOT NORMALLY NEEDED.

AVOID PROLONGED BREATHING OF DECOMPOSITION PRODUCTS.

Ventilation:USE ONLY IN OPEN AREAS W/ ADEQUATE VENTILATION.

Protective Gloves:GLOVES

Eye Protection:EYE PROTECTION

Other Protective Equipment:BOOTS. AVOID SKIN CONTACT W/ MATERIALS & DECOMPOSITION PRODUCTS.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:E1

Decomp Temp:>71.1C, 160.F

Spec Gravity:NA

pH:NA

Solubility in Water:NA

Appearance and Odor:CYLIND

RICAL ALUMINUM SHELL 5.6"LONG X 1.7"DIA;NO
ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS.

Stability Condition to Avoid:UNSTABLE @TEMPS >160F.

Hazardous Decomposition Products:COMPOUNDS OF BARIUM, CHROME, LEAD,
CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL OF MATERIAL, DECOMPOSITION PRODUCTS &
EMPTY CONTAINERS IAW ALL LOCAL, STAT
E AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information
to their
particular situation.