View NSN Online: https://aerobasegroup.com/nsn/8030-01-392-2927

SKYBRYTE CO THE -- OSPHO METAL TREATMENT -- 8030-01-392-2927

Product ID:OSPHO METAL TREATMENT

MSDS Date:12/03/1992

FSC:8030

NIIN:01-392-2927

Status Code:A

MSDS Number: CJDDT === Responsible Party ===

Company Name: SKYBRYTE CO THE

Address:3125 PERKINS AVE

City:CLEVELAND

State:OH ZIP:44114 Country:US

Info Phone Num:216-771-1590

Emergency Phone Num:216-432-2426

Prep

arer's Name: STEPHEN L. PITCHER

CAGE:EO162

=== Contractor Identification ===

Company Name: SKYBRYTE CO THE

Address:3125 PERKINS AVE

Box:City:CLEVELAND

State:OH ZIP:44114 Country:US

Phone:216-771-1590

CAGE:EO162

Company Name: THE SKYBRYTE CO

Address:3125 PERKINS AVE

Box:City:CLEVELAND

State:OH

ZIP:44114-4627 Country:US CAGE:6M876

====== Composition/Information on Ingredients ========

Ingred Name:PHOSPHORIC ACID (SARA III)

CAS:7664-38-2

RTECS #:TB6300000

= Wt:45.

Other REC Limits: NON

E RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3/3 STEL; 9394 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS ========== Hazards Identification =============== LD50 LC50 Mixture:LD50 (ORAL RAT) IS 1530 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: IRRITANT, SLIGHTLY TOXIC WHEN INHALES/INGESTED. CHRONIC: SLIGHTLY TOXIC-CAUSES BURNS TO EXPOSED TISSUE. Explanation of Carcinogenicity: NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure:LIQUID IS CORROSIVE TO EYES AND SKIN. MIST PRODUCES IRRITATION TO EYES, NOSE, THROAT AND LUNGS. Medical Cond Aggravated by Exposure: EMPHYSEMA, ASTHMA OR OTHER CONDITIONS RESULTING IN DECREASED RESPIRATORY FUNCTION. First Aid: CALL A PHYSICIAN IMMEDIATELY. INGESTION-GIVE LARGE QUANTITIES OF WATER, DO NOT INDUCE VOMITING, SKIN & EYE-FLUSH WITH WATER. Flash Point: NOT FLAMMABLE Extinguishing Media: MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard: MAY DECOMPOSE TO RELEASE OXYGEN AROUND 400C (750F). WILL PRODUCE IRRITATING PHOSPHORIC OXIDE FUMES UNDER FIRE CONDITIONS. Accidental Release Measures ==========

Spill Release Procedures:WEAR SUITABLE PROTECTIVE CLOTHING, EYE PROTECTION & RESPIRATOR. NEUTRALIZE WITH SODA ASH AND FLUSH THE AREA WITH LARGE AMOUNTS OF WATER.

Neutralizing Agent:SODA ASH.

============ Handling and Storage ================

Handling and Storage Precautions:STORE IN SUITABLE CONTAINER.

Other Precautions:SUITABLE CONTAINERS ARE GLASS, POLYETHYLENE LINED DRUMS, FIBERGLAS, ETC. STORE ONLY IN APPROVED T

YPE CONTAINERS.

AVOID ROUGH HANDLING OF DRUMS. VENT DRUMS WEEKLY. DO NOT SMOKE IN STORAGE OR USE AREA.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: ACID GAS WITH FULL FACE PIECE.

Ventilation:PROVIDE SUFFICIENT LOCAL EXHAUST VENTILATION TO CONTROL INHALATION EXPOSURES BELOW OSHA'S PEL.

Protective Gloves: NEOPRENE OR RUBBER

Eye Protection: CHEMICAL SPLASH GOGGLES/FACE SHIELD

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE IMPERVIOUS WORK CLOTHING, FOOTWARE, AND APRON (RUBBER).

Work Hygienic Practices:STORE AND HANDLE AS STRONG ACID. WASH BEFORE EATING OR DRINKING.

Supplemental Safety and Health

STRONG ACID: DO NOT GET ON SKIN, IN EYES OR ON CLOTHING. DO NOT BREATHE VAPORS OR MISTS. WASH HANDS AND FACE AFTER USE. KEEP CONTAINER CLOSED WHEN NOT IN USE.

======== Physical/Chemical Properties ===========

HCC:C1
Boiling Pt:=115.6C, 240.F
B.P. Text:240F,116C
Spec Gra
vity:1.18 - 1.26

Evaporation Rate & Dry Reference: