View NSN Online: https://aerobasegroup.com/nsn/6850-01-248-9830

## 

Product ID:CONTACT E MSDS Date:08/05/1998 FSC:6850 NIIN:01-248-9830 Status Code:A MSDS Number: CJDGV === Responsible Party === Company Name: B&B CHEMICAL COMPANY, INC. Address:875 WEST 20TH. STREET, City:HIALEAH State:FL ZIP:33010 Country:US Emergency Phone Num:305-888-5247 Chemtrec Ind/Phone:(800)424-9300 CAGE:21361 === Contractor Identification === Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET, Box:City:HIALEAH State:FL ZIP:33010-2310 Country:US Phone: 305-888-5247 Contract Num:SP0450-99-M-C267 CAGE:21361 Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET, Box:City:HIALEAH State:FL ZIP:33010-2310 Country:US Phone:305-888-5247 Contract Num:SP0450-99-M-C625 CAGE:21361

======= Composition/Information on Ingredients ==========

Ingred Name: DISTILLATE (PETROLE

UM) HYDROTREATED LIGHT &It; Wt:36. Other REC Limits:NONE RECOMMENDED OSHA PEL:100 PPM ACGIH TLV:100 PPM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Health Hazards Acute and Chronic:TARGET ORGANS: EYE, SKIN, CNS, RESPIRATORY AND GASTROINTESTINAL TRACTS. ACUTE - MAY CAUSE IRRITATION TO SKIN AND EYES. OVEREXPOSURE MAY CAUSE BURNING, REDNESS TO EYES; CRACKING OR DERMATITIS TO SKIN. INHALATION CAN CAU

SE RESPIRATORY TRACTIRRITATION, CENTRAL NERVOUS SYSTEM DEPRESSION. HARMFUL IF INGESTED. MAY CAUSE GASTROINTESTINAL TRACT IRRITATION. ASPIRATION HAZARD IF INGESTED. CHRONIC - MAY CAU SE DERMATITIS.

Explanation of Carcinogenicity:NOT ESTABLISHED.

Effects of Overexposure:IRRITATION, NAUSEA, VOMITING, TEARING, BLURRED VISION, DRY SKIN, HEADACHE, UNCONSCIOUSNESS, DIZZINESS, WEAKNESS, DERMATITIS

Medical Cond Aggravated by Exposure:PREEXISTING DISEASES OF THE EYES, SKIN, RESPIRA

TORY TRACT, CNS MAY BE AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT.

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICAL RESPIRATION IF NOT BREATHING. IF BREATHING IS DIFFICULT, OXYGEN MAY BE GIVEN BY QUALIFIED PERSONNEL. EYE CONTACT: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. SWALLOWING: DO NOT INDUC

E VOMITING. SEEK MEDICAL ATTENTION. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point:=71.1C, 160.F Extinguishing Media:FOAM, CO2, DRY CHEMICAL Fire Fighting Procedures:FIREFIGHTER'S EQUIPMENT Unusual Fire/Explosion Hazard:MAY FORM CO2 AND/OR CO.

Spill Release Procedures: USE INDUSTRIAL VAC

UUM OR INERT ABSORBENT TO REMOVE SPILL.

HCC:V4 Boiling Pt:>65.6C, 150.F Spec Gravity:1.1 (H20=1) VOC Pounds/Gallon:460 Evaporation Rate & amp; Reference:SLOWER THAN ETHER Solubility in Water:APPRECIABLE Appearance and Odor:CREAMY VISCOUS LIQUID - SOLVENT ODOR

====================

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ACIDS Stability Condition to Avoid:SPARKS, OPEN FLAMES Hazardous Decomposition Products:MAY FORM CARBON MONOXIDE, CARBON DIOXIDE.

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS. AVOID OPEN FLAMES.

======= Other Informa

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this informati on to their

particular situation.