

=====
MSDS Safety Information
=====

FSC: 6520

NIIN: 00-889-9566

MSDS Date: 05/10/1994

MSDS Num: CJDLS

Product ID: INSTANT TRAY MIX LIQUID

MFN: 01

Responsible Party

Cage: KO154

Name: LANG DENTAL MFG CO INC

Address: 175 MESSNER DR

Box: 969

City: WHEELING IL 60090

Info Phone Number: 708-215-6622

Emergency Phone Number: 7

08-215-6622
=====Item Description Information
=====

Item Manager: S9M

Item Name: RESIN,ACRYLIC,DENTAL

Specification Number: MIL-R-36433

Unit of Issue: PG

UI Container Qty: 1

Type of Container: PACKAGE
=====Ingredients
=====

Cas: 80-62-6

RTECS #: OZ5075000

Name: METHYL METHACRYLATE

> Wt: 95.

O

SHA PEL: 410 MG/M3;100 PPM

ACGIH TLV: 410 MG/M3;100 PPM

ACGIH STEL: NOT ESTABLISHED

EPA Rpt Qty: 1000 LBS

DOT Rpt Qty: 1000 LBS

Cas: 99-97-8

RTECS #: XU5803000

Name: DIMETHYL-P-TOLUIDINE

< Wt: 5.

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED

ACGIH TLV: NOT ESTABLISHED
=====Health Hazards Data
=====

LD50 LC50 Mixture: LD50 (ORAL, RAT) 7,900 MG/KG

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: TARGET ORGANS: EYE, SKIN, CNS, RESPIRATORY & GI TRACTS. ACUTE- MAY CAUSE SEVERE EYE IRRITATION AND POSSIBLE CORNEAL DAMAGE. CAN CAUSE ALLERGIC SKIN REACTION. SKIN PERMEATION MAY OCCUR. INHALATION CAN CAUSE RESPIRATORY TRACT IRRITATION, CENTRAL NERVOUS SYSTEM EFFECTS AS WELL AS ABNORMAL KIDNEY FUNCTION AND TEMPORARY ELEVATION OF BLOOD PRESSURE. MAY BE

HARMFUL IF INGESTED. TOXICITY DESCRIBED IN ANIMALS EXPOSED BY INGESTION NEAR THE LD50 INCLUDES BLOOD IN THE URINE AND LIVER CHANGES. CHRONIC- IN ANIMAL HAS CAUSED LIVER AND KIDNEY EFFECTS, PEELING OF THE SKIN, INFLAMMATION OF THE NASAL CAVITY, SLIGHT DECREASE IN BODY WEIGHT.

Explanation Of Carcinogenicity: NONE OF THE COMPONENTS IN THIS MATERIAL IS LISTED BY IARC, NTP, OSHA, OR ACGIH AS A CARCINOGEN.

Signs And Symptoms Of Overexposure: IRRITATION, HEADACHE, DIZZINESS, NAUSEA, VOMIT

ING, EYE REDNESS, TEARNING, BLURRED VISION, SKIN CRACKING, PEELING, ALLERGIC REACTION, BLOOD IN URINE, SKIN SENSITIZATION

Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED LIVER, KIDNEY, CENTRAL NERVOUS SYSTEM OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. IF BREATHING IS DIFFICULT,

OXYGEN MAY BE GIVEN BY QUALIFIED PERSONNEL. EYE CONTACT: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. WASH CONTAMINATED CLOTHING BEFORE REUSE. INGESTION: DO NOT INDUCE VOMITING. IF PATIENT IS FULLY CONSCIOUS, GIVE TWO GLASSES OF WATER. SEEK MEDICAL ATTENTION. IF VOMITING OCCURS, KEEP HEAD BELOW HIPS. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====
Hand
ling and Disposal

=====
Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE AREA. DO NOT WALK THROUGH SPILL; STOP SPILL IF POSSIBLE. USE A VAPOR SUPPRESSING FOAM TO REDUCE VAPORS. CONTAIN AND PICK UP WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND, VERMICULITE. GROUND ALL HANDLING EQUIPMENTS. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS, CONFINED SPACES.

Waste Disposal Methods: PRODUCT IS SUITABLE FO

R BURNING IN AN ENCLOSED,
CONTROLLED BURNER FOR FUEL VALUE OR DISPOSED BY SUPERVISED INCINERATION. IN
ADDITION, THE PRODUCT IS SUITABLE FOR RECYCLING. OBSERVE ALL LOCAL, STATE AN
D FEDERAL REGULATIONS. DO NOT INCINERATE IN CLOSED CONTAINERS. EPA LISTED
HAZARDOUS WASTE UNDER RCRA (U-162).

Handling And Storage Precautions: STORE IN WELL VENTILATED AREA. STORE IN COOL
PLACE. KEEP CONTAINER TIGHTLY CLOSED. STORE IN ACCORDANCE WITH NATIONAL FIRE
PROTECTION ASSOCIATION REGULATIONS. KEEP A
WAY FROM DIRECT SUNLIGHT, IGNITION
S OURCES, AND INCOMPATIBLE MATERIALS..

Other Precautions: FLAMMABLE. EMPTY CONTAINERS RETAIN PRODUCT RESIDUES (VAPORS,
LIQUID, AND/OR SOLID) AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD,
BRAZE, SOLDER OR DRILL. KEEP OUT OF REACH OF CHILDREN. AVOID BREA THING
VAPORS. DO NOT GET IN EYE, ON SKIN OR ON CLOTHING.

=====
Fire and Explosion Hazard Information
=====

=====
Flash Point Method: TCC

Flash Point: =10.C, 50.F

Lower Limits: 1.7%

Upper Limits: 8.2%

Extinguishing Media: FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG (BY TRAINED
PERSONNEL).

Fire Fighting Procedures: FULL PROTECTIVE EQPMT, INCL SCBA. COOL CONTNR WITH
H2O SPRAY. FIGHT FIRE FROM DISTANCE, HEAT MAY RUPTURE CONTNRS. VAPORS
UNINHIBITED & MAY FORM POLYMERS IN VENTS/FLAME ARRESTERS, RESULTING IN
STOPPAGE OF VENTS.

Unusual Fire/Explosion Hazard: FLAM LIQUID. VAPOR FORMS EXPLOS
IVE MIX WITH AIR.

SEALED CNTNRS EXPOSED TO ELEVATED TEMPS MAY RUPTURE EXPLOSIVELY DUE TO
POLYMERIZATION. VAPORS ARE HEAVIER THAN AIR & MAY TRAVEL TO IGNITION
SOURCE& FLA SH BACK.

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED. IF TLV IS EXCEEDED OR FOR
SYMPTOMS OF OVER EXPOSURE, WEAR NIOSH-APPROVED POSITIVE-PRESSURE AIR-SUPPLIED
RESPIRATOR. AIR-PURIF

YING RESPIRATOR IS INADEQUATE FOR THIS MATERIAL.

Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF)
VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: BUTYL RUBBER

Eye Protection: CHEMICAL SAFETY GLASSES OR GOGGLES OR FACE SHIELD

Other Protective Equipment: EYE BATH, WASHING FACILITIES, SAFETY SHOWER AND
IMPERVIOUS CLOTHING OR WHOLE BODYSUIT

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. WASH AFTER HANDLING

AND BEFORE EATING, DRINKING OR SMOKING.

Supplemental Safety and Health: NOTE TO PHYSICIAN: ACTIVATED CHARCOAL MIXTURE MAY BE ADMINISTERED. TO PREPARE THE MIXTURE, SUSPEND 50 GRAMS ACTIVATED CHARCOAL IN 400 ML WATER AND MIX THOROUGHLY. ADMINISTER 5 ML/KG OR 350 ML FOR AN AVERAGE ADULT.

=====
Physical/Chemical Properties
=====

HCC: F2
Boiling Point: =101.C, 213.8F
B.P. Text: @760MMHG
Vapor
Pres: 29MMHG@20C
Vapor Density: 3.46@60F
Spec Gravity: 0.944@20C
Evaporation Rate & Reference: (BUAC=1) 3
Solubility in Water: 1.6WT%
Appearance and Odor: COLORLESS LIQUID
Percent Volatiles by Volume: 100

=====
Reactivity Data
=====

Stability Indicator: NO
Stability Condition To Avoid: HEAT, SPARKS, FLAMES, IGNITION SOURCES
Materials To Avoid: RUBBER, PAINT, STRONG OXIDIZING AGENTS, STRONG REDUCING AGENTS
Hazardous Decomposition Products: MAY FORM CARBON MONOXIDE, CARBON DIOXIDE, AND SMOKE.
Hazardous Polymerization Indicator: YES
Conditions To Avoid Polymerization: EXCESSIVE HEAT, AND INADVERTENT ADDITION OF CATALYST. CONTAMINATION OF PRODUCT MAY ALSO CAUSE HAZARDOUS POLYMERIZATION.

=====
Toxicological Information
=====

Toxicological Information: LC50 (INH, RAT/4 HOUR): 7093 PPM; SKIN ABSORPTION
LD50: > 35,500 MG/KG IN RABBITS

=====
Transportation Information
=====

Responsible Party Cage: KO154
Trans ID NO: 139855
Product ID: INSTANT TRAY MIX LIQUID
MSDS Prepared Date: 05/10/1994
Review Date: 03/19/1999
MFN: 1
Net Unit Weight: 1 LB MINIMU
Multiple KIT Number: 0
Unit Of Issue: PG
Container QTY: 1
Type Of Container: PACKAGE
Additional Data: PROPER SHIPPING NAME, U

N ID NUMBER, HAZARD CLASSIFICATION,
PER MSDS.

=====
Detail DOT Information
=====

DOT PSN Code: JOB
DOT Proper Shipping Name: METHYL METHACRYLATE MONOMER, INHIBITED
Hazard Class: 3
UN ID Num: UN1247
DOT Packaging Group: II
Label: FLAMMABLE LIQUID
Special Provision: T8
Packaging Exception: 150
Non Bulk Pack: 202
Bulk Pack: 242
Max Qty Pass: 5 L
Max Qty Cargo: 60 L
Vessel Stow Req: B
Water/Ship/Other Req: 40

=====
Detail IMO Information
=====

IMO PSN Code: JZT
IMO Proper Shipping Name: METHYL METHACRYLATE, MONOMER, INHIBITED
IMDG Page Number: 3259
UN Number: 1247
UN Hazard Class: 3.2
IMO Packaging Group: II
Subsidiary Risk Label: -
EMS Number: 3-07
MED First Aid Guide NUM: 330

=====
Detail IATA Information
=====

IATA PSN Code: RBQ
IATA UN ID Num: 1247
IATA Proper Shipping Name: METHYL METHACRYLATE MONOMER, INHIBITED
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: II
Packing Note Passenger: 305
Max Quant Pass: 5L
Max Quant Cargo: 60L
Packaging Note Cargo: 307

=====
Detail AFI Information
=====

AFI PSN Code: RBQ
AFI Proper Shipping Name: METHYL METHACRYLATE MONOMER,

INHIBITED

AFI Hazard Class: 3

AFI UN ID NUM: UN1247

AFI Packing Group: II

Special Provisions: P5

Back Pack Reference: A7.3

=====

HAZCOM Label

=====

Product ID: INSTANT TRAY MIX LIQUID

Cage: KO154

Assigned IND: Y

Company Name: LANG DENTAL MFG CO INC

Street: 175 MESSNER DR

PO Box: 969

City: WHEELING IL

Zipcode: 60090

Health Emergency Phone: 708-215-6622

Label Required IND: Y

Date Of Label Review: 0

3/19/1999

Status Code: A

Year Procured: 1998

Origination Code: F

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: DANGER

Respiratory Protection IND: NO

Health Hazard: Moderate

Contact Hazard: Severe

Fire Hazard: Severe

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS: EYE, SKIN, CNS, RESPIRATORY & GI

TRACTS. ACUTE- MAY CAUSE SEVERE EYE IRRITATION AND POSSIBLE CORNEAL DAMAGE.

CAN CAUSE ALLERGIC SKIN REACTION. SKIN PERMEATION MAY OCCUR. INHAL

ATION CAN

CAUSE RESPIRATORY TRACT IRRITATION, CENTRAL NERVOUS SYSTEM EFFECTS AS WELL AS

ABNORMAL KIDNEY FUNCTION AND TEMPORARY ELEVATION OF BLOOD PRESSURE. MAY BE

HARMFUL IF INGESTED. TOXICITY DESCRIBED IN ANIMALS EXPOSED BY INGESTION NEAR

THE LD50 INCLUDES BLOOD IN THE URINE AND LIVER CHANGES. CHRONIC- IN ANIMAL

HAS CAUSED LIVER AND KIDNEY EFFECTS, PEELING OF THE SKIN, INFLAMMATION OF THE

NASAL CAVITY, SLIGHT DECREASE IN BODY WEIGHT.

=====

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and

disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.