

DUPONT KAPTON/TEFLON CUSTOMER SERVICE -- KAPOO1 -- 9330-01-387-0413

=====
Product Identification
=====

Product ID:KAPOO1
MSDS Date:10/08/1996
FSC:9330
NIIN:01-387-0413
Status Code:A
MSDS Number: CJDQB
=== Responsible Party ===
Company Name:DUPONT KAPTON/TEFLON CUSTOMER SERVICE
Box:89
City:CIRCLEVILLE
State:OH
ZIP:43113
Country:US
Emergency Phone Num:800-237-4357
CAGE:DUPP0
=== Contractor Identifi
cation ===
Company Name:DUPONT KAPTON/TEFLON CUSTOMER SERVICE
Box:89
City:CIRCLEVILLE
State:OH
ZIP:43113
Country:US
Phone:800-237-4357/800-441-3637
CAGE:DUPP0

=====
Composition/Information on Ingredients
=====

Ingred Name:INERT POLYIMIDE FILM
< Wt:100.

Ingred Name:..ALPHA.-ALUMINA
CAS:1344-28-1
RTECS #:BD1200000
Minimum % Wt:0.
Maxumum % Wt:35.
OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Minimum % Wt:0.
Maxumum % Wt:20.
OS

HA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3

Ingred Name:DIMETHYL ACETAMIDE
CAS:127-19-5
RTECS #:AB7700000
< Wt:1.
OSHA PEL:35 MG/M3;10 PPM
ACGIH TLV:36 MG/M3;10 PPM

Ingred Name:POLYIMIDE POLYMER
CAS:25038-81-7

=====
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:UNKNOWN IARC:YES
Health Hazards Acute and Chronic:INHALATION: EXPOSURE TO ALUMINA/CARBON
BLACK ENCAPSULATED IN THE POLYMER IS NOT LIKELY. SKIN: DUPONT
RECOMMENDS TREATING POLYMER
DUST AS A NUISANCE PARTICULATE.
SKIN/EYES: NOT A PROBABLE ROUTE OF EXPOSURE FOR FILM.
Explanation of Carcinogenicity:THE FOLLOWING COMPONENTS ARE LISTED BY
IARC, NTP, OSHA/ACGIH AS CARCINOGENS: CARBON BLACK.

=====
===== First Aid Measures =====

First Aid:SKIN: WASH W/SOAP & WATER AFTER HANDLING. EYES: FLUSH
W/WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Extinguishing Media:WATER,
FOAM, DRY CHEMICAL, CO2
Fire Fighting Procedures:NONE REQUIRED.
Unusual Fire/Explosion Hazard:THE FLAMMABILITY CHARACTERISTIC OF
POLYIMIDE FILM IS REPORTED AS SELF EXTINGUISHING.

=====
===== Accidental Release Measures =====

Spill Release Procedures:REVIEW FIRE FIGHTING MEASURES & HANDLING
SECTIONS BEFORE PROCEEDING W/CLEAN-UP. USE APPROPRIATE PERSONAL
PROTECTIVE EQUIPMENT DURING CLEAN-UP. PICK UP TO PREVENT SLIPPING
HAZARD.

=====
===== Hand

ling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM FLAMMABLE MATERIALS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED FOR NORMAL USE.

Ventilation:FOR SMALL QUANTITIES: USE NORMAL AIR CIRCULATION IN CASE OF OVERHEATING. VENTILATION AT HIGHER TEMPS WILL DEPEND ON FILM QUANTITY/TEMPERATURE & EXPOSURE TIME.

Protective Gloves:RECOMMENDED

Eye Protection:SAFETY GLASSES RECOMMENDED

Other Protective

Equipment:NOT NEEDED FOR NORMAL USE.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

KAPTON WILL BURN IN AN ATMOSPHERE OF 100% OXYGEN. THE PROCESSING OF POLYIMIDE FILMS CAN CAUSE THE GENERATION OF STATIC CHARGE. PRECAUTIONS FOR STATIC CHARGES SHOULD BE TAKEN WHEN REMOVING PLASTIC FILM S USED AS PROTECTIVE PACKAGING FOR KAPTON.

===== Physical/Chemical Properties =====

Melt/Freeze Pt:M.P/F.P Text:NONE

Spec Gravity:>1.

4

Solubility in Water:INSOLUBLE

Appearance and Odor:LIGHT AMBER TRANSPARENT FILM W/NO ODOR

Percent Volatiles by Volume:1%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:STATIC CHARGES, TEMPERATURES ABOVE 752F.

Hazardous Decomposition Products:CO, CO2

===== Ecological Information =====

Ecological:AQUATIC TOXICITY. INSOLUBLE.

===== Disposal Consid

erations =====

Waste Disposal Methods:LANDFILL/INCINERATE/DISPOSE OF IN ACCORDANCE
W/LOCAL, STATE & FEDERAL REGULATIONS.

===== Regulatory Information =====

State Regulatory Information:SUBSTANCES ON THE PENNSYLVANIA HAZARDOUS
SUBSTANCES LIST PRESENT AT A CONCENTRATION OF 1%/MORE (0.01 FOR
SPECIAL HAZARDOUS SUBSTANCES) DIMETHYL ACETAMIDE (1% MAXMUM); SOME
TYPES CONTAIN CARBON BLACK (2-30%); SOME TYPES CONTAIN ALUMIN (35%
MA
XIMUM). SUBSTANCES ON THE NEW JERSEY WORKPLACE HAZARDOUS
SUBSTANCE LIST PRESENT AT A CONCENTRATION OF 1%/MORE (0.1% FOR
SUBSTANCES IDENTIFIED AS CARCINOGENS, M UTAGENS/TERATOGENS)
DIMETHYL ACETAMIDE (1% MAXIMUM); SOME TYPES CONTAIN CARBON BLACK
(2-30%) SOME TY PES CONTAIN ALUMINA (35% MAXIMUM).

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by ele
ments of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.