View NSN Online: https://aerobasegroup.com/nsn/3439-00-824-9856

BOW SOLDER PRODUCTS CO INC -- ROSIN CORE SOLDER -- 3439-00-824-9856

======== Product Identification ============

Product ID:ROSIN CORE SOLDER

MSDS Date:09/26/1991

FSC:3439

NIIN:00-824-9856 Status Code:A

MSDS Number: CJDTD === Responsible Party ===

Company Name: BOW SOLDER PRODUCTS CO INC

Address:900 HOBSON ST

Box:488 City:UNION State:NJ ZIP:07083 Country:US

Info Phone Num:908-686-6040 Emergency Phone Num:80

0-535-5053 INFOTRAC/800-526-4496

CAGE:52329

=== Contractor Identification ===

Company Name: BOW ELECTRONIC SOLDERS

Address:1 CROSSMAN ROAD

Box:City:SAYREVILLE

State:NJ ZIP:08872 Country:US

Phone:732-316-2100/ FAX: 732-316-2177

CAGE:52329

Company Name: BOW ELECTRONIC SOLDERS (REPLACED BY CAGE 52329)

Address:1 CROSSMAN RD

Box:City:NEWWARK

State:NJ ZIP:07100 Country:US

Contract Num:SP049099MN768

CAGE:3A822

Company Name: CMAX INC Address: 6127 PERIMETER PKY

Box:11647

City:MONTGOMERY

State:AL ZIP:36111

С

ountry:US

Phone:334-613-0500/ FAX: 2922

CAGE:2Y223

====== Composition/Information on Ingredients ========

Ingred Name:TIN CAS:7440-31-5

RTECS #:XP7320000 Minumum % Wt:0. Maxumum % Wt:100.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9596

Ingred Name:LEAD (SARA 313) (CERCLA)

CAS:7439-92-1

RTECS #:OF7525000 Minumum % Wt:0.

Maxumum % Wt:100.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:SEE 1910.1025

ACGIH TLV:0.05MG/M3, A3; 9596

EPA Rpt Qty:1 LB DOT Rpt Qty:

1 LB

Ingred Name: ANTIMONY (SARA 313) (CERCLA)

CAS:7440-36-0

RTECS #:CC4025000

Fraction by Wt: 178.9C, 354.F

Spec Gravity:7.3-11.3

Solubility in Water: INSOLUBLE

Appearance and Odor:SILVER-WHITE METAL; CORE HAS SLIGHT ROSIN ODOR.

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS MAY CAUSE VIOLENT REACTION.
Hazardous Decomposition Products:AT TEMPERATURES ABOVE THE MELTING
POINT, TOXIC FUMES OR VAPORS MAY BE

======== Disposal Considerations ==========
Waste Disposal Methods:DISPOSAL DEPENDS IF WASTE MEETS CRITERIA SET FORTH IN 40 CFR 261, SUBPARTS B & C. IF YES-DISPOSE ON RCRA PERMITTED FACILITY; IF NOT-FACILTY WHICH MEETS 40 CFR 257. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.
======== MSDS Transport Information =========
Transport Information:REGULATED BY DOT: NO.
======================================

EMITTED.

Federal Regulatory Information:RCRA STATUS OF UNUSED MATERIAL: IF DISCARDED IN UNALTERED FORM, MATERIAL SHOULD BE TESTED TO DETERMINE IF IT MUST BE CLASSIFOED AS A HZARDOUS WASTE FOR DISPOSAL PURPOSES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warr ants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.