

OCTAGON PROCESS INC. -- VV-L800C AM.2, OCTOIL 90-2A, 3012301 -- 9150-01-374-2021  
===== Product Identification =====

Product ID:VV-L800C AM.2, OCTOIL 90-2A, 3012301

MSDS Date:06/19/1998

FSC:9150

NIIN:01-374-2021

Status Code:A

MSDS Number: CJFCK

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-313

-1187

Emergency Phone Num:201-945-9400/417-1056

Resp. Party Other MSDS Num.:CSS-14165

Preparer's Name:J.J. BURGARD

Chemtrec Ind/Phone:(800)424-9300

CAGE:82925

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

Contract Num:SP045099MC331

CAGE:82956

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:

201-945-9400  
CAGE:82925

=====  
Composition/Information on Ingredients  
=====

Ingred Name:OIL MIST, MINERAL  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:TLV FOR OIL MIST (MINERAL) IS 5 MG/M3.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE AND CHRO  
NIC- MAY CAUSE MILD EYE  
IRRITATION AND REDNESS. PROLONGED OR REPEATED SKIN CONTACT MAY  
CAUSE MILD TO MODERATE IRRITATION. NO ADVERSE EFFECTS EXPECTED BY  
INHALATION. PRACTICALLY NON-TOXIC BY INGESTION. MAY CAUSE SLIGHT  
IRRITATION TO THE GASTROINTESTINAL TRACT.  
Explanation of Carcinogenicity:NONE SPECIFIED MY MFR MSDS.  
Effects of Overexposure:EYE, SKIN AND GASTROINTESTINAL TRACT IRRITATION  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:EYES-FLOOD WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION  
PERSISTS, GET MEDICAL ATTENTION. SKIN-WASH WITH SOAP & WATER.  
INHALATION-NONE NORMALLY REQUIRED. INGESTED-GIVE LIQUIDS AND INDUCE  
VOMITING UNLESS VICTIM IN UNCONSCIOUS. GET IMMEDIATE MEDICAL  
ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash Point:=160.C, 320.F  
Lower Limits:1.0  
Upper Limits:7.0  
Extinguis

hing Media:WATER FOG, CHEMICAL FOAM, DRY CHEMICAL OR CO2

Fire Fighting Procedures:KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER FOG. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. STOP LEAK. DIKE & CONTAIN SPILLS. USE PUMP TO TRANSFER LARGE SPILLS TO CONTAINER FOR DISPOSAL. REMAINING LIQUID/  
SMALL SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH & SHOVE LED INTO CONTAINERS. PREVENT RUN-OFF TO ENTER WATERWAYS.

Neutralizing Agent:NONE SPECIFIED BY MFR MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL PLACE AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:CLEAN CONTAMINATED EQUIPMENT BEFORE STARTING ANY REPAIR WORK.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED. IF WORKING IN A CONFINED AREA OR MISTING IS OCCURRING, USE NIOSH-APPROVED RESPIRATORY PROTECTION.

Ventilation:USE LOCAL EXHAUST OF MECHANICAL VENTILATION (FAN).

Protective Gloves:RUBBEROR NEOPRENE.

Eye Protection:SAFETY GLASSES OR GOGGLES WHEN HANDLING CHEMICALS.

Other Protective Equipment:PROVIDE LOCAL EMERGENCY SHOWERS AND EYE WASH STATIONS.

Work Hygienic Practices:ALL USERS SHOULD CONSULT MSDS BEFORE HANDLING

THIS MATERIAL. WASH HANDS AND FACE AFTER HANDLING MATERIAL. LAUNDRER CONTAMINATED CLOTHING BEFORE RE-USE. DISPOSE OF OIL SOAKED FOOTWARE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:=287.8C, 550.F

Vapor Pres: