View NSN Online: https://aerobasegroup.com/nsn/9150-00-261-8146

Product ID:VV-L800C AM.2, OCTOIL 90-2A, 3012301 MSDS Date:06/19/1998 FSC:9150 NIIN:00-261-8146 Status Code:A MSDS Number: CJFCQ === Responsible Party === Company Name: OCTAGON PROCESS INC. Address:596 RIVER ROAD City:EDGEWATER State:NJ ZIP:07020-1105 Country:US Info Phone Num:201-313 -1187 Emergency Phone Num:201-945-9400 Resp. Party Other MSDS Num.: CSS-14165 Preparer's Name: J.J. BURGARD Chemtrec Ind/Phone:(800)424-9300 CAGE:82925 === Contractor Identification === Company Name: OCTAGON PROCESS INC. Address:596 RIVER ROAD Box:City:EDGEWATER State:NJ ZIP:07020 Country:US Phone:201-945-9400 CAGE:82925

Ingred Name:OIL MIST, MINERAL

LD50 LC5

D Mixture:TLV FOR OIL MIST (MINERAL) IS 5 MG/M3. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE AND CHRONIC- MAY CAUSE MILD EYE IRRITATION AND REDNESS. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE MILD TO MODERATE IRRITATION. NO ADVERSE EFFECTS EXPECTED BY INHALATION. PRACTICALLY NON-TOXIC BY INGESTION. MAY CAUSE SLIGHT IRRITATION TO THE GASTROINTESTINAL TRACT.
Explanation of Car
cinogenicity:NONE SPECIFIED MY MFR MSDS. Effects of Overexposure:EYE, SKIN AND GASTROINTESTINAL TRACT IRRITATION Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYES-FLOOD WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN-WASH WITH SOAP & WATER. INHALATION-NONE NORMALLY REQUIRED. INGESTED-GIVE LIQUIDS AND INDUCE VOMITING UNLESS VICTIM IN UNCONSCI OUS. GET IMMEDIATE MEDICAL ATTENTION.
======================================
Flash Point Method:COC Flash Point:=160.C, 320.F Lower Limits:1.0 Jpper Limits:7.0 Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL OR CO2 (CARBON DIOXIDE).
Fire Fighting Procedures:KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER FOG. DO NOT USE A DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED. Jnusual Fire/Explosion Hazard:NONE
==================== Acc
dental Release Measures ====================================
Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. STOP LEAK. DIKE & CONTAIN SPILLS. USE PUMP TO TRANSFER LARGE SPILLS TO CONTAINER FOR DISPOSAL. REMAINING LIQUID/SMALL SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH & SHOVE LED INTO CONTAINERS. PREVENT RUN-OFF TO ENTER WATERWAYS.

Neutralizing Agent:NONE SPECIFIED BY MFR MSDS.

Handling and Storage Precautions:STORE

IN COOL PLACE AWAY FROM INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. Other Precautions: CLEAN CONTAMINATED EQUIPMENT BEFORE STARTING ANY REPAIR WORK.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT NORMALLY REQUIRED. IF WORKING IN A CONFINED AREA OR MISTING IS OCCURING, USE NIOSH-APPROVED RESPIRATORY PROTECTION.

Ventilation: USE LOCAL EXHAUST OF MECHANICAL VENTILATION (FAN). Protective Gloves: RUBBEROR NEOPRENE.

Ey

e Protection:SAFETY GLASSES OR GOGGLES WHEN HANDLING CHEMICALS. Other Protective Equipment:PROVIDE LOCAL EMERGENCY SHOWERS AND EYE WASH STATIONS.

Work Hygienic Practices: ALL USERS SHOULD CONSULT MSDS BEFORE HANDLING THIS MATERIAL. WASH HANDS AND FACE AFTER HANDLING MATERIAL. LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE. DISPOSE OF OIL SOAKED FOOTWARE.

Supplemental Safety and Health

HCC:V6 Boiling Pt:=287.8C, 5 50.F Vapor Pres: