View NSN Online: https://aerobasegroup.com/nsn/6685-00-515-4817

## 

Product ID:MERCURY MSDS Date:11/19/1998 FSC:6685 NIIN:00-515-4817 Status Code:A MSDS Number: CJFVH === Responsible Party === Company Name: MERCURY WASTE SOLUTIONS INC Address:21211 DURAND AVE **City: UNION GROVE** State:WI ZIP:53182 Country:US Info Phone Num:800-741-3343 Emergency Phone Num:800-741-3343 Chemtr ec Ind/Phone:(800)424-9300 CAGE:TO046 === Contractor Identification === Company Name: MERCURY REFINING CO, INC Address:26 RAILROAD AVE Box:00000 City:ALBANY State:NY ZIP:12205 Country:US Phone:518-459-0820 CAGE:0SDN9 Company Name: MERCURY WASTE SOLUTIONS INC Address:21211 DURAND AVE Box:City:UNION GROVE State:WI ZIP:53182 Country:US Phone:800-741-3343 CAGE:TO046 

Ingred Name:MERCURY (SARA III); IN THERMOMETER CAS:7439-97-6 RTECS #:OV4550000 Fraction by Wt: 100% Other REC Limits:0.05 MG/M3 TWA 10 HR OSHA PEL:S, C, 0.1 MG/M3 ACGIH TLV:S, 0.05 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

LD50 LC50 Mixture:NOT LISTED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS- BLOOD, CENTRAL NERVOUS SYSTEM. EYES:MAY CAUSE SEVERE IRRITATION & POSSIBLE BU

RNS. SKIN:MAY

CAUSE IRRITATION. MAY BE ABSORBED THROUGH THE SKIN IN HARMFUL AMOUNTS. MAY CAUSE SENSITIZATION . CHRONIC EXPOSURE TO MERCURY MAY CAUSE PERMANENT CENTRAL NERVOUS SYSTEM DAMAGE. INGESTION:MAY CAUSE GASTROINTESTINAL IRRITATION. MAY CAUSE EFFECTS SIMILAR TO INHALATION. INHALATION:CAUSES RESPIRATORY TRACT IRRITATION. MAY CAUSE METAL FUME FEVER. MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS. CHRONIC-MAY CAUSE PERMANENT CENTRAL NERVOUS SYSTEM DAMAGE. Explanation of

Carcinogenicity:IARC LISTS MERCURY, ARYL AND INORGANIC AS A GROUP 3 CARCINOGEN. GROUP 3 MEANS THAT THE AGENT IS NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY TO HUMANS.

Effects of Overexposure:EYES: SEVERE IRRITATION AND POSSIBLE BURNS. SKIN: FATUGUE, WEIGHT LOSS, TREMORS, PERSONALITY CHANGES. INGESTION: NAUSEA, VOMITING AND DIARRHEA. INHALATION: FLU-LIKE SYSMPTOMS WITH METALLIC TASTE, F EVER, CHILLS, COUGH, WEAKNESS, CHEST PAIN, MUSCLE PAIN AND INCREASED WHITE BLOOD CEL

L COUNT. MAY

CAUSE VERTIGO, ANXIETY, DEPRESSION, MUSCLE INCOORDINATION, AND EMOTIONAL INSTABILITY. CHRONIC- FATIGUE, WEIGHT LOSS, TREMORS, PERSONALITY CHANGES.

First Aid:EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MIN. WHILE LIFTING EYELIDS. SKIN: GET MEDICAL AID. IMMEDIATELY FLUSH WITH PLENTY OF SOAP AND WATER FOR AT LEAST 15 MIN WHILE REMOVING CONT AMINATED CLOTHING AND SHOES. ING ESTION: GET MEDICAL AID IMMEDIATELY. WASH MOUTH OUT WITH WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. INHALATION: REMOVE FROM EXPOSURE TO FRESH AIR I MMEDIATELY. IF NOT BREATHIN, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFFICULT, GIVE OXYGEN. GET MEDICAL AID.

Flash Point:NONFLAMMABLE Extinguishing Media:SUBSTANCE IS NONFLAMMABLE, USE AGENT MOST APPROPRIATE TO EXTINGUISH SURROUND

ING FIRE.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING AND SELF-CONTAINED BREATHING APPARATUS IN PRESSURE-DEMAND. MSHA/NIOSH(APPROVED OR EQUIVALENT), AND FULL PROTECTIVE GEAR. Unusual Fire/Explosion Hazard:COMBUSTION GENERATES TOXIC FUMES.

Spill Release Procedures:USE PROPER PERSONAL PROTECTIVE EQUIPMENT. VACUUM OR SWEEP UP MATERIAL AND PLACE INTO A SUITABLE DISPOSAL CONTAINER. WEAR A SELF-CONTAINED BREATHING APPARATUS AND APPROPRIATE PERSONAL PROTECTION.

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED AREA AWAY FROM INCOMPATIBLE SUBSTANCES. KEEP AWAY FROM METALS.
POISON ROOM LOCKED. WASH THOROUGHLY AFTER HANDLING. REMOVE CONTAMINAED CLOTHING AND WASH BEFORE REU SE. AVOID BREATHING DUST, VAPOR, MIST, OR GAS. KEEP CONTAINER TIGHTLY CLOSED.
Other Precautions:MINIMIZ
E DUST GENERATION AND ACCUMULATION.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:FOLLOW THE OSHA REPSIRATOR REGULATIONS FOUND IN 29 CFR 1910.134 OR EUROPEAN STANDARD EN 149. ALWAYS USE A NIOSH OR EUROPEAN STANDARD EN 149 APPROVED RESPIRATOR WHEN NECESSARY, Ventilation:USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP AIRBORNE CONCENTRATIONS BELOW THE PERMISSIBLE EXPOSURE LIMITS. Protective Gloves:WEAR GLOVES TO PREVENT SKIN EXPO SURE

Eye Protection:WEAR PROTECTIVE EYEGLASSES OR CHEMICAL SAFETY GOGGLES PER OSHA EYE PROTECTION

Other Protective Equipment:WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN EXPOSURE.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING DUST, VAPOR MIST OR GAS. AVOID CONTACT WITH EYES SKIN AND CLOTHING. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. Supplemental Safety and Health

KEEP CONTAINER TIGHTLY CLOSED. AVOID INGESTION AND INHALATION. STORE

IN A COOL DRY WELL-VENTILATED AREA AWAY FROM INCOMPATIBLE SUBSTANCES. KEEP AWAY FROM METALS. POISON ROOM LOCKED.

HCC:Z2 Boiling Pt:=356.5C, 673.7F Melt/Freeze Pt:=-38.9C, -38.F Vapor Pres:0.002 MMHG Vapor Density:7.0 Spec Gravity:13.54 Solubility in Water:INSOLUBLE Appearance and Odor:SILVER - WHITE LIQUID METAL, ODORLESS

Stability Indicator/Materi als to Avoid:YES ACETYLENE, AMMONIA, BORON PHOSPHODIIODIDE, CHLORINE, METHYL AZIDE, SODIUM CARBIDE, HALOGENS, STRONG OXIDIZERS. Stability Condition to Avoid:ELEVATED TEMPERATURES AND OPEN FLAMES. Hazardous Decomposition Products:TOXIC MERCURY VAPORS / MERCURY OXIDES.

Toxicological Information: TERATOGENICITY: EMBRYO OR FETUS: FETOTOXICITY, INHALATION-RAT TCLO=1 MG/M3/24H.

========== MSDS Transport Information

Transport Information: US DOT SHIPPING NAME: MERCURY, UN2809.

SARA Title III Information: THIS MATERIAL CONTAINS MERCURY WHICH IS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF SARA TITLE III AND 40 CFR PART 373.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for u se by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.