

DETAIL DEPOT INC -- CLEANING COMPOUND WINDSHIELD -- 6850-01-347-0073

=====
Product Identification
=====

Product ID:CLEANING COMPOUND WINDSHIELD

MSDS Date:08/01/1997

FSC:6850

NIIN:01-347-0073

Status Code:A

MSDS Number: CJFWX

=== Responsible Party ===

Company Name:DETAIL DEPOT INC

Address:1220 E GREG ST NO 5

City:SPARKS

State:NV

ZIP:89431

Country:US

Info Phone Num:702-331-5055

Emergency Phone Num:1

-888-323-5764

CAGE:1JVV4

=== Contractor Identification ===

Company Name:DETAIL DEPOT INC

Address:1220 EAST GREG STREET UNIT 5

Box:City:SPARKS

State:NV

ZIP:89430

Country:US

Phone:702-331-5055 /702-331-4536

Contract Num:SP0450-99-M-NA10

CAGE:1JVV4

Company Name:DETAIL DEPOT INC

Address:1220 EAST GREG STREET UNIT 5

Box:City:SPARKS

State:NV

ZIP:89430

Country:US

Phone:702-331-5055 /702-331-4536

Contract Num:SP0450-99-M-NJ16

CAGE:1JVV4

Company Name:DETAIL DEPOT INC

Address:1220 EAST GREG STREET UNIT 5

Box:City:SPARKS
State:NV
ZIP:89430
Country:US
Phone:702-331-5055 /702-331-4536
Contract Num:SPO450-99-M-NB29
CAGE:1JVV4

=====
Composition/Information on Ingredients
=====

Ingred Name:ISO-PROPYL ALCOHOL
CAS:67-63-0
RTECS #:NT8050000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:980 MG/M3;400 PPM
ACGIH TLV:983 MG/M3;400 PPM
ACGIH STEL:1230 MG/M3;500 PPM

Ingred Name:2-BUTOXYETHANOL
CAS:111-76-2
RTECS #:KJ8575000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:240 MG/M3;50 PPM
ACGIH TLV
:121 MG/M3;25 PPM

Ingred Name:OTHER COMPONENTS. WATER
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:BREATHING OF VAPOR OR MISTS MAY CAUSE
IRRITAION OF THE NOSE AND THROAT.NERVOUS SYSTEM ,RESPIRATORY
SYSTEMS ASSOCIATED W/ PRE-EXISTING LUNG DISORDERS MAY BE AGGRAVATED
BY EXPOSURE TO THI
S MATERIAL. ING ESTION: MAY BE HARMFUL IF
SWALLOWED,OVEREXPOSURE INCLUDE IRRITATION OF THE DIGESTIVE TRACT
AND NERVOUS SYSTEM DEPRESSION. SKIN: MAY CAUSE MILD SKIN
IRRITATION, PROLONGED OR REPEATED CONTACT MAY CAUSE REDNESS,
BURNING, AND DRYING AND CRACKING OF THE SKIN. PERSON WITH
PRE-EXISTINGSKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECT OF
THIS MATERIAL. EYES: VAPOR EXPOSURE OR MIST MAY CAUSE MILD IRRIT
ATION&STINGING.

Explanation of Carcinogenicity:NONE
Ef

ffects of Overexposure:IRRITATION, HEADACHE, DIZZINESS, NAUSEA,
VOMITING, DROWSINESS, EYE REDNESS, TEARNING, BLURRED VISION, SKIN
CRACKING, DEFATTING, DRYING, WEAKNESS, FATIGUE, DIARRHEA
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN
DISORDERS, EYE PROBLEMS OR IMPAIRED CENTRAL NERVOUS SYSTEM,
RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS
PRODUCT.

=====
===== First Aid Measures =====

First Aid:INHALATIO

N: REMOVE VICTIM TO FRESH AIR. IF BREATHING
DIFFICULTIES DEVELOP, GET MEDICAL ASSISTANCE. EYE CONTACT:
IMMEDIATELY FLUSH WITH WATER FOR AT LEAST15 MINUTES. HOLD EYELIDS
OPEN. SKIN: REMOVE CO NTAMINATED CLOTHING. FLUSH SKIN WITH PLENTY
OF WATER. INGESTION: DO NOT INDUCE VOMITING. DO NOT GIVE ANYTHING
BY MOUTH. SEEK MEDICAL ATTENTION IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:=26.7C, 80.F

Autoignition

Temp:Autoignition Temp Text:NONE

Extinguishing Media:IN EVENT OF FIRE USE WATER AND GENERAL DILLUTION
PROCEDURES TO EXTINGUISH.

Unusual Fire/Explosion Hazard:CONTAINER MAY RUPTURE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:IN CASE OF SPILL OR RELEASE VENTILATE
AREA.ABSORB INTO NON REACTIVE MEDIA SUCH AS DIATOMICEOUS EARTH OR
VERMICULATE. IN EVENT OF FIRE USE WATER AND GENERAL DILUTION
PROCEDUIRES TO EXTINGUISH. EPA REP ORTABLE
QUANTITY 5000LBS(TREAT
AS ISOPROPANOL).DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL,
COUNTY, STATE, AND FEDERAL REGULATIONS.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. STORE
IN COOL PLACE. KEEP CONTAINER TIGHTLY CLOSED. STORE IN ACCORDANCE
WITH NATIONAL FIRE PROTECTION ASSOCIATION REGULATIONS. KEEP AWAY
FROM DIRECT SUNLIGHT, IGNITION S OURCES, AND INCOMPATIBLE
MATERIALS. CONTAINERS

SHOULD BE BOUNDED AND GROUNDED FOR TRANSFERS.

Other Precautions:FLAMMABLE. EMPTY CONTAINERS RETAIN PRODUCT RESIDUES (VAPORS, LIQUID) AND CAN BE DANGEROUS. FOLLOW LABEL INSTRUCTIONS. KEEP OUT OF REACH OF CHILDREN. AVOID BREATHING VAPORS. DO NOT GET IN EYE, ON SKIN OR ON CLOTHING. AVOID INGESTION.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATORY PROTECTION LOCAL EXHAUST VENTILATION.

Ventilation:PROVIDE ADEQUATE THROUGHPUT OF FRESH AIR.

Protective Gloves:PROTECTIVE GLOVES BUTYL OR HEAVY VINYL LATEX GLOVES FOR PROLONGED CONTACT.

Eye Protection:USE SPLASH-PROOF GOGGLES WHERE THERE IS A POSSIBILITY OF *(SEE BELOW)

Other Protective Equipment:EYE BATH, WASHING FACILITY, EMERGENCY SHOWER, LAB COAT OR UNIFORM.

Supplemental Safety and Health

*LIQUID OR MIST CONTACTING THE EYES

=====
===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:175-265F

Melt/Freeze Pt:=-12.2C, 10.F

Vapor Pres:17.4 MMHG (@20C)

Vapor Density:AIR=1

Spec Gravity:0:986@20DEG C

pH:8.0-8.5(@20F)

Evaporation Rate & Reference:(BUTYLACETATE=1)1.1

Solubility in Water:MISCIBLE

Appearance and Odor:FREE FLOWING PINK LIQUID WITH NON DISAGREEABLE ODOR

Percent Volatiles by Volume:95-96%

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIZERS, STRONG ACIDS, HIGHLY ELECTROVALENT METALS AT ELEVATED TEMPERTURES

Stability Condition

to Avoid:HEAT

Hazardous Decomposition Products:TOXIC GASSES, (SUCH AS FORMIC ACID)

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS. INCINERATION FOR ENERGY RECOVERY OR REUSING IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States

of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.