Product ID:RITE-LOK TL4210 MIL-S-46163A TYPE II GRADE N (10 CC) MSDS Date:11/14/1997 FSC:8030 NIIN:01-104-5392 Status Code:A MSDS Number: CJJKM === Responsible Party === Company Name:CHEMENCE INC Address:185 BLUEGRASS VALLEY PKWY City:ALPHARETTA State:GA ZIP:30005 Country:US Info Phone Num:404-664-6624

Emergency Phone Num:601-895-4480 Preparer's Name:JAY TATE Chemtrec Ind/Phone:(800)424-9300 CAGE:0ZDS4 === Contractor Identification === Company Name:CHEMENCE INC Address:6425 INDUSTRIAL WAY City:ALPHARETTA State:GA ZIP:30201 Country:US Phone:404-664-6624 CAGE:0ZDS4

Ingred Name:CUMENE HYDROPEROXIDE CAS:80-15-9 RTECS #:MX2450000 Fraction by Wt: 3% OSHA PEL:NONE ACGIH TLV:NONE EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:POLYGLYCOL DIMETHACRYLATE CAS:25852-47-5 Code:F Fraction by Wt: 78% OSHA PEL:NONE ACGIH TLV:NONE

Ingred Name:BISPHENOL A FUMARATE CAS:39382-25-7 Code:F Fraction by Wt: 15% OSHA PEL:NONE ACGIH TLV:NONE

Ingred Name:SACCHARIN CAS:81-07-2 RTECS #:DE4200000 Fraction by Wt: 3% OSHA PEL:NONE ACGIH TLV:NONE EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:N,N-DIALKYLTOLUIDINE CAS:613-48-9 Code:F Fraction by Wt: 1% OSHA PEL:NONE ACGIH TLV:NONE

ards Identification ======= Haz

 Health Hazards Acute and Chronic:PROLONGED SKIN CONTACT MAY RESULT IN DERMATITIS IN SENSITIVE PERSONS. WILL IRRITATE EYES ON CONTACT. THRESHOLD LIMIT VALUE: NO CRITERIA FOR MEASUREMENT. NOT YET ESTABLISHED.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:SKIN IRRITATION

First Aid:WASH WITH SOAP AND WATER FOR SKIN CONTACT. FOR EYE CONTACT, FLUSH WITH

PLENTY OF WATER.	FOR INGESTION, DO NOT INDUCE VOMITING.
CONTACT PHYSIC	CIAN.

======================================
Flash Point Method:TCC Flash Point:>100.C, 212.F 151F
Extinguishing Media:CO2, DRY CHEMICAL, WATER Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS Unusual Fire/Explosion Hazard:IRRITATING ORGANIC VAPORS
======================================
Spill Release Procedures:SOAK UP WITH INERT ABSORBENT.
== ===================================
Handling and Storage Precautions:STORE IN A COOL DRY PLACE AND OUT OF DIRECT SUNLIGHT. Other Precautions:KEEP AWAY FROM CHILDREN.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE NEEDED FOR NORMAL USE. Ventilation:ENSURE ADEQUATE ROOM VENTILATION FOR COMFORTABLE WORKING CONDITIONS.
Protective Gloves:POLYETHYLENE OR RUBBER GLOVES. Eye Protection:SAFETY GLASSES. Other Protect
ive Equipment:BARRIER CREAMS RECOMMENDED. Supplemental Safety and Health
======================================
Boiling Pt:>204.4C, 400.F B.P. Text:@ 760 MM Vapor Pres:.01 MMHG Vapor Density:1.01 AIR=1 Spec Gravity:1.1 H20=1 VOC Pounds/Gallon:133 Viscosity:900-5000 CPS
Evaporation Rate & amp; Reference: VERY LOW Solubility in Water: INSOLUBLE Appearance and Odor: BLUE, MILD ORGANIC ODOR Percent Volatiles by Volume: 12.0

Corrosion Rate:NONE

====== Stability

Stability Indicator/Materials to Avoid:YES	
VOID CONTAMINATION.	
Stability Condition to Avoid: TEMPERATURES IN EXCESS OF 150 DEGREE	ES F.
lazardous Decomposition Products:NONE	
Conditions to Avoid Polymerization: TEMPERATURES IN EXCESS OF 150 DEGREES F.	

Ecological:MARINE POLLUTANT: NONE.

Waste Disposal Methods:LANDFIL L OR INCINERATE IN ACCORDANCE WITH EPA AND LOCAL REGULATIONS.

Transport Information: THIS PRODUCT IS NOT REGULATED AND UNRESTRICTED PER DOT, IMDG, IATA, AND USPS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.