

CHEMENCE INC -- RITE-LOK PRIMER F,PN:AC64 MIL-S-46163A GRADE F,FORM R (6 OZ) --
8030-01-152-2285

=====
Product Identification
=====

Product ID:RITE-LOK PRIMER F,PN:AC64 MIL-S-46163A GRADE F,FORM R (6 OZ)

MSDS Date:11/14/1997

FSC:8030

NIIN:01-152-2285

Status Code:A

MSDS Number: CJJKP

=== Responsible Party ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Info Phone Num:404-664-6624

Emergency Phone Num:404-664-6624

Preparer's Name:JAY TATE

Chemtrec Ind/Phone:(800)424-9300

CAGE:0ZDS4

=== Contractor Identification ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Phone:404-664-6624

CAGE:0ZDS4

=====
Composition/Information on Ingredients
=====

Ingred Name:ACETONE (SARA 313) (CERCLA)

CAS:67-64-1

RTECS #:AL3150000

Fraction by Wt: 95%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1800 MG/M3; 750 PPM
ACGIH TLV:1780 MG/M3;750 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ORGANO COPPER COMPOUND
CAS:1338-02-9
RTECS #:QK9100000
Fraction by Wt: 1%
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.2 MG/M3

Ingred Name:CARBON DIOXIDE
CAS:124-38-9
RTECS #:FF6400000
Fraction by Wt: 4%

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 >5000 MG/KG.
Health Hazards Acute and Chronic:INGESTION-IF SIGNIFICANT QUANTITY
INGESTED, MAY
DULL SENSES. INHAL: MAY CAUSE NAUSEA, HEADACHE,
DIZZINESS, & RESP TRACT IRRITATION. SKIN AND EYES-IRRITATION ON
CONTACT.(EST DERMAL LD50 >500 MG/24H.
Explanation of Carcinogenicity:NOT CARCINOGENIC.
Effects of Overexposure:SKIN & EYE IRRITANT, VAPORS HARMFUL.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INGESTION-DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM.
OBTAIN MEDICAL ATTENTI
ON. INHALATION-REMOVE TO FRESH AIR OXYGEN OR
ARTIFICIAL RESPIRATION IF NEEDED . OBTAIN MEDICAL ATTENTION. (NOTE
TO PHYSIC IAN: USE OF EPINEPHRINE IS CONTR-INDICATED). SKIN-FLUSH
WITH WATER & WASH WITH SOAP. EYES-FLUSH WITH PLENTY OF WATER,
CONTACT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:=-17.C, 1.3F
Autoignition Temp:=-465.C, 869.F
Lower Limits:2.5
Upper Limits:12.8
Extinguishing Media:CARBON DIOXIDE,

FOAM, DRY CHEMICAL.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE GEAR. CONTAINER EXPLOSION CAN OCCUR, VAPOR FORMS EXPLOSIVE MIXTURES IN AIR. EXTREMELY FLAMMABLE.

Unusual Fire/Explosion Hazard:DIRECT WATER JET WILL SPREAD BURNING MATERIAL. COMBUSTION PRODUCTS ARE VERY TOXIC & HIGHLY IRRITATING. COOL SEALED DRUMS WITH WATER SPRAY TO PREVENT RUPTURES.

===== Accidental Release Measures =====

Spill Release Procedures:PERMIT ONLY PROPERLY PROTECTED WORKERS WITH SKIN & EYE PROTECTION & SELF-CONTAINED BREATHING GEAR. ABSORB SPILL WITH ABSORBENT MATERIAL, OR LET EVAPORATE IN WELL VENTILATED AREA. PUMP LARGE SPILLS INTO SALVAGE TANKS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE. AVOID CONTACT WITH EYES, AVOID VAPOR.
Other Precautions:KEEP AWAY FROM HEAT & FLAMES. KEEP CONTAINER CLOSED WHEN NOT IN USE, KEEP WELL VENTILATED. KEEP AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ABOVE TLV, NIOSH/MSHA APPROVED RESPIRATOR.
Ventilation:LOCAL EXHAUST RECOMMENDED.
Protective Gloves:RESISTANT PLASTIC OR RUBBER.
Eye Protection:CHEMICAL SPLASH GOGGLES RECOMMENDED.
Other Protective Equipment:PROTECTIVE PLASTIC OR RUBBER APRON.
Supplemental Safety and Health
THRESHOLD LIMIT VALUE: SHORT TERM: 1000 PPM, LONG TERM: 750 PPM.

===== Physical/Chemical Properties =====

Boiling Pt:=56.1C, 133.F
Vapor Pres:181 MMHG@20 C
Vapor Density:2.0 AIR=1
Spec Gravity:0.79 WATER=1
VOC Pounds/Gallon:790
pH:7
Viscosity:2-3 CPS
Evaporation Rate & Reference:>7 ETHER=1
Solubility in Water:COMPLETE
Appearance and Odor:GREEN LIQUID, SWEET, PUNGENT ODOR.
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid

d:YES
STRONG OXIDIZERS AND PEROXIDES.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL OR INCINERATE IN ACCORDANCE WITH EPA
AND LOCAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information:IMDG: DANGEROUS GOODS SHIPPED IN LIMITED
QUANTITY. USPS PROHIBITED.

Disclaimer (provided with th
is information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.