View NSN Online: https://aerobasegroup.com/nsn/5960-00-549-3760

NICHIA CHEMICAL INDUSTRIES, LTD -- NP-1047, 3M335P47M -- 5960-00-549-3760

Product ID:NP-1047, 3M335P47M MSDS Date:08/22/1997 FSC:5960 NIIN:00-549-3760 Status Code:A MSDS Number: CJJQT === Responsible Party === Company Name: NICHIA CHEMICAL INDUSTRIES, LTD Box:6 ANAN City:TOKUSHIMA-KEN 774, JAPAN Info Phone Num:81-884-22-2311 Emergency Phone Num:81-884-22-2311 CAG E:TO176 === Contractor Identification === Company Name: NICHIA CHEMICAL INDUSTRIES, LTD **Box:6 ANAN** City:TOKUSHIMA-KEN 774, JAPAN Phone:81-884-22-2311 CAGE:TO176 **Company Name: THOMAS ELECTRONICS** Address:208 DAVIS PARKWAY Box:City:CLYDE State:NY ZIP:14433 Country:US Phone:315-923-2051/FX:4401 CAGE:4U430

Ingred Name:Y2SIO5 CAS:12027-88-2 > Wt:99. Other REC Limits:NONE RECOMMENDED

Ingred Name:CE &It; Wt:1. Other REC Limits:NONE

RECOMMENDED)
-------------	---

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Health Hazards Acute and Chronic:TARGET ORGANS: NONE (HMIS). EFFECTS OF OVEREXPOSURE: INHALATION - UNKNOWN, HOWEVER, AS A MATTER OF GOOD PRACTICE, EXPOSURE TO HIGH CONCENTRATIONS OF DUSTS SHOULD BE AVOIDED. INGESTION - UNKNOWN, BUT P ROBABLY NONE FOR ANY KIND OF ACCIDENTAL INGESTION LIKELY TO OCCUR IN AN INDUSTRIAL ENVIRONMENT. SKIN OR EYE C

ONTACT - NONE EXPECTED. PROLONGED SKIN CONTACT MAY
RESULT IN DRYING OF NATURAL SKIN OILS.

First Aid:SKIN OR EYE CONTACT: FLUSH AFFECTED AREA WITH PLENTY OF WATER. INHALATION: REMOVE VICTIM TO FRESH AIR. INGESTION: INDUCE VOMITING IF SIGNIFICANT QUANTITY IS SWALLOWED.

Extinguishing Media:NO FIRE HAZARD Fire Fighting Procedures:NONE Unusual Fire/ Explosion Hazard:NONE

Spill Release Procedures: USE OF NORMAL CLEAN-UP PROCEDURES MAY BE ADEQUATE. AVOID EXCESSIVE DUSTING OF POWDER DURING CLEAN-UP.

Handling and Storage Precautions:STORE IN A COOL AND DRY PLACE Other Precautions:SMOKING AND EATING SHOULD BE AVOIDED IN HANDLING AREA.

======= Exposure Controls/Personal Protection ==========

=

Respiratory Protection:NOT REQUIRED UNDER NORMAL INDUSTRIAL USAGE. IF EXPOSURE MAY EXCEED PERMISSIBLE LIMITS, USE NIOSH-APPROVED RESPIRATOR FOR TOXIC DUSTS.
Ventilation:GENERAL ROOM VENTILATION IS ADEQUATE UNDER NORMAL INDUSTRIAL USAGE. USE LOCAL EXHAUST VENTILATION TO KEEP EXPOSURE LEVELS BELOW PERMISSIBLE LIMITS
Protective Gloves:RECOMMENDED
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Work Hygienic Practices:SMOKING AND EATING SHOULD BE AVOIDED IN HANDL

ING AREA. Supplemental Safety and Health

HCC:N1 Spec Gravity:4.36 Solubility in Water:INSOLUBLE Appearance and Odor:WHITE POWDER; ODORLESS

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE PARTICULAR Hazardous Decomposition Products:NONE

Waste Disposal Meth ods:DISPOSE OF LARGE AMOUNTS IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person ut ilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.