View NSN Online: https://aerobasegroup.com/nsn/6850-01-234-0219

Product ID:B & B 1995 MSDS Date:05/15/1998 FSC:6850 NIIN:01-234-0219 MSDS Number: CJKDN === Responsible Party === Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET, City:HIALEAH State:FL ZIP:33010 Country:US Info Phone Num:305-888-5247 Emergency Phone Num: 305-888-5247 Chemtrec Ind/Phone:(800)424-9300 CAGE:21361 === Contractor Identification === Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET, Box:City:HIALEAH State:FL ZIP:33010-2310 Country:US Phone: 305-888-5247 Contract Num:SP0450-00-M-SF04 CAGE:21361 Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET, Box:City:HIALEAH State:FL ZIP:33010-2310 Country:US Phone:305-888-5247 Contract Num:SP0450-00-M-X042 CAGE:21361 Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET, Box:City:HIALEAH State:FL ZIP:3301

0-2310 Country:US Phone:305-888-5247 Contract Num:SP0450-99-M-C170 CAGE:21361 Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET, Box:City:HIALEAH State:FL ZIP:33010-2310 Country:US Phone:305-888-5247 Contract Num:SP0450-99-MC787 CAGE:21361 Company Name: B & B TRITECH, INC. Address:875 WEST 20TH. STREET, Box:City:HIALEAH State:FL ZIP:33010-2310 Country:US Phone:305-888-5247 Contract Num:SP0450-99-Q-A102 CAGE:21361

Ingred Name:D-LIMONENE CAS:5989-27-5 RTECS #:GW6360000 Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROTREATED LIGHT DITILLATE (PETROLEUM) Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)

Health Hazards Acute and Chronic:TARGET ORGANS NOT PROVIDED. OVEREXPOSURE MAY CAUSE IRRITATION TO SKIN AND EYES. Explanation of Carcinogenicity:NOT ESTABLISHED. Effects of Overexposure:OVEREX

POSURE MAY CAUSE IRRITATION TO SKIN AND	
EYES.	
Medical Cond Aggravated by Exposure:NOT PROVIDED.	

First Aid:INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. DERMAL: FLUSH WITH SOAP AND WATER. EYE CONTACT: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. INHALATION: REMOV E TO FRESH AIR.

Flash Point Method:T CC Flash Point:>61.1C, 142.F Extinguishing Media:WATER FOG, FOAM, CARBON DIOXIDE. Fire Fighting Procedures:FULL FIREFIGHTER'S EQUIPMENT. Unusual Fire/Explosion Hazard:RELEASES CARBON MONOIXDE AND/OR CARBON DIOXIDE.

Spill Release Procedures: ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR SCOOP UP AND REMOVE. MOP, SQUEEGEE OR INDUSTRIAL VACUUM. Neutralizing Agent: NOT RELEVANT.

Handling and Storage Precautions: AVOID EXTREME TEMPERATURES. AVOID CONTACT WITH SKIN, EYES, AND CLOTHING. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:NOT PROVIDED.

Respiratory Protection:NORMALLY NOT REQUIRED. Ventilation:USE WITH ADEQUATE VENTILATION. Protective Gloves:CHEMICAL GLOVES. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NOT PROVIDED. Work Hygienic Practices: NOT PROVIDED. Supplemental Safety and Health NONE

HCC:V4 NRC/State Lic Num:NOT RELEVANT. Boiling Pt:=93.3C, 200.F B.P. Text:ABOUT Spec Gravity:0.98 VOC Pounds/Gallon:517 Evaporation Rate & amp; Reference:SLOWER THAN ETHER Solubility in Water:COMPLETE Appearance and Odor:VISCOUS LIQUID, MILD ODOR.

Stability Indicator/Materials to Avoid:YES OXIDIZERS Hazardous Decomposition Products:MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informati on to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.