View NSN Online: https://aerobasegroup.com/nsn/6135-01-268-2151

Product ID: ALKALINE BATTERY/CELL P/N: BT70353 MSDS Date:01/23/1995 FSC:6135 NIIN:01-268-2151 Status Code:A MSDS Number: CJKLJ === Responsible Party === Company Name: BREN-TRONICS INC Address:10 BRAYTON CT City:COMMACK State:NY ZIP:11725-3104 Country:US Info Phone Num:516-499-5155 Emergency Phone Num:516-499-5155 CAGE:51828 === Contractor Identification === Company Name: BREN-TRONICS INC Address:10 BRAYTON CT Box:City:COMMACK State:NY ZIP:11725-3104 Country:US Phone:631-499-5155 CAGE:51828 Ingred Name: POTASSIUM HYDROXIDE CAS:1310-58-3 RTECS #:TT2100000 Minumum % Wt:5. Maxumum % Wt:9. Other REC Limits:NONE RECOMMENDED ACGIH STEL:C2 MG/M3 EPA Rpt Qty:1000 LBS

Ingred Name:MANGANESE DIOXIDE CAS

DOT Rpt Qty:1000 LBS

:1313-13-9 RTECS #:OP0350000 Minumum % Wt:32. Maxumum % Wt:38. Other REC Limits:NONE RECOMMENDED OSHA PEL:C5 MG/M3 ACGIH TLV:C5 MG/M3

Ingred Name:ZINC CAS:7440-66-6 RTECS #:ZG8600000 Minumum % Wt:11. Maxumum % Wt:16. Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:MERCURY CAS:7439-97-6 RTECS #:OV4550000 < Wt:.02 Other REC Limits:NONE RECOMMENDED OSHA PEL:see Table Z-2 ACGIH TLV:0.025 MG/M3 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS: NONE (HMIS). ACUTE AND CHRONIC - THESE CHEMICALS ARE CONTAINED IN A SEALED CAN. RISK OF EXPOSURE OCCURS ONLY IF THE BATTERY IS MECHANICALLY OR ELCTRICALLY ABUSED. THE MOST LIKELY RISK I S WHEN A BATTERY LEAKS. KOH IS CAUSTIC. SKIN CONTACT CAN CAUSE I
RRITATION OR BURNS. EYE CONTACT WITH KOH MAY CAUSE PERMANENT INJURY.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:SKIN AND EYE CONTACT MAY CAUSE BURNS.
Medical Cond Aggravated by Exposure:AN ACUTE EXPOSURE WILL NOT GENERALLY AGGRAVATE ANY MEDICAL CONDITION.

First Aid:IF LEAKAGE FROM CELL CONACTS: SKIN - FLUSH WITH WATER. AND WASH WITH SOAP AND WATER; EYES - FLUSH WITH COPIOUS AMOUNTS OF WATER

FOR 15 MINUTES AND SEE PHYSICIAN AT ONCE.

======================================
Fire Fighting Procedures:FIREFIGHTER SHOULD USE SELF-CONTAINED BREATHING APPARATUS WHEN A LARGE NUMBER OF CELLS ARE INVOLVED. Unusual Fire/Explosion Hazard:CELLS MAY RUPTURE WHEN HEATED EXCESSIVELY.
======================================
Spill Release Procedures: AVOID SKIN AND EYE CONTACT. DO NOT INHALE VAPORS. COLLECT ALL RELEASED MATERIAL I N PLASTIC BAG FOR WASTE DISPOSAL.
Neutralizing Agent:WEAK ACID
======================================
 Handling and Storage Precautions:STORE IN DRY PLACE. DO NOT RECHARGE. DO NOT SHORT CIRCUIT. Other Precautions:USE BATTERY ONLY IN PROPER EQUIPMENT. OBSERVE CORRECT POLARITY WHEN INSTALLING INTO EQUIPMENT.
======================================
Respiratory Protection:AS IN ANY FIRE SITUATION, USE SELF-CONTAINED BREATHIN G APPARATUS. Protective Gloves:WHEN HANDLING LEAKING BATTERIES Supplemental Safety and Health
======================================
HCC:Z7 Boiling Pt:=1320.C, 2408.F B.P. Text:KOH Melt/Freeze Pt:=360.C, 680.F M.P/F.P Text:KOH Vapor Pres:1@487C Spec Gravity:2.0=KOH Solubility in Water:9BUTYL ACETATE=1) Appearance and Odor:KOH(CLEARLIQUID), MNO2(BLK PWDER), ZN(GREY POWDER)
======================================

Stability Indicator/Mat

erials to Avoid:YES Stability Condition to Avoid:DO NOT HEAT, DISASSEMBLE, OR RECHARGE. DO NOT SHORT CIRCUIT Hazardous Decomposition Products:WHEN HEATED, CELLS MAY EMIT HAZARDOUS VAPORS OF CAUSTIC KOH

Waste Disposal Methods: IN SMALL QUANTITIES, BATTERIES MAY BE DISPOSED OF WITH HOUSEHOLD TRASH. DO NOT INCINERATE. DISPOSE OF LARGE QUANTITIES IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL LAWS AND REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situ ation.