View NSN Online: https://aerobasegroup.com/nsn/6840-01-169-1842

Product ID:ATRAPA ULV MSDS Date:01/07/1999 FSC:6840 NIIN:01-169-1842 Status Code:A MSDS Number: CJKRK === Responsible Party === Company Name: GRIFFIN L.L.C. Address:2509 ROCKY FORD ROAD Box:1847 City:VALDOSTA State:GA ZIP:31603-1847 Country:US Info Phone Num:912-242-8635/ EMER: 800-237-1854 **Emergency Phone Num:800-**237--1854 Chemtrec Ind/Phone:(800)424-9300 CAGE:5R103 === Contractor Identification === Company Name: GRIFFIN L.L.C. Address:2509 ROCKY FORD ROAD Box:1847 City:VALDOSTA State:GA ZIP:31603-1847 Country:US Phone:912-242-8635/ EMER: 800-237-1854 CAGE:5R103

Ingred Name:MALATHION CAS:121-75-5 RTECS #:WM8400000 = Wt:96.5 OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

====== Hazards Iden

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION-TOXIC FI INHALED. EYE IRRITATION-PRACTICALLY NONIRRITATING TO THE EYES. SKIN IRRITATION-SLIGHTLY IRRITATING TO THE SKIN. SKIN ABSORPTION-TOXIC IF ABSORBED THROUGH THE SKIN. INGESTION-TOXIC IF SWALLOWED.

First Aid:INHALATION-REM

OVE TO FRESH AIR. IF NOT BREATHING, GIVE

ARTIFICIAL RESPIRATION PREFERABLY MOUTH-TO-MOUTH. GET PROFESSIONAL MEDICAL AID. EYE-HOLD EYELIDS OPEN & FLUSH WITH WATER FOR 15-20 MIN UNTIL NO E VIDENCE OF CHEMICAL REMAINS. GET PROFESSIONAL MEDICAL AID IF IRRITATION PERSISTS. SKIN-REMOVE CONTAMINATED CLOTHES/SHOES. WASH WITH PLENTY OF SOAP & WATER FOR 15-20 MIN UNTIL NO EVIDENCE OF CHEMICAL R EMAINS. GET PROFESSIONAL MEDICAL AID IF IRRITATION PERSISTS. INGESTION-IF FULLY CONS CIOUS, IMMEDIATELY GIVE LARGE

AMOUNTS OF WATER & INDUCE VOMITING BY TOUCHING BACK OF THROAT WITH FINGER. GET PROFESS IONAL MEDICAL AID.

Flash Point:>160.C, 320.F

Autoignition Temp:Autoignition Temp Text:N/D

Lower Limits:N/D

Upper Limits:N/D

Extinguishing Media:USE DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR FOAM. WEAR A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Fire Fighting Procedures

PREVENT HUMAN EXPOSURE TO FIRE, SMOKE, FUMES

OR PRODUCTS OF COMBUSTION. STAY UPWIND AND KEEP SAFE DISTANCE FROM THE FIRE.

Unusual Fire/Explosion Hazard:MALATHION WILL DECOMPOSE RAPIDLY WHEN HEATED TO TEMPS > 100C, SIGNIFICANT INCREASE RISK OF INDUCING EXPLOSION. DECOMPOSITION IS DEPENDENT UPON TIME & TEMP DUE TO EXOTHERMIC & AUTOCATALYTIC REACTIONS. R EACTIONS INVOLVE REARRANGEMENTS & POLYMERIZATION RELEASING VOLATILE MALODOROUS & INFLAMMABLE COMPOUNDS DIMETHYL SULFID Spill Release Procedures:SMALL LIQUID SPILLS ON THE FLOOR OR OTHER IMPERVIOUS SURFACE SHOULD BE SWEPT UP BY MEANS OF AN INERT ABSORPTIVE MATERIAL SUCH AS HYDRATED LIME, SAWDUST, FULLER'S EARTH, OR OTHER ABSORBENT CLAYS. SCOOP INTO PROPER CONTAINERS & DISPOSE OF IN ACCORDANCE WITH THE INSTRUCTIONS PROVIDED UNDER DISPOSAL. RINSE AREA WITH SODA LYE.

Handling and Storage Precautions:STORE IN A COOL, DRY WELL-VENTILATED AREA OUT OF THE REACH OF CHILDREN. DO NOT STORE WITH FOOD, FEED OR ANY OTHER MATERIAL TO BE USED OR CONSUMED BY HUMANS OR ANIMALS. DO NOT CONTAMINATE WATER SUPPLIE S, LAKES, STREAMS OR PONDS. KEEP ALL FOOD IN A SEPERATE AREA, AWAY FROM THE STORAGE/USE LOCATION. Other Precautions:PREVENT EATING, DRINKING, TOBACCO USAGE AND COMESTIC

APPLICATION IN AREAS WHERE THERE IS A POTENTIAL EXPOSURE TO THI S

MATERIAL. ALWAYS WASH HANDS PRIOR TO EATING OR USING TOBACCO.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:WEAR NIOSH/MSHA APPROVED MATERIALS TO AVOID BREATHING PRODUCT.

Ventilation: PROVIDE LOCAL EXHAUST VENTILATION AND/OR GENERAL DILUTION VENTILATION TO MEET PUBLISHED EXPOSURE LIMITS.

Protective Gloves:WATERPROOF GLOVES

Eye Protection:WEAR PROTECTIVE EYEWEAR TO AVOID MATERIAL GETTING INTO EYES.

Other Protective Equipment: APPLICAT

ORS AND OTHER HANDLERS MUST WEAR

LONG-SLEEVED SHIRT AND LONG PANTS, WATERPROOF GLOVES AND SHOES PLUS SOCKS.

Work Hygienic Practices: AFTER WORK, TAKE OFF WORK CLOTHES & SHOES. SHOWER, USING SOAP& WATER. WEAR CLEAN CLOTHES LEAVING JOB. DO NOT WEAR CONTAMINATED CLOTHING. WASH PROTECTIVE CLOTHING & PROTECT EQUIP W/SOAP & WATER AFTER USE

Supplemental Safety and Health

PERSONS WORKING W/PRODUCT FOR LONGER PERIOD SHOULD FREQUENT BLOOD TESTS OF THEIR CHOLINESTRASE LEVELS. IF CHOL

Ε.

INESTERASE LEVEL FALLS BELOW A CRITICAL POINT, NO FURTHER EXPOSURE SHOULD BE ALLOWED UNTIL IT HAS BEEN DETERMINED BY MEANS OF BLOOD TESTS THAT THE CHOLINESTERASE LEVEL HAS RETURNED TO NORMAL.

HCC:V1 Boiling Pt:B.P. Text:DECOMPOSES > 190 W/O B Melt/Freeze Pt:=2.9C, 37.2F Vapor Pres:4X10(-8)MMHG AT 30C Vapor Density:20C pH:3.7(1%DISPERS) Viscosity:70CPS AT 25C Solubility in Water:145MG/L AT 25C Appearance and Odor: LIQUID. LIGHT YELLOW. MILD ORGANOPHOSPHATE ODOR.

Stability Indicator/Materials to Avoid:YES

DECOMPOSITION WITH ALKALINE MATERIALS. STRONG ALKALIES, AMINES, AND STRONG OXIDIZING COMPOUNDS. MATERIAL CAN CORRODE IRON, STEEL, TIN PLATE, LEAD, AND COPPER. MALATHION RAPIDLY HYDROLIZES AT PH>7.0 OR 2.05 MG/L (RATS-4 HOUR). EYE IRRITATION-CONSIDERED TO BE PRACTICALLY NON-IRRITATING

TO THE EYES. SKIN-CONSIDERED TO B E SLIGHTLY IRRITATING TO THE SKIN. SKIN ABSORPTION-ACUTE DER MAL LD50>2000 MG/KG (RATS). INGESTION-ORAL LD50=1950 MG/KG (RATS). THIS MATERIAL OS NOT EMBRYOTOXIC OR TETRATOGENIC. IT IS NOT A MUTAGEN AND IS NOT A CARCINOGEN. MALATHION IS A NEUROTOXIN. IT IS A CHO LINESTERASE INHIBITOR AFFECTING THE CENTRAL NERVOUS AND PERIPHERAL NERVOUS SYSTEMS.

Ecological:THIS MATERIAL IS BIODEGRADABLE. IT UNDERGOES RAP ID

DEGRADATION IN THE ENVIRONMENT AND WITHOUT PROBLEMS IN SEWAGE TREATMENT PLANTS. ATRAPA ULV IS TOXIC TO FISH, AQUATIC INVERTEBRATES, AND AQUATIC LIFE STAGES OF AMPHIBIANS AND IS HIGHLY TOXICTO BEES. THE AQUATIC TOXICITY IS: FISH: 96-H LC50 RAINBOW TROUT: 0.200 MG/L. INVERTEBRATES: 48-H LC50, DAPHNIA: 1.0 L/L. BIRDS: LD50, JAPANESE QUAIL: 400 MG/KG. BEES: 24-H LD50, BEES, TOPICAL: 0.27 G/BEE. BEES: 24-H LD50, BEES, ORAL: 0.38 G/BEE.

====== Disposal

Considerations =================

Waste Disposal Methods:COMPLY WITH APPROPIATE DISPOSAL REGULATIONS. DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL. LANDFILL SOLIDS AT PERMITTED SITES. USE REGISTERED TRANSPORTERS.

Transport Information:DEPARTMENT OF TRANSPORTATION (DOT)/INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA): PACKAGES100 POUNDS (45.4 KG) ACTIVE INGR EDIENT/PACKAGE: NOT REGULATED. P ROPER

SHIPPING NAME: RQ, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (MALATHION, 96.5%). CLASS: UN3082. IDENTIFICATION NUMBER: UN 3082. PACKING GROUP: III. RQ: 100 POUNDS. BULK: MARINE POLLUTANT.

SARA Title III Information: THIS PRODUCT HAS BEEN REVIEWED ACCORDING TO THE EPA "HAZARD CATEGORIES" RELATING TO SARA TITLE III, AND IS CATEGORIZED AS AN ACUTE AND CHRONIC HAZARD (40 CFR 370.41). 313 R

EPORTABLE INGREDIENTS: THIS PRODUCT DOES NOT CONTAIN ANY MATERIAL LISTED IN SECTION 313 OF THE SUPERFUND AMENDMENT AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.

Federal Regulatory Information:OSHA-THIS PRODUCT IS CONSIDERED HAZARDOUS UNDER THE OSHA HAZARDOUS COMMUNICATION STANDARD. TSCA-ALL PRODUCT COMPONENTS ARE ON THE TSCA CHEMICAL INVENTORY. CERCLA-RELEASE OF THIS MATERIAL GREATER THAN 110 POUNDS IN AIR, LAND, OR WATER ARE REPORTABLE TO THE NATIONAL RESPONSE CENTER UNDER

CERCLA OR TO THE STATE AND LOCAL EMERGENCY PLANNING COMMITTEES UNDER SARA TITLE III SECTION 304. RCRA-WHEN A DECI SION IS MADE TO DISCARD THIS MATERIAL AS SUPPLIED, IT DOES NOT MEET RCRA'S CHARACTERISTIC DEFINITION S LISTED IN 40 CFR 261.33.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.