View NSN Online: https://aerobasegroup.com/nsn/9150-00-071-4712

TEXACO LUBRICANTS CO -- 01562 CAPELLA WF 68 -- 9150-00-071-4712

Product ID:01562 CAPELLA WF 68 MSDS Date:12/19/1996 FSC:9150 NIIN:00-071-4712 Status Code:A MSDS Number: CJKZD === Responsible Party === Company Name: TEXACO LUBRICANTS CO Box:4427 **City:HOUSTON** State:TX ZIP:77210-4427 Country:US Info Phone Num:914-831-3400 Emergency Phone Num:914-831-3400 Chemtrec In d/Phone:(800)424-9300 CAGE:TO239 === Contractor Identification === Company Name: TEXACO LUBRICANTS CO Box:4427 City:HOUSTON State:TX ZIP:77210-4427 Country:US Phone:914-831-3400/914-838-7204 CAGE:TO239 Company Name: UNITED PROCUREMENT Address:3655 RUFFIN RD SUITE 230 Box:City:SAN DIEGO State:CA ZIP:92123 Country:US Phone:619-467-9880 Contract Num:SP0450-99-M-B018 CAGE:0PHG7

Ingred Name: DISTILLATES, ACID-TREATED HEAVY NAPHTHENIC

CAS:64742-18-3 RTECS #:PY8032000 Minumum % Wt:80. Maxumum % Wt:94.99 Other REC Limits:NONE RECOMMENDED OSHA PEL:300 PPM ACGIH TLV:300 PPM

Ingred Name:HYDROTREATED LIGHT NAPHTHENIC DISTILLATE (PETROLEUM) CAS:64742-53-6 RTECS #:PY8036000 Minumum % Wt:10. Maxumum % Wt:19.99 Other REC Limits:PEL/TLV FOR OIL MIST OSHA PEL:5 MG/M3 OSHA STEL:5 MG/M3 ACGIH TLV:5 MG/3 ACGIH STEL:10 MG/3

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >5000 MG/ KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION OF VAPORS OR MIST, IN EXCESS OF THE RECOMMENDED LIMITS MAY CAUSE IRRITATION OF NOSE & THROAT, CNS EFFECTS. EYE CONTACT MAY CAUSE MINIMAL IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE IRRITATION. INGESTION OR LARGE AMOUNTS MAY CAUSE GI TRACT IRRITATION. CHRONIC: NONE KNOWN. Explanation of Carcinogenicity:NO INGREDIENT OF

A CONCENTRATION OF 0.1%

OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure:PROLONGED SKIN CONTACT-IRRITATION, DISCOMFORT, LOCALIZED REDNESS. EYES-IRRITATION. DISCOMFORT. INHALED-IRRITATION OF NOSE & THROAT, HEADACHE, NAUSEA, DIZZINESS. INGESTED-ABDOMINAL DISCOMFORT, NAUSEA, DIARRHEA.

Medical Cond Aggravated by Exposure:BECAUSE OF ITS DEFATTING PROPERTIES, PROLONGED & REPEATED SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS (SKIN COND ITION).

First Aid:EYES-FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN-WASH SKIN WITH PLENTY OF SOAP & WATER. GET MEDICAL ATTENTION. INGESTION-IF CONSCIOUS, GIVE 2 GLASSES OF WATER. GET MEDI CAL ATTENTION. INHALATION-IF IRRITATION, HEADACHE, NAUSEA OR DROWSINESS OCCURS, REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

Flash Point Method:COC Flash Point:=179.4C, 355.F 355F,179C

Extinguishing Media:USE WATER SPRAY, DRY CHEMICAL, FOAM, OR CARBON DIOXIDE. WATER OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: VENTILATE AREA. AVOID BREATHING VAPOR . USE

SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED AIR FOR LARGE SPILLS OR CONFINED AREAS. CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL & SH OVEL UP. PREVENT ENTRY INTO SEWERS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: MINIMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED. WATER CONTAMINATION SHOULD BE AVOIDED.
Other Precautions: DO NOT TAKE
INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: AIRBORNE CONCENTRATIONS SHOULD BE KEPT TO LOWEST LEVEL POSSIBLE. IF VAPOR, MIST OR DUST IS GENERATED, USE RESPIRATOR APPROVED BY MSHA OR NIOSH AS APPROPRIATE. SUPPLIED AIR RESPIRATORY PROTECTION SHOUL D BE USED FOR CLE HCC:V6 Spec Gravity:0.8950 Viscosity:64.6 CST @40C Evaporation Rate & amp; Reference:NONE SPECIFIED BY MFR. Appearance and Odor:CLEAR, YELLOW LIQUID; BLAND ODOR.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:TOXIC LEVELS OF CARBON MONOXIDE, CARBON DIOXIDE, I RRITATING ALDEHYDES AND KETONES. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Toxicological Information:NOT LISTED ON TSCA.

Waste Disposal Methods:THIS PRODUCT HAS BEEN EVALUATED FOR RCRA CHARACTERISTICS & DOES NOT MEET THE CRITERIA OF A HAZARDOUS WASTE IF DISCARDED IN ITS PURCHASED FORM. IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE AT

THE TIME OF DISPOSAL IF MATERIAL IS HAZARDOUS.

Transport Information:NOT REGULATED FOR TRANSPORTATION.

SARA Title III Information:NOT LISTED ON SECTION 302/304. Federal Regulatory Information:NO RQ OR TPQ. State Regulatory Information:NOT LISTED ON CALIFORNIA PROPOSITION 65.

Disclaimer (provided with this information by the compiling agencies): Thi

s information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.