

VARIAN ASSOCIATE INC;CROSSED FIELD & RECEIVER PROT -- VDX1141 ELECTRON TUBE --  
5960-01-044-9439

=====  
===== Product Identification =====

Product ID:VDX1141 ELECTRON TUBE

MSDS Date:02/02/1996

FSC:5960

NIIN:01-044-9439

Status Code:A

MSDS Number: CJLMQ

=== Responsible Party ===

Company Name:VARIAN ASSOCIATE INC;CROSSED FIELD & RECEIVER PROT

Address:150 SOHIER RD

City:BEVERLY

State:MA

ZIP:01915-1018

Countr

y:US

Info Phone Num:508-922-6000 EXT.285

Emergency Phone Num:508-922-6000 EXT.285

CAGE:88236

=== Contractor Identification ===

Company Name:COMMUNICATIONS AND POWER INDUSTRIES INC

Address:150 SOHIER RD

City:BEVERLY

State:MA

ZIP:01915-5595

Country:US

Phone:978-922-6000 EXT.285

Contract Num:SP0960-96-M-3682

CAGE:88236

=====  
===== Composition/Information on Ingredients =====

Ingred Name:TRITIUM

Other REC Limits:NONE RECOMMENDED

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt

: BALANCE

Other REC Limits:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SIGNIFICANT EXPOSURE TO A RADIONUCLIDE  
MAY CAUSE CANCER.

Explanation of Carcinogenicity:NOT LISTED IN NTP, IARC OR OSHA PER  
MANUFACTURER.

Effects of Overexposure:TRITIUM IS A BETA EMI

TTER. IF EXPOSURE IS

SUSPECTED, SEEK MEDICAL ATTENTION, URINE ASSAY FOR TRITIUM IS THE  
ONLY MEANS OF MEASURING THE DEGREE OF EXPOSURE.

Medical Cond Aggravated by Exposure:HEALING OF DAMAGED TISSUES MAY BE  
PROLONGED.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS  
OPEN. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. IF  
IRRITATION PERSIST, GET MEDICAL ATTENTION. INHALATION: REMO

VE TO

FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: A  
HIGH ORAL FLUID INTAKE SHOULD BE ADMINISTERED FOLLOWING TRITIUM  
EXPOSURE.

=====  
===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:NONFLAMMABLE. USE EXTINGUISHING MEDIA SUITABLE FOR  
SURROUNDING FIRE.

Fire Fighting Procedures:NONFLAMMABLE. USE STANDARD FIREFIGHTING  
PROCEDURES FOR SURROUNDING MATERIALS I  
N THE FIRE.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR RADIONUCLIDE CARTRIDGE RESPIRATOR AND  
PROPER PERSONAL PROTECTIVE CLOTHING/GLOVES/GOGGLES. COLLECT FOR  
DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT GET IN EYES, ON SKIN, MOUTH OR  
CLOTHING.

THIS DEVICE IS A RECEIVER PROTECTOR TUBE WHICH CONTAINS A SMALL AMOUNT OF TRITIUM.

Other Precautions:TUBE IS CONSIDERED A SEALED SOURCE AND NORMAL HANDLING WILL PRESENT NO RADIATION PROBLEMS. THE DEVICE IS A MANUFACTURED ARTICLE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF SPILLED, WEAR RADIONUCLIDE CARTRIDGE RESPIRATOR.

Ventilation:PLACE AFFECTED COMPONENT IN LOCAL EXHAUST.

Protective Gloves:DISPOSABLE GLOVES

Eye Protection:GOG  
GLES

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:A2

Boiling Pt:B.P. Text:-414F,-248C

Melt/Freeze Pt:M.P/F.P Text:-425F,-2  
54C

Vapor Pres:18.317 ATM

Vapor Density:NOT GIVEN

Spec Gravity:6.0

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:COMPLETE

Appearance and Odor:GAS, NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OXIDIZERS

Stability Condition to Avoid:TEMPERATURES IN EXCESS OF 400C WILL CAUSE DECOMPOSITION OF TIT2 WITH RELEASE OF TRITIUM GAS.

Hazardous Decomposition Products:UNBOUND TRITIUM

===== Disposa

I Considerations =====

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.