

HOECHST-ROUSSEL PHARMACEUTICALS INC -- A/T/S 2% TOPICAL SOLUTION -- 6505-01-184-9140  
===== Product Identification =====

Product ID:A/T/S 2% TOPICAL SOLUTION

MSDS Date:05/18/1993

FSC:6505

NIIN:01-184-9140

Status Code:A

MSDS Number: CJLRQ

=== Responsible Party ===

Company Name:HOECHST-ROUSSEL PHARMACEUTICALS INC

Address:ROUTE 202-206

Box:2500

City:SOMERVILLE

State:NJ

ZIP:08876-1258

Country:US

Info

Phone Num:201-231-2132/800-451-4455

Emergency Phone Num:908-231-4126

CAGE:04500

=== Contractor Identification ===

Company Name:HOECHST MARION ROUSSEL INC

Address:10236 MARION PARK DR

Box:8480

City:KANSAS CITY

State:MO

ZIP:64137

Country:US

Phone:816-966-3986

CAGE:24268

Company Name:HOECHST-ROUSSEL PHARMACEUTICALS INC

Address:ROUTE 202-206

Box:2500

City:SOMERVILLE

State:NJ

ZIP:08876-1258

Country:US

Phone:201-231-2132/800-451-4455

CAGE:04500

Company Name:PACO PHARMACEUTICAL SERVICES INC

Address:120

0 PACO WAY  
City:LAKEWOOD  
State:NJ  
ZIP:08701  
Country:US  
Phone:201-367-9000  
CAGE:0B3G6

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ERYTHROMYCIN  
CAS:114-07-8  
RTECS #:KF4375000

Ingred Name:ETHYL ALCOHOL (95%)  
CAS:64-17-5  
RTECS #:KQ6300000  
= Wt:66.  
OSHA PEL:1900 MG/M3;1000 PPM  
ACGIH TLV:1880 MG/M3;1000 PPM

Ingred Name:CITRIC ACID  
CAS:77-92-9  
RTECS #:GE7350000

Ingred Name:PROPYLENE GLYCOL  
CAS:57-55-6  
RTECS #:TY2000000

=====  
Hazards Identifica  
tion  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Health Hazards Acute and Chronic:TARGET ORGANS: SKIN, EYES, LIVER  
(ETHYL ALCOHOL). ACUTE HEALTH: IN THE HEALTHCARE ENVIRONMENT,  
DISPENSING A/T/S 2% TOPICAL SOLUTION PRESENTS NO OCCUPATIONAL  
EXPOSURE HAZARDS. IN THE INDUSTRIAL ENVIRO NMENT, HANDLING LARGE  
QUANTITIES OF A/T/S 2% TOPICAL SOLUTION CAN PRESENT FLAMMABILITY  
HAZARDS. OVEREXPOSURE T

O PRODUCT VAPORS MAY INDUCE CENTRAL NERVOUS SYSTEM DEPRESSION. IMMEDIATE EFFECTS ON CONTACT: SKIN-CAN CAUSE IRRITATION. EYES-CAN CAUSE IRRITATION. INHALATION-OVEREXPOSURE TO VAPORS MAY INDUCE CENTRAL NERVOUS SYSTEM DEPRESSION. CHRONIC/DLEAYED EFFECTS: SKIN IRRITATION.

Explanation of Carcinogenicity:THE COMPONENTS OF THIS PRODUCT ARE NOT LISTED BY NTP, IARC OR OSHA AS CARCINOGEN.

Effects of Overexposure:ADVERSE CONDITIONS REPORTED WITH THE USE OF ERYTHROMYCIN TOPICAL SOLUTIONS INCLUDE DRYNESS, TENDERNESS, DEQUAMATION, ERYTHEMA, OILINESS & BURNING SENSATION. ETHYL ALCOHOL, A MAJOR COMPONENT OF THE PRODUCT, IS AN IRRITANT OF THE EYES & MUCOUS MEMBRANES & CAUSES CENTRAL NERVOUS SYSTEM DEPRESSION.

Medical Cond Aggravated by Exposure:HYPERSENSITIVITY TO ANY OF THE INGREDIENTS OF THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:SKIN: WASH CONTACTED SKIN WITH SOAP & WATER. EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. IF IRRITATION DEVELOPS, GET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=-18.3C, 65.F

Extinguishing Media:WATER,FOAM,CARBON DIOXIDE.

Fire Fighting Procedures:WEAR FULL BUNKER GEAR, INCLUDING SELF-CONTAINED BREATHING APPARATUS, WHEN RESPONDING TO FIRES INVOLVING FACILITIES WHERE PHARMACEUTICAL PRODUCTS ARE STORES.

Unusual Fire/Explosion Hazard:THIS PRODUCT IS FLAMMABLE. HAZARDOUS PRO

PERTIES OF COMBUSTION: COMPOUNDS OF CARBON, HYDROGEN AND OXYGEN, INCLUDING CARBON MONOXIDE AND NITROGEN OXIDES. THE EXACT COMPOSITION WILL DEPEND ON THE CONDITIONS OF COMBUSTION.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. ABSORB SPILLED A/T/S TOPICAL SOLUTION WITH INERT MATERIAL AND DISPOSE OF ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AT CONTROLLED ROOM TEMPERATURE (59 - 86F) IN WELL-CLOSED CONTAINERS WITH SAFETY CLOSURES. IN THE MEDICAL ENVIRONMENT, DISPENSING A/T/S 2% TOPICAL SOLUTION REQUIRES NO SPECIALIZED EXPOSURE CONTROLS OR PERSONAL PROTECTIVE EQUIPMENT. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE APPROPRIATE NIOSH-APPROVED RESPIRATOR.  
Ventilation:GENERAL AND LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS. VENTILATION FANS AND OTHER ELECTRIC SERVICE MUST BE NON-SPARKING AND HAVE EXPLOSION PROOF DESIGN  
Protective Gloves:IMPERVIOUS GLOVES  
Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES  
Other Protective Equipment:PROTECTIVE CLOTHING AND EQUIPMENT SHOULD BE AVAILABLE AND WORN AS NECESSARY TO PREVENT CONTACT WITH SKIN, EYES AND CLOTHING  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
NONE SPECIFIED BY MANUFACTURER.

=====  
Physical/Chemical Properties  
=====

HCC:F2  
pH:8.0-10.5  
Appearance and Odor:CLEAR,COLORLESS LIQUID SUPPLIED IN 60ML BOTTLES.

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
NONE SPECIFIED BY MANUFACTURER.  
Stability Condition to Avoid:HEAT,SPARKS,AND OPEN FLAMES.  
Hazardous Decomposition Products:HAZARDOUS PROPERTIES OF COMBUSTION:  
COMPOUNDS OF CARBON, HYDROGEN AND OXYGEN, INCLUDING CARBON MONOXIDE AND NITROGEN OXIDES. THE EXACT COMPOSITION WILL DEPEND ON THE CONDITIONS OF COMBUSTION.

=====  
Toxicological Information  
=====

Toxicological Information:ORAL-RAT LD50 (ERYTHROMYCIN): 9,272 MG/KG.  
CHRONIC EFFECTS: MUTAGENICITY: NOT FOUND. CARCINOGENICITY: THE COMPONENTS OF THIS PRODUCT ARE NOT LISTED BY NTP, IARC OR OSHA AS

CARCINOGEN. TERATOGENICITY: THERE WAS NO EVIDENCE OF TERATOGENICITY OR ANY OTHER ADVERSE EFFECT ON REPRODUCTION IN FEMALE RATS FED ERYTHROMYCIN BASE (UP TO 0.25% OF DIET) PRIOR TO AND DURING MATING, DURING GESTATION AND THROUGH WEANING OF 2 SUCCESSIVE LITTERS.

=====  
===== Ecological Information =====

Ecological: SOLUTION ADMINISTERED TO PATIENTS PRESENTS NEGLIGIBLE IMPACT ON THE ENVIRONMENT.

=====  
===== Disposal Considerations =====

Waste Disposal Methods: WASTE PRODUCT SHOULD BE INCINERATED IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

=====  
===== MSDS Transport Information =====

Transport Information: GROUND TRANSPORT: SHIPPING NAME: CONSUMER COMMODITY. HAZARD CLASS: ORM-D. LABEL: NONE. PKGING GROUP: NONE. AIR TRANSPORT: SHIPPING NAME: MEDICINES, N.O.S. (CONTAINING FLAMMABLE LIQUID IN SMALL INNER PACKAGING) ID# 8008 ER GUIDE BOOK#: 11.

=====  
===== Regulatory Information =====

SARA Title III Information: HAZARD CATEGORIES FOR SARA 311/312 REPORTING: ACUTE; FIRE.

Federal Regulatory Information: A/T/S 2% TOPICAL SOLUTION IS REGULATED UNDER THE FOOD, DRUG AND COSMETIC ACT.

State Regulatory Information: NONE SPECIFIED BY MANUFACTURER.

=====  
===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.