

INLAND TECHNOLOGY INC -- FB245, BREAKTHROUGH -- 6850-01-378-0698

===== Product Identification =====

Product ID:FB245, BREAKTHROUGH  
MSDS Date:08/03/1998  
FSC:6850  
NIIN:01-378-0698  
Status Code:A  
MSDS Number: CJMFJ  
=== Responsible Party ===  
Company Name:INLAND TECHNOLOGY INC  
Address:401 E 27TH ST  
City:TACOMA  
State:WA  
ZIP:98421  
Country:US  
Info Phone Num:800-552-3100/800-255-3924  
Emergency Phone Num:800-255-3924  
Resp. Party Other MSDS Num.:03105  
CAGE:0K209  
=== Contractor Identification ===  
Address:401 E 27TH STREET  
Box:City:TACOMA  
State:WA  
ZIP:98421-1203  
Country:US  
Phone:800-552-3100/253-383-1177  
CAGE:0K209

===== Composition/Information on Ingredients =====

Ingred Name:C12-C13 PARAFFINIC HYDROCARBONS  
CAS:64742-48-9

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO

IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE HEALTH EFFECTS: LIQUID

CONTACTING THE EYES MAY CAUSE EYE IRRITATION. LOW ORDER ACUTE ORAL AND DERMAL TOXICITY. INHALATION OF VAPORS CAN CAUSE IRRITATION TO NOSE, THROAT, AND UPPER RESPIRATORY TR ACT. CHRONIC HEALTH EFFECTS: PROLONGED OR REPEATED SKIN EXPOSURE CAN LEAD TO MILD IRRITATION, DEFATTING, AND DERMATITIS.

Explanation of Carcinogenicity:NO CARCINOGENIC CAUSING INGREDIENTS.

Effects of Overexposure:EYES: IRRITAT

ION. SKIN: LOW ORDER OF TOXICITY,

IRRITATION, DEFATTING, DERMATITIS.. INHALATION: IRRITATION OF NOSE, THROAT, AND UPPER RESPIRATORY TRACT. INGESTION: LOW ORDER OF ACUTE TOXICITY.

Medical Cond Aggravated by Exposure:MAY AGGRAVATE EXISTING DERMATITIS.

===== First Aid Measures =====

First Aid:EYES: IF EYE CONTACT OCCURS FLUSH WITH WATER FOR AT LEAST 15 MINUTES OR UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS

CONTACT PHYSICIAN. SKIN: IN

CASE OF SKIN CONTACT, REMOVE ANY

CONTAMINATED CLOTHING AND WASH SKIN THOROUGHLY WITH SOAP AND WATER.

INHALATION: IF OVERCOME BY VAPOR, REMOVE FROM EXPOSED AREA AND CALL

PHYSICIAN IMMEDIATELY. INGESTION: DO NOT INDUCE VOMITING. CALL

PHYSICIAN IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:=-65.6C, 150.F

Lower Limits:0.8

Upper Limits:7

Extinguishing Media:FOAM, WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE.

Fire

Fighting Procedures:USE AIR SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED AND CONFINED SPACES OR AS OTHERWISE NEEDED.

Unusual Fire/Explosion Hazard:NONE KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF AND ELIMINATE ALL IGNITABLE SOURCES. CONTAIN AND COLLECT MATERIAL. ABSORB RESIDUE.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precauti

ons:USE AND STORE AWAY FROM HEAT, SPARKS,  
AND OPEN FLAME. KEEP CONTAINER SEALED WHEN NOT IN USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:USE MECHANICAL DILUTION VENTILATION WHENEVER PRODUCT IS  
USED IN A CONFINED SPACE, IS HEATED ABOVE AMBIENT TEMPERATURES, OR  
IS AGITATED.

Protective Gloves:USE CHEMICAL-RESISTANT, IF NEEDED.

Eye Protection:USE SPLASH GOGGLES OR FACE SHIELD WHEN EYE CONTACT MAY  
OCCUR.

Other Protective Equipment:PROVIDE EYE WASH OR STERILE EYE RINSE  
STATION.

Work Hygienic Practices:READ AND UNDERSTAND ALL CAUTIONS, LABELS, AND  
MSDS BEFORE USING THIS PRODUCT. BREATHING VAPOR OR MIST. AVOID  
PROLONGED OR REPEATED CONTACT WITH SKIN. WASH CONTAMINATED  
CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:=187.8C, 370.F

Vapor Pres:5

Spec Gravity:0.77

Evaporation Rate &a

mp; Reference: