

WACKER SILICONES CORP -- RTV SILICONE RUBBER T331 -- 6850-01-159-4844

===== Product Identification =====

Product ID:RTV SILICONE RUBBER T331

MSDS Date:12/16/1994

FSC:6850

NIIN:01-159-4844

Status Code:A

MSDS Number: CJNDW

=== Responsible Party ===

Company Name:WACKER SILICONES CORP

Address:3301 SUTTON RD

City:ADRIAN

State:MI

ZIP:49221

Country:US

Info Phone Num:517-263-5711

Emergency Phone Num:517-

264-8500

Chemtrec Ind/Phone:(800)424-9300

CAGE:ODF77

=== Contractor Identification ===

Company Name:ACCRABOND INC

Address:8848 HACKS CROSS RD

Box:City:OLIVE BRANCH

State:MS

ZIP:38654-3884

Country:US

Phone:601-895-4480

CAGE:5V071

Company Name:ADVANCED INDUSTRIES INC

Address:415 NORTHCUTT STREET

Box:5666

City:LONGVIEW

State:TX

ZIP:75608

Country:US

Phone:214-236-4101

Contract Num:SP0450-99-M-NC59

CAGE:0GA21

Company Name:WACKER SILICONES CORP

Address:3301 SUTTON RD

Box:City:ADRIAN

State:MI

ZIP:49221

Country:US  
Phone:517-263-5711  
CAGE:ODF77

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYDIMETHYLSILOXANE  
CAS:63148-62-9  
RTECS #:JT6484500  
Other REC Limits:NONE RECOMMENDED

Ingred Name:CATALYST  
Other REC Limits:NONE RECOMMENDED

Ingred Name:METHYLETHYLKETOXIME (HYDROLYSIS BY-PRODUCT)  
CAS:96-29-7  
RTECS #:FL9275000  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:Y  
ES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: N/P. ACUTE EFFECTS OF EXPOSURE - EYE CONTACT: CAUSES SEVERE IRRITATION. PROLONGED CONTACT MAY RESULT IN EYE BURNS. SKIN CONTACT: MAY CAUSE IRRITATION, AND AN ALLERGIC SKIN REACTION, MAY BE ABSORBED THROUGH THE SKIN CAUSING REVERSIBLE NARCOSIS, HEMOLYTIC ANEMIA, AND METHEMOGLOBINEMIA (WHICH REDUCES THE BLOOD'S ABILITY TO TRANSPORT OXYGEN). INHALATION. NO

TOXIC EFFECTS EXPECTED. INGESTION: NOT EXPECTED IN INDUSTRIAL USE. CHRONIC EFFECTS OF EXPOSURE - NONE KNOWN. THIS PRODUCT RELEASES METHYLETHYLKETOXIME (MEKO) UPON HYDROLYSIS. IN A CHRONIC ORAL TOXICITY ANIMAL STUDY, MEKO PRODUCED AN ADVERSE EFFECT ON RED BLOOD CELLS.

Explanation of Carcinogenicity:THIS PRODUCT DOES NOT CONTAIN ANY INGREDIENTS LISTED BY IARC, NTP OR OSHA, AS CARCINOGENS IN AMOUNTS EXCEEDING 0.1%.

Effects of Overexposure:CAUSES SEVERE EYE IRRITATION. PR

OLONGED

CONTACT MAY RESULT IN EYE BURNS. MAY CAUSE SKIN IRRITATION, AND AN ALLERGIC SKIN REACTION. MAY BE ABSORBED THROUGH THE SKIN CAUSING REVERSIBLE NARCOSIS, HEMOLYTIC ANEMIA

Medical Cond Aggravated by Exposure: CONTACT WITH THIS MATERIAL MAY CAUSE AN ALLERGIC RESPIRATORY REACTION IN PERSONS SENSITIVE TO A COMPONENT PRESENT AT