

MILITEC, INC -- MILITEC-1 -- 6850-01-378-3118

===== Product Identification =====

Product ID:MILITEC-1

MSDS Date:11/06/1996

FSC:6850

NIIN:01-378-3118

Status Code:A

MSDS Number: CJPWY

=== Responsible Party ===

Company Name:MILITEC, INC

Address:11828 PIKA DRIVE

City:WALDORF

State:MD

ZIP:20601

Country:US

Info Phone Num:301-893-3910\8354FAX

Emergency Phone Num:301-893-3910

CAGE:TO342

=== Contractor Id

entification ===

Company Name:MILITEC INC

Address:11828 PIKA DR

Box:City:WALDORF

State:MD

ZIP:20602

Country:US

Phone:301-893-3910

Contract Num:SP0450-99-M-C742

CAGE:0KXE0

Company Name:MILITEC INC

Address:11828 PIKA DR

Box:City:WALDORF

State:MD

ZIP:20602

Country:US

Phone:301-893-3910

Contract Num:SP0450-99-M-NJ22

CAGE:0KXE0

Company Name:MILITEC INCORPORATED

Address:2111 WILSON BLVD; #400

Box:City:ARLINGTON

State:VA

ZIP:22201

Country:US

Phone:703-528-8371/703-528-2614

CAGE:NO555

Company Name:MILIT

EC, INC
Address:11828 PIKA DRIVE
Box:City:WALDORF
State:MD
ZIP:20601
Country:US
Phone:301-893-3910\8354FAX
CAGE:TO342

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS
= Wt:100.
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HEALTH HAZARDS TYPICAL OF THAT FOR
HYDROCARBON LUBRICANTS. EYE EXPOSURE CAN CAUSE SOME TRANSIENT EYE
IRRITATION. INHALATION: MIST CAN CAUSE SOME TRANSIENT IRRITATION TO
UPPER RESPIRATORY TRACT.
Explanation of Carcinogenicity:MATERIALS IN THIS PRODUCT ARE NOT KNOWN
TO BE CARCINOGENIC OR CONTAIN GREATER THAN 0.1% CARCINOGENIC
COMPOUNDS WHICH REQUIRE REPORTING UNDER 29 CFR 1910.1200. PCB'S NOT
DETECTED AT OR ABOVE 2 PPM THRE SHOLD DETECTION
LIMIT.
Effects of Overexposure:INHALATION: MIST CAN CAUSE SOME TRANSIENT
IRRITATION TO UPPER RESPIRATORY TRACT. EYES: TRANSIENT IRRITATION
AND BURNING SENSATION; IRRITATION (REDNESS). SKIN CONTACT:
TRANSIENT IRRITATION, BURNING S ENSATION, DEFATTING AND DERMATITIS
IN SOME PEOPLE.
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN
DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====
First Aid Measures
=====

First Aid:INHALED-REMOVE TO FRESH AIR. GET MEDICAL HELP IF SYMPTOMS
PERSIST. EYES-FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN.
GET MEDICAL HELP IF SYMPTOMS PERSIST. SKIN-WIPE OFF EXCESS. WASH
SKIN WITH S OAP & WATER. GET MEDICAL HELP IF SYMPTOMS PERSIST.

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:=210.C, 410.F
Autoignition Temp:=379.4C, 715.F
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICALS, WATER FOG

Fire Fighting Procedures:USE STANDARD PRECUATIONS FOR OIL FIRE

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN LIQUIDS & CONTROL DISCHARGES TO STREAMS OR SEWER SYSTEMS UNDER CONDITIONS ACCEPTABLE TO LOCAL, STATE AND FEDERAL AUTHORITIES. APPLY ABSORBENT MATERIALS & SWEEP UP & PLACE WASTE IN A SUITABLE & PROPERLY LABELED CONTAINER FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:TYPICAL FOR OTHER HYDROCARBON LUBRICANTS. KEEP AWAY FROM OPEN FLAME. KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE IN ORIGINAL CONTAINER.

Other Precautions:KEEP OFF FOODSTUFFS. AVOID EYE CONTACT. AVOID REPEATED AND/OR PROLONGED SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING. AVOID BREATHING OIL MIST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IN EMERGENCIES OR UPSETS USE NIOSH APPROVED MIST RESPIRATOR. REVIEW ENGINEERING CONTROLS TO ASSURE ADEQUATE VENTILATION.

Ventilation:NONE REQUIRED IN VENTILATED AREAS.

Protective Gloves:RUBBER, IF DESIRED.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NO SPECIAL EQUIPMENT REQUIRED. HOWEVER, GOOD PERSONAL HYGIENE PRACTICES SHOULD ALWAYS BE FOLLOWED.

Work Hygienic Practices:AVOID EYE CONTACT AND PROLONGED SKIN CONTACT.

AVOID BREATHING OIL MIST. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:=275.6C, 528.F

Melt/Freeze Pt:=-42.8C, -45.F

M.P/F.P Text:ASTM D97 POUR POINT

Vapor Density:NO VAPOR

Spec Gravity:1.142

Evaporation Rate & Reference:NEGLIGIBLE LOSS @ 70F

Solubility in Water: