

KLEER-FLO CO. -- DEGREASOL FORMULA 99-R -- 6850-00-606-1221

=====  
Product Identification  
=====

Product ID:DEGREASOL FORMULA 99-R

MSDS Date:01/05/1998

FSC:6850

NIIN:00-606-1221

Status Code:A

MSDS Number: CJQCR

=== Responsible Party ===

Company Name:KLEER-FLO CO.

Address:15151 TECHNOLOGY DRIVE

City:EDEN PRAIRIE

State:MN

ZIP:55344-3403

Country:US

Info Phone Num:612-934-2555

Emergency Phone Num:612-9

34-2555

Chemtec Ind/Phone:(800)424-9300

CAGE:16649

=== Contractor Identification ===

Company Name:KLEER-FLO CO.

Address:15151 TECHNOLOGY DRIVE

Box:City:EDEN PRAIRIE

State:MN

ZIP:55344-3403

Country:US

Phone:612-934-2555

Contract Num:SP0450-99-MNC71

CAGE:16649

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PETROLEUM ALIPHATIC HYDROCARBON MIXTURE

OSHA PEL:500 PPM

ACGIH TLV:100 PPM

=====  
Hazards Identification  
=====

LD50 LC50 M

ixture:ORAL LD50(RAT): UNKNOWN.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: MILD EYE IRRITATION UPON

CONTACT WITH LIQUID OR VAPOR. INHALATION MAY RESULT IN RESPIRATORY IRRITATION AND CNS DEPRESSION. CHRONIC: PROLONGED OR REPEATED SKIN CONTACT MAY LEAD TO DRYING, IRRITATION AND DERMATITIS.

Effects of Overexposure:SYMPTOMS INCLUDE: HEADACHE, DIZZINESS, NAUSEA, FATIGUE, LOSS OF COORDINATION.

=====  
===== First Aid Measures =====

First Aid:EYES-IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER WHILE HOLDING THE EYELIDS OPEN. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN-REMOVE CONTAMINATED CLOTHING. FLUSH SKIN WITH LARGE AMOUNTS OF WATER, THEN WASH WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION-MOVE VICTIM TO FRESH AIR AND RESTORE BREATHING IF NECESSARY. STAY WITH VICTIM UNTIL

ARRIVAL OF EMERGENCY MEDICAL PERSONNEL. INGESTION-CONTACT LOCAL POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY. ASPIRATION HAZARD.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=-60.6C, 141.F

Lower Limits:1

Upper Limits:6

Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,HALON,FOAM,OR WATER SPRAY.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS.

PRODUCT IS SENSITIVE TO STATIC DISCHARGE.

Unusual Fire/Explosion Hazard:AS WITH ANY CLOSED CONTAINER,EXTREME HEAT MAY CAUSE IT TO EXPLODE.USE WATER SPRAY OR FOG TO COOL FIRE-EXPOSED CONTAINERS

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PERSONAL PROTECTIVE EQUIPMENT. REMOVE HEAT AND IGNITION SOURCES AND STOP LEAK IF YOU CAN DO SO WITHOUT RISK, VENTILATE THE AREA; CLEAN UP WITH INERT ABSORBENT SUCH AS VERMICULITE



AND SELECTED AMINES.

Stability Condition to Avoid:AVOID HEAT,OPEN FLAME AND SOURCES OF  
IGNITION

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

=====  
Disposal Considerations  
=====

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE  
AND FEDERAL REGULATIONS. RECYCLING THIS PRODUCT OR ITS RESIDUES  
SHOULD BE CONSIDERED.

=====  
MSDS Transport Information  
=====

Transport Information:DOT  
INFORMATION: HM, COMBUSTIBLE LIQUID, N.O.S.,  
(ALIPHATIC HYDROCARBON), COMBUSTIBLE LIQUID, NA 1993, PG II.

=====  
Regulatory Information  
=====

SARA Title III Information:NONE.  
Federal Regulatory Information:EPA REPORTABLE QUANTITY: NONE. ALL  
INGREDIENTS ARE LISTED IN THE TSCA INVENTORY.

=====  
Other Information  
=====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.