

CRC INDUSTRIES,INC. -- BRAKLEEN BRAKE PARTS CLEANER-NON-CHLORINATED,85088 --
6850-01-167-0678

===== Product Identification =====

Product ID: BRAKLEEN BRAKE PARTS CLEANER-NON-CHLORINATED,85088

MSDS Date: 07/26/1999

FSC: 6850

NIIN: 01-167-0678

MSDS Number: CJQTQ

=== Responsible Party ===

Company Name: CRC INDUSTRIES, INC.

Address: 885 LOUIS DR.

City: WARMINSTER

State: PA

ZIP: 18974

Country: US

Info Phone Num:

215-674-4300

Emergency Phone Num: 215-674-4300

Preparer's Name: ADAM M. SELISKER

Chemtec Ind/Phone: (800)424-9300

CAGE: 023V4

=== Contractor Identification ===

Company Name: ABSCOA INDUSTRIES INC

Address: 2000 ROBOTICS PL

Box: 185369

City: FORT WORTH

State: TX

ZIP: 76118-7129

Country: US

Phone: 817-284-4449

Contract Num: SP0450-99-M-C950

CAGE: 2N335

Company Name: CRC INDUSTRIES, INC.

Address: 885 LOUIS DRIVE

Box: City: WARMINSTER

State: PA

ZIP: 18974-2869

Country: US

Phone: 215-674-4300/ 800-521-3168

CAGE: 023V4

Comp

any Name:GENERAL TOOL & SUPPLY CO.

Address:5614 7TH AVENUE SOUTH

Box:80904

City:SEATTLE

State:WA

ZIP:98108-3317

Country:US

Phone:206-762-1500

Contract Num:SP0450-00-M-D966

CAGE:3Z323

Company Name:NETEX INDUSTRIES(FORMER NORTHEAST TEXAS IND)

Address:1700 NORTH EDWARDS STREET

Box:City:MOUNT PLEASANT

State:TX

ZIP:75455

Country:US

Phone:903-577-0388

Contract Num:SP0450-00-M-D609

CAGE:0WAG0

=====
===== Composition/Information on Ingredients =====

Ingred Name:TOLUENE (SARA 313) (CERCLA)

CAS:108-88-3

RTECS #:XS5250000

Minumum % Wt:0.

Maxumum % Wt:60.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM; Z-2

ACGIH TLV:S, 50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:METHANOL (SARA 313) (CERCLA)

CAS:67-56-1

RTECS #:PC1400000

Minumum % Wt:30.

Maxumum % Wt:40.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM

ACGIH TLV:200PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ACETONE (SARA 313) (CERCLA)

CAS:67-64-1

RTECS #:AL3150000

Minumum % Wt:0.

Maxumum % Wt:35

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:750PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:XYLENE

CAS:1330-20-7

RTECS #:ZE2100000

Minumum % Wt:0.

Maxumum % Wt:60.

OSHA PEL:100 PPM

ACGIH TLV:434 MG/M3;100 PPM

ACGIH STEL:651 MG/M3;150 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:HEPTANE

CAS:142-82-5

RTECS #:MI7700000

Minumum % Wt:0.

Maxumum % Wt:35.

OSHA PEL:2000 MG/M3;500 PPM

ACGIH TLV:1640 MG/M3;400 PPM

ACGIH STEL:2050 MG/M3;500 PPM

Ingred Name:N

-HEXANE

CAS:110-54-3

RTECS #:MN9275000

Minumum % Wt:0.

Maxumum % Wt:35.

OSHA PEL:1800 MG/M3;500 PPM

ACGIH TLV:50 PPM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000

< Wt:10.

OSHA PEL:9000 MG/M3;5000 PPM

ACGIH TLV:9000 MG/M3;5000 PPM

ACGIH STEL:54000 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL (RAT) IS UNKNOWN.

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chroni

c:POTENTIAL HEALTH EFFECTS: INHALATION:

DIZZINESS, BREATHING DIFFICULTIES, ANESTHETIC EFFECTS, NAUSEA, AND IRRITATION TO RESPIRATORY TRACT. EYES: IRRITATION. SKIN: IRRITATION, DEFATTING. INGESTION: N /A. CHRONIC OVEREXPOSURE: CONTACT DERMATITIS. MAY CAUSE NERVOUS SYSTEM DAMAGE.

Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure:DIZZINESS, BREATHING DIFFICULTIES, ANESTHETIC EFFECTS, NAUSEA, RESPIRATORY TRACT IRRITATION, EYE IRRITATION, SKIN

IRRITATION, DEFATTING, NERVOUS SYSTEM DAMAGE.

Medical Cond Aggravated by Exposure:BREATHING PROBLEMS

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NECESSARY. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. SKIN: REMOVE CONTAMINATED CLOTHING AND WASH AREA WITH SOAP AND WATER. INGESTION: CALL A PHYSICIAN. DO NOT INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point: