View NSN Online: https://aerobasegroup.com/nsn/6140-01-417-9154

POWER-SONIC CORP -- LCR12V17BP, POWERSONIC RECHARGEABLE BATTERIES --6140-01-417-9154 Product ID:LCR12V17BP, POWERSONIC RECHARGEABLE BATTERIES MSDS Date:01/14/1990 FSC:6140 NIIN:01-417-9154 Status Code:A MSDS Number: CJQVW === Responsible Party === Company Name: POWER-SONIC CORP Address:3106 SPRING ST Box:5242 City:REDWOOD CITY State:CA ZIP:94063-3929 Country:US Info Phone Num:415-364-5001 Emergency Phone Num:415-364-5001 CAGE:56309 === Contractor Identification === Company Name: CELL ENERGY INC Address:3190-B ORANGE GROVE AVE Box:City:NORTH HIGHLANDS State:CA ZIP:95660-5706 Country:US Phone:916-484-7974 Contract Num:SP0430-99-M-AR23 CAGE:1U269 Company Name: POWER-SONIC CORP Address:3106 SPRING ST Box:5242 City:REDWOOD CITY State:CA ZIP:94063-3929 Country:US Phone:650-364-5001 CAGE:56309

======== Composition/Information on Ingredients ==============

=

Ingred Name:SULFURIC ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 17% Other REC Limits:NONE SPECIFIED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:LEAD (SARA III) CAS:7439-92-1 RTECS #:OF7525000 Fraction by Wt: 60% Other REC Limits:NONE SPECIFIED OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:LEAD OXIDE CAS:1314-41-6 RTECS #:OG5425000 Fraction by Wt: 20% Other R EC Limits:NONE SPECIFIED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:RISK ONLY OCCURS IF BATTERY IS RUPTURED. ACUTE: BURNS, SKIN IRRITION AND EYE DAMAGE FROM SULFURIC ACID ELECTROLYTE. INHALATION: NASAL AND RESPIRATORY IRRITATION FROM SULFUR OXIDE FUMES. INGESTION: STO MACH IRRITATION. CHRONIC: NONE SPECIFIED BY

MANUFACTURER.

Explanation of Carcinogenicity: THIS PRODUCTS INGREDIENTS ARE NOT FOUND IN OSHA, NTP OR IARC LIST'S OF CARCINOGENS.

Effects of Overexposure:INHALE: NASAL AND RESPIRATORY IRRITATION FROM SULFUR DIOXIDE FUMES. EYE OR SKIN: BURNS, SKIN IRRITATION AND EYE DAMAGE. INGESTA: STOMACH IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE-FLUSH WITH WATER AND OBTAIN MEDIC

AL ADVICE. SKIN-FLUSH WITH WATER AND OBTAIN MEDICAL ADVICE. INHALE-DISCONNECT BATTERIES AND VENTILATE AREA. INGEST-DRINK LARGE QUANTITIES OF WATER OR MILK, FOLLOWE D MY MILK OF MAGNESIA. CONTACT PHYSICIAN.
======================================
Flash Point:DIRECT FLAME Extinguishing Media:USE WATER SPRAY, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:THE NON-CONDUCTIVE POLYSTRENE CASING IS NON- FLAMMABLE PER UL94 RATING VE-0 OR VE-1. Unusual Fire /Explosion Hazard:KEEP AWAY FROM OPEN FLAMES AND SPARKS. IMPROPER CHARGING AND IGNITION OF RESULTING GASES CAN CAUSE EXPLOSION, PARTICULARY IN GAS TIGHT ENCLOSURES.
======================================
Spill Release Procedures: THE ELECTROLYTE IS IMMOBILIZED AND COMPLETELY SECURED WITHIN THE BATTERY CASE. IF CASE IS CRACKED AVOID CONTACT WITH ELECTROLYT, WRAP TIGHTLY IN POLYETHYLENE BAGS AND SAVE FOR DISPOSAL. NEUTRALIZE RES IDUE WITH SODIUM BI CARBONATE SOLUTION AND RINSE WITH WATER.
Neutralizing Agent: DILUTE SODIUM BICARBONATE SOLUTION.
======================================
Handling and Storage Precautions:PROTECT AGAINST CRACKING OF CASE MATERIAL. ADHERE TO PROPER CHARGING PROCEDURES. Other Precautions:NONE
======================================
Supplemental Safety and Health CHARGING MUST BE DONE IN A WELL VENTILATED AREA.
======================================
HCC:Z4 Appearance and Odor:RECTANGULAR/SQUARE IN SHAPE-ORANGE IN COLOR-NO ODOR.
======================================
Stability Indicator/Materials to Avoid:YES SOLVENTS MAY DISSOLVE CASE MATERIAL. Hazardous Decomposition Products:SEVERE OVERCHARGING AND OVERHEATING MAY CAUSE HYDROGEN, OXYGEN AND SULFUR DIOXIDE FUMES.
======================================
Waste Disposal Methods:SEND FOR RECYCL

## ING OR DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Transport Information:NON-SPILLABLE BATTERY. NOT REGULATED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or i

mplied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.