View NSN Online: https://aerobasegroup.com/nsn/9150-01-411-9132

Product ID: TRANE OIL 15 MSDS Date:04/13/1993 FSC:9150 NIIN:01-411-9132 Status Code:A MSDS Number: CJQXC === Responsible Party === Company Name: TRANE/SERVICE FIRST Address:4500 MORRIS FIELD DR City:CHARLOTTE State:NC ZIP:28208-5837 Country:US Info Phone Num:704-398-4600 Emergency Phone Num:704-398-4600 CAGE: 4X241 === Contractor Identification === Company Name: IBIDE INTL CORP Address: 2804 LINDIN WAY (FORM: 229 GENTLEBROOK RD Box:City:WOODSTOCK (FORM:OWINGS MILLS State:MD ZIP:21163-1400 Country:US Phone:410-521-8711 CAGE:06PW2 Company Name: TRANE/SERVICE FIRST Address:4500 MORRIS FIELD DR Box:City:CHARLOTTE State:NC ZIP:28208-5837 Country:US Phone:704-398-4600 Contract Num:SP0450-99-M-B143 CAGE:4X241

Ingred Name: REFINED MINERAL OIL

CAS:64742-52-5 Code:F RTECS #:PY8035000

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Health Hazards Acute and Chronic: PROLONGED CONTACT MAY CAUSE MINOR SKIN **IRRITATION.** Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER. Effects of Overexposure:SKIN IRRITATION. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Ai d:EYES- FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. IF REDNESS OR IRRITATION PERSISTS, CONTACT A PHYSICIAN. SKIN CONTACT-WASH WITH SOAP & WATER. WASH CLOTHING BEFORE REUSE. INHALATION-OBS ERVE THE PERMISSABLE CONCENTRATION (AIR) OF 5 MG/M3 OF MINERAL OIL MIST (OSHA). INGESTION-CALL A PHYSICIAN. Flash Point Method:COC Flash Point:>148.9C, 300.F Extinguishing Media: USE WATER FOG, DRY CHEMICAL, CAR BON DIOXIDE, FOAM OR SAND TO EXTINGUISH FIRE. Fire Fighting Procedures: WATER SPRAY IS AN UNSUITABLE EXTINGUISHING AGENT. FIREFIGHTERS SHOULD WEAR FULL PROTECTIVE EQUIPMENT AND USE FULL FACED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE. Spill Release Procedures: STOP LEAK & DIKE UP LARGE SPILLS. USE INERT ABSORBENT MATERIAL SUCH AS EARTH, SAND OR VERMICULITE FOR CLEAN-UP. Neutralizing A gent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: STORE IN A COOL, DRY PLACE. AVOID EXPOSURE TO HEAT & FLAME. PROTECT AGAINST EYE & SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING. Other Precautions: NONE SPECIFIED BY MANUFACTURER. Respiratory Protection: NONE SPECIFIED BY MANUFACTURER. Ventilation:NOT APPLICABLE. Protective Gloves:OIL

RESISTANT RUBBER. Eye Protection:CHEMCIAL SPLASH GOGGLES Other Protective Equipment:RUBBER APRON. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

HCC:V6 Boiling Pt:>260.C, 500.F Vapor Pres:10 Spec Gravity:.89 @ 15.6 C Viscosity:>100 Evaporation Rate & amp; Reference:NEGLIGIBLE Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR AMBER, VISCOUS LIQUID-PE TROLEUM ODOR. Percent Volatiles by Volume:NEGLIGIBLE

Stability Indicator/Materials to Avoid:YES KEEP AWAY FROM STRONG OXIDIZING AGENTS SUCH AS CHROMIC ACID, HYDROGEN PEROXIDE AND BROMINE.

Hazardous Decomposition Products: UPON COMBUSTION CARBON DIOXIDE (CO2) AND CARBON MONOXIDE (CO) ARE GENERATED.

Toxicological Information:NONE SPECIFIED BY MANUFACTURE R.

Ecological:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS.

Transport Information: US DOT: NOT REGULATED.

SARA Title III Information:NONE S

## PECIFIED BY MANUFACTURER. Federal Regulatory Information:NONE SPECIFIED BY MANUFACTURER. State Regulatory Information:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and d

isclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.