View NSN Online: https://aerobasegroup.com/nsn/6850-01-237-8004

## 

Product ID:AI 1080-93-2C NAVY TYPE I

MSDS Date:12/18/1998

FSC:6850

NIIN:01-237-8004 Status Code:A

MSDS Number: CJRHB === Responsible Party ===

Company Name: SPACE CHEMICAL INC.

Box:1228 City:INDIANA State:PA ZIP:15701

ZIP:15701 Country:US

Info Phone Num:814-743-6630

Emergency Phone Num:800-535-5053

CAGE:T O283

=== Contractor Identification ===

Company Name: SPACE CHEMICAL INC.

Address:RD 2 BOX 187-A Box:City:CHERRY TREE

State:PA ZIP:15724 Country:US

Phone:814-743-6630

Contract Num:SP0450-99-M-C672

CAGE:0C3Y2

Company Name: SPACE CHEMICAL INC.

Address:RD 2 BOX 187-A Box:City:CHERRY TREE

State:PA ZIP:15724 Country:US

Phone:814-743-6630

Contract Num:SP0450-99-M-NC60

CAGE:0C3Y2

Company Name: SPACE CHEMICAL INC.

Address:Box:1228 City:INDIANA State:PA ZIP:15701

Country:US

Phone:814-743-6630

CAGE:TO283

===

====== Composition/Information on Ingredients ========

Ingred Name: COCAMIDE DEA

CAS:68155-07-7 OSHA PEL:220 PPM ACGIH TLV:220 PPM

Ingred Name: MORPHOLINE

CAS:110-91-8

RTECS #:QD6475000

Other REC Limits: NONE ESTABLISHED

OSHA PEL:N/D ACGIH TLV:20 PPM

Ingred Name: NONIONIC SURFACTANT Other REC Limits: NONE RECOMMENDED

OSHA PEL:110 PPM ACGIH TLV:110 PPM

Ingred Name: ETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:3 PPM

ACGIH TLV:3 PPM/6 STEL; 9495

I

ngred Name: AROMATIC HYDROCARBON

CAS:64742-94-5

RTECS #:WF3100000

OSHA PEL:10 PPM ACGIH TLV:10 PPM

Ingred Name: FORMULATED INHIBITOR

OSHA PEL:400 PPM ACGIH TLV:400 PPM

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: MODERATELY IRRITATING TO EYES AND

SKIN. INHALATION: MAY CAUSE NAUS

INGESTION: MAY CAUSE VOMITING, HEADACHE, AND OTHER MEDICAL PROBLEMS.
Explanation of Carcinogenicity:NOT A CARCINOGEN.  Effects of Overexposure:MODERATEY IRRITATING TO EYES AND SKIN.  INGESTION: MAY CAUSE VOMITING, HEADACHE AND OTHER MEDICAL  PROBLEMS. INHALATION: MAY CAUSE NAUSEA AND LOSS OF MOTOR SKILLS.  Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE  AGGRAVATED WITH CONTACT.
======================================
=======================================
First Aid:EYE & SKIN: FLUSH WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. INGESTION: DO NOT INDUCE VOMITING. DRINK WATER, MILK OF MAGNESIA. GET MEDICA L ATTENTION.
======================================
Flash Point Method:CC Flash Point:NONE TO IBP. Autoignition Temp:Autoignition Temp Text:N/A. Lower Limits:N/A. Upper Limits:N/A. Extinguishing Media:USE WATER FOG, CARBON DIOX IDE, FOAM, OR DRY
CHEMICAL.  Fire Fighting Procedures:WEAR AN APPROVED SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.  Unusual Fire/Explosion Hazard:SEALED CONTAINER EXPOSED TO HEAT RESULTS IN VAPOR PRESSURE BUILDUP AND POSSIBLE RUPTURE. KEEP COOL WITH WATER TO PREVENT.
========= Accidental Release Measures ==========
Spill Release Procedures:SMALL SPILLS CAN BE FLUSHED DOWN LOCAL DRAINS. LARGE SPILLS CAN BE ABSORBED WITH INERT MATERIAL SUCH AS SAND, CLAY OR SOIL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:STORE BETWEEN 40 AND 120 DEGREES F. Other Precautions:CONTAINER MAY BE UNDER PRESSURE. DO NOT WELD EMPTY CONTAINER, VAPORS MAY IGNITE.
===== Exposure Controls/Personal Protection ========
Respiratory Protection:CHEMICAL CARTRIDGE RESPIRATOR. Ventilation:LOCAL EXHAUST.

EA, LOSS OF MOTOR SKILLS.

Protective Gloves: RUBBER GLOVES

Eye Protection: CHEMICAL GOGGLES. Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER SHOULD BE NEAR BY. Work Hygienic Practices: WASH HANDS BEFORE EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER. ======== Physical/Chemical Properties =============== HCC:N1 NRC/State Lic Num:NONE Boiling Pt:=104.4C, 220.F Melt/Freeze Pt:M.P/F.P Text:N/D Vapor Pres:N/D Vapor Density:N/D Spec Gravity:1.01 pH:7.0 -10.0 Evaporation Rate & Dr. Reference: N/D Solubility in Water:100%, COMPLETE Appearance and Odor:BROWN TINT COLOR WITH SOLVENT-LIKE ODOR. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES NONE KNOWN. Stability Condition to Avoid: NONE KNOWN. Hazardous Decomposition Products: MAY EMIT SMOKE, SOOT, AND TOXIC FUMES

SUCH AS CARBON MONOXIDE, CARBON DIOXIDE WHEN HEATED.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

============== === Disposal Considerations ==========

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.