

ARMSTRONG WORLD INDUSTRIES INC -- S-750 ADHESIVE FOR RESILIENT TILE AND DO-IT-  
(SUPDAT) -- 8040-01-261-4187

===== Product Identification =====

Product ID:S-750 ADHESIVE FOR RESILIENT TILE AND DO-IT- (SUPDAT)

MSDS Date:07/01/1991

FSC:8040

NIIN:01-261-4187

Status Code:A

Kit Part:Y

MSDS Number: CJSYL

=== Responsible Party ===

Company Name:ARMSTRONG WORLD INDUSTRIES INC

Address:313 W LIBERTY ST

Box:3

001

City:LANCASTER

State:PA

ZIP:17604

Country:US

Info Phone Num:717-396-2328; 717-396-2935

Emergency Phone Num:717-396-2328

CAGE:03938

=== Contractor Identification ===

Company Name:ARMSTRONG WORLD INDUSTRIES, INC.

Address:313 W. LIBERTY ST.

Box:3209

City:LANCASTER

State:PA

ZIP:17604

Country:US

Phone:717-396-2328; 717-396-2935

CAGE:03938

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHA; (VMP NAPHTHA)

CAS:8030-30-6

RTECS #:DE3030000

= Wt:2.

ACGIH TLV:159

0 MG/M3;400 PPM

Ingred Name:TOLUENE

CAS:108-88-3

RTECS #:XS5250000

= Wt:2.

OSHA PEL:see Table Z-2

ACGIH TLV:188 MG/M3;50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:LD50: (ORAL) >5 G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS: UPPER RESPIRATORY

TRACT, SKIN, EYES. EFFECTS OF OVEREXP: SKI

N AND EYES: EXCESSIVE

SKIN CONTACT MAY CAUSE DRYING AND CRACKING OF THE SKIN AND DEFATTING OF TISSUE, RESULTING IN DERMATITIS . CONTACT WITH EYES WILL CAUSE IRRITATION. INHALATION: VM&P NAPHTHA AND TOLUENE ARE KNOWN TO CAUSE IRRITATION OF RESPIRATORY TRACT, COUGHING AND CNS EFFECTS SUCH AS HEADACHE, DIZZINESS, DROWSINESS, NA USEA, UNCOORDINATED MOVEMENTS. CHRONIC: TOLUENE APPEARS ON THE NAVY LIST OF OCCUPATIONAL CHEMICAL REPRODUCTIVE HAZARDS. SEEK CONSULTATION FRO

M APPROP HEALTH PROFESSIONALS CONCERNING LATEST HAZARD LIST INFO & SAFE HNDLG & EXPOS INFO .

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:ANY CONDITION GENERALLY AGGRAVATED BY SOLVENTS, INCLUDING PREEXISTING UPPER RESPIRATORY AND LUNG DISEASE SUCH AS, BUT NOT LIMITED TO BRONCHITIS, EMPHYSEMA AND ASTHMA. EXISTING SKIN CONDITIONS.

===== First Aid Measures =====

First Aid:EYES: FLUSH ANY EYE CONTACT WITH PLENTY OF WATER FOR AT LEAST

15 MINUTES AND GET IMMEDIATE MEDICAL ATTENTION. SKIN: FLUSH ANY SKIN CONTACT WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET IMMEDIATE MEDICAL ATTENTION. WASH WITH SOAP ANDWATER. REFER TO PHYSICIAN IF IRRITATION OR SYMPTOMS PERSIST. INHALATION: REMOVE TO FRESH AIR IF EXPOSED TO EXCESS CONCENTRATIONS OF VAPOR. SEEK MEDICAL ATTENTION IF SYMPTOMS PERSIST. INGESTION: DO NOT INDUCE VOMITING. CALL A POISON CONTROLCENTER OR PHYSICIAN FOR GUID

ANCE.

FOR ORAL TOXICITY, PRODUCT HAS AN LD50 GREATER THAN 5 G/KG.

===== Fire Fighting Measures =====

Flash Point Method:SCC

Flash Point:>93.3C, 200.F

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, HALON, WATER SPRAY.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS IN A FIRE MAY RUPTURE DUE TO PRESSURE BUILD UP; USE WATER TO COOL CONTAINERS TO PREVENT THIS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA OF SPILL OR LEAK. FOR EXPOSURES ABOVE TLV, WEAR NIOSH APPROVED RESPIRATORY EQUIPMENT. CONTAIN SPILL, PREVENTING IT FROM ENTERING SEWER LINES OR WATERWAYS. PICK UP MATERIAL BY SUCTIONING OR WITH ASSISTANCE OF ABSORBENT MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN AN AREA SUITABLE FOR COMBUSTIBLE M

IXTURES. RECOMMENDED STORAGE TEMPERATURE IS BELOW 90F.

Other Precautions:VAPORS ARE HEAVIER THAN AIR. USE PRECAUTIONS THAT ARE COMMON WITH THE SAFE HANDLING OF COMBUSTIBLE LIQUIDS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WITH ADEQUATE VENTILATION, RESPIRATORY EQUIPMENT SHOULD NOT BE NEEDED. IF ADEQUATE VENTILATION IS NOT AFFORDED, WEAR NIOSH APPROVED RESPIRATORY EQUIPMENT APPROVED FOR ORGANIC VAPORS.

Ventilation:USE NATURAL CROSS V

ENT, LOC (MECH) PICK-UP &/OR GEN AREA

(MECH) VENT TO PVNT ACCUM OF SOLV VAPS, KEEPING IN MIND THAT VENT PATTERN MUST REMOVE THE (SUPDAT)

Protective Gloves:COTTON OR LOOP-PILE GLOVES

Eye Protection:ANSI APPROVED CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:ANSI APPROVED EYE WASH AND DELUGE SHOWER .

Supplemental Safety and Health

MFR'S TRADE NAME/PART NO: YOURSELF TILE ADHESIVE (S-751). VENT: HEAVIER THAN AIR SOLVENT VAPORS FROM THE LOWER LEVELS OF THE WORK SPACES. VENTILA

TION SHOULD BE SUFFICIENT TO KEEP SOLVENT VAPOR CONCENTRATION BELOW THE TLV. PHYSICAL DATA: PERCENT VOLATILE BY WEIGHT (30 MIN @ 275F): 32.

===== Physical/Chemical Properties =====

Spec Gravity:1.12 (H\*2O=1)  
pH:8-9  
Solubility in Water:APPRECIABLE  
Appearance and Odor:LIGHT TAN LIQUID WITH SLIGHT AROMATIC ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Hazardous De  
composition Products:CARBON MONOXIDE, CARBON DIOXIDE AND  
OTHER TOXIC VAPORS AND GASES THAT ARE COMMON TO THERMAL DEGRADATION  
OF ORGANIC COMPOUNDS.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION OR OTHER APPROVED METHOD IN  
ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS. THIS PRODUCT  
CONTAINS CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION  
313 OF TITLE III OF THE SUPERFUND AMENDMENT AND REAUTHORIZATION  
ACT  
OF 1986 AND 40 CFR PART 372.

===== MSDS Transport Information =====

Transport Information:SHIPPING NAME: NOT CLASSIFIED. HAZARD CLASS: N/A.  
ID#: N/A.

===== Regulatory Information =====

SARA Title III Information:THIS PRODUCT CONTAINS CHEMICALS SUBJECT TO  
THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE  
SUPERFUND AMENDMENT AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART  
372.

=====

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.