

INTERNATIONAL LUBRICATES INC -- LUBRICATING OIL AGMA COMPOUND 7 MILITARY SYMB

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-011-5892
MSDS Date: 04/07/1994
MSDS Num: CJTWC
Product ID: LUBRICATING OIL AGMA COMPOUND 7 MILITARY SYMBOL 6135
MFN: 01
Responsible Party
Cage: 0W1H4
Name: INTERNATIONAL LUBRICATES INC
Address: 10363
W AIRLINE HWY
City: ST. ROSE LA 70087
Info Phone Number: 504-469-0940, FAX:504-471-0104
Emergency Phone Number: (800)424-9300
Chemtrec IND/Phone: (800)424-9300
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 0W1H4
Name: INTERNATIONAL LUBRICANTS INC
Address: 10363 W AIRLINE HWY
City: SAINT ROSE LA 70087
Phone: 504-469-0940(504-471-0104FAX)
Contract Number: SP045
0-00-M-C030
Cage: 0W1H4
Name: INTERNATIONAL LUBRICANTS INC
Address: 10363 W AIRLINE HWY
City: SAINT ROSE LA 70087
Phone: 504-469-0940(504-471-0104FAX)
Contract Number: SP0450-01-M-LE25

=====
Item Description Information
=====

Item Manager: S9G
Item Name: LUBRICATING OIL,COMPOUNDED
Specification Number: MILITARY 6135 SYMBOL
Type/Grade/Class: GRADE 7
Unit of Issue: GL
UI Container Qty: 1
Type of Co

Container: CAN

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NOT SPECIFIED BY MANUFACTURER

Effects of Exposure: ACUTE: NO DATA AVAILABLE. CHRONIC: NO DATA AVAILABLE.

Explanation Of Carcinogenicity: NOT SPECIFIED BY MANUFACTURER

Signs And Symptoms Of Overexposure: NOT SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated By Exposure: NOT SPECIFIED BY MANUFACTURER.

First Aid: EYES: IMMEDIATELY FLUSH WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES AND CALL A PHYSICIAN. SKIN CONTACT: REMOVE EXCESS WITH CLOTH OR PAPER. WASH THOROUGHLY WITH SOAP AND WATER. INHALATION: REMOVE VICTIM TO FRESH AIR. CALL A PHYSICIAN. IF SWALLOWED: CONTACT A PHYSICIAN IMMEDIATELY. INGESTION: DO NOT INDUCE VOMITING. IN

GENERAL, NO TREATMENT IS NECESSARY

UNLESS LARGE QUANTITIES ARE INGESTED. SEEK MEDICAL ATTENTION.
=====

=====
Handling and Disposal
=====

Spill Release Procedures: TRANSFER BULK OF MATERIAL INTO ANOTHER CONTAINER.

ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND, OR VERMICULITE.

SWEEP UP AND DISPOSE OF AS SOLID WASTE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. CONTAIN AND

RECOVER PRODUCTS AS APPROPRIATE. KEEP OUT

OF SEWERS AND WATER SYSTEMS. CONTAINS HIGHLY REFINED PETROLEUM OIL.

Neutralizing Agent: NOT SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: DO NOT HANDLE OR STORE AT TEMPERATURES OVER MAXIMUM STORAGE TEMPERATURE: 38 DEGREES C (100 DEGREES F)

Other Precautions: NOT SPECIFIED BY MANUFACTURER.
=====

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: COC

Flash Point: =198.9C, 390.F

Extinguishing Media: DRY CHEMICAL OR WATER FOG OR CARBON DIOXIDE (CO2) OR FOAM. CLOSED CONTAINERS EXPOSED TO FIRE MAY BE COOLED WITH WATER.

Fire Fighting Procedures: DO NOT USE WATER EXCEPT AS FOG.

Unusual Fire/Explosion Hazard: NONE.
=====

=====
Control Measures
=====

Respiratory Protection: USE NIOSH/MSHA CERTIFIED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE IF VAPOR CONCENTRATION.
Ventilation: LOCAL, MECHANICAL, SPECIAL.
Protective Gloves: NEOPRENE TYPE.
Eye Protection: CHEMICAL SAFETY GOGGLES.
Other Protective Equipment: NONE.
Work Hygienic Practices: NOT SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health: NOT SPECIFIED BY MANUFACTURER.

Physical/Chemical Properties

HCC: V6
Boiling Point: =329.4C, 625.F
Vapor Pres: (MM HG AT 20 C) :0
Spec Gravity: .89
Evaporation Rate & Reference: 0
Solubility in Water: 0 AT 20 C
Appearance and Odor: VISCOUS LIQUID, DARK GREEN, PUNGENT, SULFUR TYPE ODOR
Percent Volatiles by Volume: 0

Reactivity Data

Stability Indicator: YES
Stability Condition To Avoid: PRODUCT IS STABLE UNDER NORMAL CONDITIONS.
Materials To Avoid: STRONG OXIDIZERS SUCH AS HYDROGEN PEROXIDE, BROMINE, AND CHROMIC ACID.
Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE FROM BURNING. OXIDES OF PHOSPHORUS FROM BURNING. OXIDES OF SULFUR.
Conditions To Avoid Polymerization: NOT SPECIFIED BY MANUFACTURER.

Toxicological Information

Toxicological Information: NOT SPECIFIED BY MANUFACTURER.

Ecological Information

Ecological: NOT SPECIFIED BY MANUFACTURER.

MSDS Transport Information

Transport Information: NOT SPECIFIED BY MANUFACTURER.

Regulatory Information

=====
Sara Title III Information: NOT SPECIFIED BY MANUFACTURER.
Federal Regulatory Information: NOT SPECIFIED BY MANUFACTURER.
State Regulatory Information: NOT SPECIFIED BY MANUFACTURER.
=====

Other Information

=====
Other Information: NFPA CODE: HEALTH-1; FIRE-1; REACTIVITY-1.
=====

Transportation Information

=====
Responsible Party Cage: 0W1H4
Trans ID NO: 150298
Product ID: LUBRICATING OIL AGMA COMPOUND 7 MILITARY SYMBOL 6135
MSDS Prepared Date: 04/07/1994
Review Date: 11/24/1999
MFN: 1
Net Unit Weight: 7.4 LBS
Multiple KIT Number: 0
Unit Of Issue: GL
Container QTY: 1
Type Of Container: CAN
=====

Detail DOT Information

=====
DOT PSN Code: Z
ZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information

=====
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY
THIS MODE OF TRANSPORTATION
=====

Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label

=====
Product ID: LUBRICATING OIL AGMA COMPOUND 7 MILITARY SYMBOL 6135
Cage: 0W1H4
Company Name: INTERNATIONAL LUBRICANTS INC
S

Street: 10363 W AIRLINE HWY
City: SAINT ROSE LA
Zipcode: 70087
Health Emergency Phone: (800)424-9300
Label Required IND: Y
Date Of Label Review: 11/24/1999
Status Code: A
Year Procured: 2000
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS: NOT SPECIFIED BY MANUFACTURER. HEALTH:
PROLONGED OR REPEAT
ED SKIN CONTACT MAY LEAD TO DERMATITIS OR OIL ACNE. AVOID
PROLONGED & REPEATED SKIN CONTACT. DO NOT WEAR OIL-SOAKED CLOTHES. LAUN-
DUNDER BEFORE REUSE. 1ST AID: EYES:IMMEDIATELY FLUSH WITH LARGE QUANTITIES
OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN. SKIN CONTACT: REMOVE
EXCESS WITH CLOTH OR PAPER. WASH THOROUGHLY WITH SOAP & WATER.
INHALATION: REMOVE VICTIM TO FRESH AIR. CALL A PHYSICIAN. IF SWALLOWED:
CONTACT A PHYSICIAN IMMEDIATELY. INGESTION: DO NOT INDUCE VOMITING.
SEEK
MEDICAL ATTENTION.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons con-
tracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.