

Product ID:MOBIL DTE 11M MSDS Date:05/04/1995 FSC:9150 NIIN:01-461-1142 **MSDS Number: CJVNS** === Responsible Party === Company Name: MOBIL OIL CORP Address:3225 GALLOWS RD City:FAIRFAX State:VA ZIP:22037-0001 Country:US Info Phone Num:703-849-3265 Emergency Phone Num:609-737-4411 Chemtrec Ind/Phone:(800)424-9300 С AGE:6G112 === Contractor Identification === Company Name: MOBIL CHEMICAL CO., CHEMICAL COATINGS DIV. Address: RT 27 AND VINEYARD RD. Box:250 City:EDISON State:NJ ZIP:08818-0250 Country:US Phone:609-737-4411 OR 800-424-9300 CAGE:77988 Company Name: MOBIL OIL CORP Address:3225 GALLOWS RD Box:City:FAIRFAX State:VA ZIP:22037 Country:US Phone:800-662-4525, 856-224-4644 CAGE:6G112 Company Name: SALATHE OIL CO INC Address:2226 PETERS RD Box:City:HARVEY State:LA ZIP:70058 Country:US Phone:504-366-4542 Contr

act Num:SP0450-00-M-C032 CAGE:0T5C6

Ingred Name:SOLVENT DEWAXED LIGHT PARAFFINIC DISTILLATE (PETROLEUM) CAS:64742-56-9 RTECS #:PY8039500 = Wt:21.

LD50 LC50 Mixture:ORAL LD50(RAT): >2000 MG/KG Health Hazards Acute and Chronic:AVOID CONTACT WITH SKIN. PROLONGED OR REPEATED CONTACT OF THIS MATERIAL MAY DEFAT THE SKIN RESULTING IN POSSIBLE IRRITATION AND DERMATITIS.

First Aid:EYE-FLUSH THOROUGHLY WITH WATER. IF IRRITATION OCCURS, CALL A PHYSICIAN. SKIN-WASH CONTACT AREAS WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. HIGH PRES SURE ACCIDENTAL INJECTION THROUGH THE SKIN REQUIRES IMMEDIATE MEDICAL ATTENTION FOR POSSIBLE INCISION, IRRIGATION &/OR DEBRIDEMENT. INGESTION-IF GREATER THAN 1/2 LITER (PINT) INGESTE

D,

IMMEDIATELY GIV E 1 TO 2 GLASSES OF WATER & CALL A PHYSICIAN, HOSPITAL EMERGENCY ROOM OR POISON CONTROL CENTER FOR ASSISTANCE. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point Method: PMCC

Flash Point:=148.C, 298.4F

Autoignition Temp:Autoignition Temp Text:N/E

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL AND WATER FOG. WATER OR FOAM MAY CAUSE FROTHING. USE

WATER TO KEEP FIRE EXPOSED

CONTAINERS COOL.

Fire Fighting Procedures:FOR FIRES IN ENCLOSED AREAS, FIRE FIGHTERS MUST USE SELF-CONTAINED BREATHING APPARATUS. WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM EXPOSURE. PREVENT RUNOFF FROM FIRE CONTROL OR DILUTION FROM EN TERING STREAMS, SEWERS, OR DRINKING WATER SUPPLY.

Unusual Fire/Explosion Hazard:NOTE: PRESSURIZED MISTS MAY FORM FLAMMABLE LIMITS- LEL: NO, UEL: NA. Spill Release Procedures: IF MATERIAL IS SPILLED: ABSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY IN ACCORDANCE WITH CURRENT APPLICABLE LAWS AND REGULATIONS, AND PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL. PREVENT SPILLS FROM ENTERING STORM SEWERS OR DRAINS AND CONTACT WITH SOIL.

Handling and Storage Precauti

ons:HANDLING: HIGH PRESSURE INJECTION

UNDER THE SKIN MAY OCCUR DUE TO THE REPTURE OF PRESSURIZED LINES. ALWAYS SEEK MEDICAL ATTENTION. STORAGE: DO NOT STORE IN OPEN OR UNLABELLED CONTAINERS. STORE AWAY FROM STRONG OXIDIZING AGENTS OR COMBUSTIBLE MATERIAL.

Other Precautions:NOTIFICATION PROCED-REPORT SPILLS AS REQUIRED TO APPROPRIATE AUTHORITIES. U.S. COAST GUARD REGULATION REQUIRE IMMEDIATE REPORTING OF SPILLS THAT COULD REACH ANY WATERWAY INCLUDING INTERMITTENT

DRY C REEKS. REPORT SPILL TO COAST GUARD TOLL FREE #800-424-8802. IN CASE OF ACCIDENT/ROAD SPILL CALL CHEM TREC #800-424-9300.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

Ventilation:NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

Protective Gloves: OIL IMPERVIOUS GLOVES SHOULD BE WORN.

Eye Protection:NORMA

L INDUSTRIAL EYE PROTECTION PRACTICES SHOULD BE EMPLOYED.

Work Hygienic Practices: GOOD PERSONAL HYGIENE PRACTICES SHOULD ALWAYS BE FOLLOWED.

Supplemental Safety and Health

EXPOSURE LIMITS: THIS PRODUCT DOES NOT CONTAIN ANY COMPONENTS WHECH HAVE RECOGNIZED EXPOSURE LIMITS. HOWEVER, A THRESHOLD LIMIT VALUE OF 5.00MG/M3 IS SUGGESTED FOR OIL MIST.

HCC:N1 Boiling Pt:=232.C, 449.6F Melt/Freeze Pt:M.P/F.P Text:N/E

Vapor Pres:2.0 Solubility in Water:NEGLIGIBLE Appearance and Odor:AMBER LIQUID, MILD ODOR
======================================
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition to Avoid:EXTREME HEAT. Hazardous Decomposition Products:CARBON MONOXIDE. METAL OXIDES. ELEMENTAL OXIDES.
======================================
Toxicological Information:ORAL TOXICITY (RATS): PRACTICALLY NON-TOXIC (LD50: G REATER THAN 2000 MG/KG)BASED ON TESTING OF SIMILIAR PRODUCTS &/OR THE COMPONENTS. DERMAL TOXICITY (RABBITS): PRACTICALLY NON-TOXIC (LD50: GREATE R THAN 2000 MG/KG). INHALATION TOXICITY (RATS): NOT APPLICABLE. EYE IRRITATION (RABBITS): PRACTICALLY NON-IRRITATING. (DRAIZE SCORE: GREATER THAN 6 BUT 15 OR LESS). SKIN IRRITATION (RABBIT): PRACTICAL LY NON-IRRITATING. (PRIMARY IRRITATION INDEX: GREATER 0.5 BUT LESS THAN 3).
======================================

Ecological:ENVIRONMENTAL FATE AND EFFECTS: NOT ESTABLISHED.

Waste Disposal Methods:PRODUCT IS SUITABLE FOR BURNING IN AN ENCLOSED, CONTROLLED BURNER FOR FUEL VALUE OR DISPOSAL BY SUPERVISED INCINERATION. SUCH BURNER FOR FUEL VALUE OR DISPOSAL BY SUPERVISED INCINERATION. SURNING MAY BE LIVITED PURSUANT TO THE RESOURCE CONSERVATION AND RECOVERY ACT.

Transport Information:USA DOT: NOT REGULATED BY USA DOT. RID/ADR: NOT REGULATED BY RID/ADR. IMO: NOT REGULATED BY IMO. IATA: NOT REGULATED BY IATA.

SARA Title III Information:U.S. SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SAR) TITLE III: THIS PRODUCT CONTAINS NO "EXTREMELY HAZARDOUS SUBSTANCES". SAREA (311/312) REPORTABLE HAZARD CATEGORIES: CHRONIC. THIS PRODUCT CONTAI NS N

O CHEMICALS REPORTABLE

UNDER SARA (313) TOXIC RELEASE PROGRAMS.

Federal Regulatory Information:GOVERNEMNTAL INVENTORY STATUS: ALL COMPONENTS COMPLY WITH TSCA. EINECS/ELINCS, AND DSL.
State Regulatory Information:ZINC (ELEMENTAL ANALYSIS) (0.10%), CAS # 7440-66-6, MICHIGAN 293. PHOSPHORODITHOIC ACID, O,O-DI C1-14-ALKYL ESTERS, AINC SALTS (2:1) (ZDDP) (0.67%), CAS# 68649-42-3, MICHIGAN 293.

Disclaimer (prov

ided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.