View NSN Online: https://aerobasegroup.com/nsn/9150-00-531-7854

HUSK-ITT CORPORATION -- HUSKEY MOLYPASTE 60 GREASE

MSDS Safety Information

FSC: 9150 NIIN: 00-531-7854 MSDS Date: 07/01/1998 MSDS Num: CJWBB Product ID: HUSKEY MOLYPASTE 60 GREASE MFN: 01 Responsible Party Cage: TO437 Name: HUSK-ITT CORPORATION Address: 1580 INDUSTRIAL AVENUE City: NORCO CA 9 1760 Info Phone Number: (909)340-4000 Emergency Phone Number: (909)340-4000
Item Description Information
Item Manager: S9G Item Name: GREASE,ORDNANCE,EXTREME PRESSURE Unit of Issue: CN Quantitative Expression: 0000000015LB UI Container Qty: 0 Type of Container: CAN
Ingredients
====== ===== Name: *** PROPRIETARY ***
Health Hazards Data
Route Of Entry Inds - Inhalation: NO Skin: NO Ingestion: YES Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: EFFECTS OF OVEREXPOSURES: MAY CAUSE IRRITATION TO EYES AND SKIN ON SENSITIVE INDIVIDUALS. PROLONGED OR REPEATED CONTACT MAY CAUSE MILD SKIN IRRITATION AND INFLAMMATION. E

xplanation Of Carcinogenicity: NO CARCINOGENS PRESENT.

Signs And Symptions Of Overexposure: MAY CAUSE IRRITATION TO EYES AND SKIN ON SENSITIVE INDIVIDUALS. PROLONGED OR REPEATED CONTACT MAY CAUSE MILD SKIN IRRITATION AND INFLAMMATION.

Medical Cond Aggravated By Exposure: PERSONNEL WITH PRE-EXISTING SKIN DISORDER SHOULD AVOID CONTACT.

First Aid: EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. SEE PHYSICIAN IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH

AIR. SEE PHYSICIAN IF IRRITATION PERSISTS. ORAL: CALL A PHYSICIAN. DO NOT INDUCE VOMITING. KEEP WARM.

Handling and Disposal

Spill Release Procedures: STOP FLOW, SCRAPE, WIPE, MOP UP OR ABSORB WITH DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPROPRIATE CONTAINER FOR DISPOSAL. DLA- STAFF: CONTAIN AND REMOVE AS APPROPRIATE. KEEP OUT OF SEWERS AND WATER SYSTEM. SP

ILLS MAY CAUSE SLIPPERY FLOORS.

Neutralizing Agent: NONE PROVIDED BY MANUFACTURER.

Waste Disposal Methods: DISPOSAL SHOULD BE IN COMPLIANCE WITH FEDERAL, STATE, AND LOCAL LAWS.

Handling And Storage Precautions: AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF IGNITION. SPILLS MAY CAUSE SLIPPERY FLOORS. PROPER FOOTWEAR REQUIRED.

Other Precautions: REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. WASH HANDS WITH SOAP AND WATER BEFORE EATING, DRINKING OR SMOKING. DISCARD CONTAMINAT

ED GLOVES AND SHOES.

Fire and Explosion Hazard Information

Flash Point Method: COC Flash Point: =148.9C, 300.F Extinguishing Media: CARBON DIOXIDE, WATER FOG, FOAM. Fire Fighting Procedures: TREAT AS OIL FIRE. USE SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: NONE.

Control Measures

Respiratory Protection: NORMALLY NOT NEEDED. Protective Gloves: NEOPRENE OR NITRILE RUBBER RECOMMENDED. Eye Protection: APPROVED SAFETY GLASSES OR GOGGLES Other Protective Equipment: CHEMICAL RESISTANT BOOTS AND APRON RECOMMENDED. Work Hygienic Practices: USE STANDARD METHOD. WASH HAND WITH SOAP AND WATER BEFORE EATING, DRINKING, OR SMOKING. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSE. DISCARD CONTAMINATED BOOTS AND GLOVES.
======================================
HCC: V6 Spec Gravity: 1.00 Solubility in Water: INSOLUBLE Appearance and Odor: DARK PASTE LIKE, NO ODOR. Percent Volatiles by Volume: NONE.
Reactivity Data
Stability Indicator: YES Stability Condition To Avoid: DO NOT HEAT ABOVE FLASH POINT. Materials To Avoid: STRONG OX IDIZING AGENTS, WELDING. Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE AND METALLIC COMPONENTS. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: DO NOT HEAT ABOVE FLASHPOINT.
======================================
======================================
=
======================================
======================================
Sara Title III Information: CHEMICALS SUBJECT TO THE REPRTING REQUIREMENTS OF SARA TITLE III SECTION 313: NONE LISTED BY RESPONSIBLE PARTY.
ender Information

______ Transportation Information _____ **Responsible Party Cage: TO437** Trans ID NO: 150703 Product ID: HUSKEY MOLYPASTE 60 GREASE MSDS Prepared Date: 07/01/1998 Review Date: 03/04/2000 **MFN: 1** Net Unit Weight: 15 LBS CAN Multiple KIT Number: 0 Unit Of Issue: CN Container QTY: 0 Type Of Container: CAN **Detail DOT Information** _____ DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ **Detail IMO Information** _____ IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION ______ Detail IATA Information _____ _____ IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ Detail AFI Information _____ AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION _____ HAZCOM Label

Product ID: HUSKEY MOL

Cage: TO437 Assigned IND: Y **Company Name: HUSK-ITT CORPORATION** Street: 1580 INDUSTRIAL AVENUE City: NORCO CA Zipcode: 91760 Health Emergency Phone: (909)340-4000 Label Required IND: Y Date Of Label Review: 12/10/1999 Status Code: A MFG Label NO: NOT PROVIDED. Label Date: 07/01/1998 Year Procured: 2000 Origination Eye Protection IND: YES Skin Protection IND: NO Signal Word: CAUTION **Respiratory Protection IND: NO** Health Hazard: Slight Contact Hazard: Slight Fire Hazard: None Reac tivity Hazard: None Hazard And Precautions: TARGET ORGANS: NOT PROVIDED. EFFECTS OF OVEREXPOSURES: MAY CAUSE IRRITATION TO EYES AND SKIN ON SENSITIVE INDIVIDUALS. PROLONGED OR REPEATED CONTACT MAY CAUSE MILD SKIN IRRITATION AND INFLAMMATION. FI RST AID: EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. SEE PHYSICIAN IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR. SEE PHYSICIAN IF IRRITATION PERSISTS. OR AL: CALL A PHYSICIAN. DO NOT INDUCE VOMITI NG. KEEP WARM. FIRE: CO2, WATER FOG, FOAM. SPILL: CONTAIN AND REMOVE AS

APPROPRIATE. KEEP OUT OF SEWERS AND WATER SYSTEMS.

YPASTE 60 GREASE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viabili

ty by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similari

ty to a corresponding Department of Defense or other government situation.