View NSN Online: https://aerobasegroup.com/nsn/3439-01-426-5427

PRAXAIR SURFACE TECHNOLOGIES INC -- NI-568 PRODUCT CODE: ZNI568-00KG

3439-01-426-5427

Product ID:NI-568 PRODUCT CODE: ZNI568-00KG

MSDS Date:06/06/1994

FSC:3439

NIIN:01-426-5427

Status Code:A

MSDS Number: CJWVJ === Responsible Party ===

Company Name: PRAXAIR SURFACE TECHNOLOGIES INC

Address:1555 MAIN STREET

City: INDIANAPOLIS

State:IN

ZIP:46224-3283

Country:US

ı

nfo Phone Num:317-240-2650

Emergency Phone Num:(800)424-9300 Preparer's Name:MICHELLE ALEXANDER

Chemtrec Ind/Phone:(800)424-9300

CAGE:0FGH2

=== Contractor Identification ===

Company Name: PRAXAIR SURFACE TECHNOLOGIES INC

Address:1555 MAIN STREET Box:City:INDIANAPOLIS

State:IN

ZIP:46224-3283

Country:US

Phone:317-240-2650

CAGE:0FGH2

Company Name: STARGHILL TECHNOLOGIES CORP

Address:3850 OAKMAN BLVD

Box:City:DETROIT

State:MI

ZIP:48204-1119

Country:US

Phone:313-933-4141

Contract Num:SP0450-95-D-4037

С

====== Composition/Information on Ingredients ========

Ingred Name: CHROMIUM

CAS:7440-47-3

RTECS #:GB4200000

Minumum % Wt:5.

Maxumum % Wt:20.

OSHA PEL:1 MG/M3

ACGIH TLV:0.5 MG/M3

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:NICKEL

CAS:7440-02-0

RTECS #:QR5950000

Minumum % Wt:50.

Maxumum % Wt:75.

OSHA PEL:1 MG/M3

ACGIH TLV:1 MG/M3

Ingred Name: SILICON

CAS:7440-21-3

RTECS #:VW0400000

Minumum % Wt:5.

Maxumum % Wt:20.

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

\_\_\_\_\_

==== Hazards Identification ===========

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES | IARC:YES | OSHA:YES

Health Hazards Acute and Chronic: SKIN: MAY CAUSE ALLERGIC DERMATITIS,

WITH REDNESS & PAPULAR FORMATION IN SUSCEPTABLE INDIVIDUALS. MAY CAUSE ULCERS PROGRESSING TO DRY & SCALY SKIN, FEVER. EYE:MAY CAUSE IRRIATATION, EXPERIENCED AS REDN ESS & EXCESS REDNESS OF THE CONJ

- UCTIVA. SWALLOWING: MAY CAUSE NAUSEA, ABDOMINAL PAIN, VOMITING, DIARRHEA, CENTRAL NERVOUS SYSTEM DEPRESSION, & BURNING SENSATION. INHALATION:MAY CAUSE RESPIRATORY TRACT IRRITATION, WITH CHEST PAIN, VOIMITING, DIARRHEA, BURNING SENSATION, & CENTRAL NERVOUS SYSTEM DEPRESSION. MAY ALSO CAUSE INTERSTITIAL PNEUMONITIS & SENSITIZATION OF THE RESPIRATORY TRACT IN SUSCEPTIB LE PERSONS.
- Explanation of Carcinogenicity:NICKEL AND CHROMIUM HAVE BEEN DETERMINED TO CAUSE CANCER IN EXP
- ERMENTAL ANIMALS (IARC, NTP). NICKEL IS
  - LISTED AS A PROBABLE HUMAN CARCINOGEN. CHROMIUM IS LISTED AS A HUMAN CARCINOGEN. CHRONIC ECZEMA/N EURODERMATITIS FROM NICKEL DOES NOT REQUIRE CONTINUOUS METAL CONTACT.
- Effects of Overexposure:MAY CAUSE SENSITIZATION IN SUSCEPTABLE INDIVIDUALS. CHRONIC EXPOSURE TO THE EYE CAN CAUSE CORNEAL DAMAGE, POLYCYTHEMIA, HYPERPLASIA OF THE THYROID GLAND AND DAMAGE TO THE ALPHA CELLS OF THE PANCREAS. REPEATED INHALATION MAY CAUSE EMPHYSEMA
- OR PULMONARY FIBROTIC DISEASE. CHRONIC SKIN CONTACT MAY SPREAD TO THE WHOLE BODY WITH LESIONS, ITCHING, SORENESS, BURNING SENSATION AND REDNESS.
- Medical Cond Aggravated by Exposure:BREATHING OF DUST MAY AGGRAVATE ASTHMA AND INFLAMMATORY OR FIBROTIC PULMONARY DISEASE. MAY ALSO AGGRAVATE AN EXISTING DERMATITIS.

First Aid:SWALLOWING:GIVE AT LEAST 2 GLASSES OF MILK OR WATER. INDUCE VOMITING, UNLESS PATIENT IS

UNCONSCIOUS, CALL A PHYSICIAN.

SKIN:WASH THOROUGHLY WITH SOAP & WATER. INHALATIO: REMOVE TO FRESH AIR. GIVE ARTI FICIAL RESPIRATION IF NOT BREATHING. OXYGEN MAY BE GIVEN IF NECESSARY. CALL A PHYSICIAN. EYES: FLUSH THOROUGHLY WITH PLENTY OF WATER. IF DISCOMFORT PERSISTS, SEEK MEDICAL ATTENTION. PREFERABLY AN OPTH ALMOLOGIST. NOTES TO PHYSCIAN:THE HAZARDS OF THIS MATERIAL ARE MAINLY DUE TO ITS SENSITIZING AND MILD IRRITATING PROPERTIES. THERE IS NO SPECIFIC ANTIDOTE.

	Fire	Fighting	Measures	
--	------	----------	----------	--

Flash Point:NONE


Upper Limits:0.00%

Extinguishing Media:USE SPECIAL DRY POWDER METAL EXTINGUISHING MATERIAL TO EXTINGUISH METAL FIRES. USE APPROPRIATE EXTINGUISHER FOR COMBUSTABLE MATERIALS THAT MAY BE IGNITED BY THE THERMAL SPRAY FLAME.

Fire Fighting Procedures: NONE SPECIFIED BY MANUFACTURER. Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

======= Accidental Release Measures =======

======



======= Toxicological Information ============

Tox

Icological Information:NONE SPECIFIED BY MANUFACTURER.
======= Ecological Information ==========
Ecological:NONE SPECIFIED BY MANUFACTURER.
====== Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF WASTE PER LOCAL, STATE, AND FEDERAL REGULATIONS.
======= MSDS Transport Information =========
Transport Information:NONE SPECIFIED BY MANUFACTURER.
========== Regulatory Information =

SARA Title III Information:PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW ACT OF 1986 AND OF 40 CFR 372: CHROMIUM, CAS# 7440-47-3,