

PANASONIC INDUSTRIAL AFFIL MAT -- NICKEL CADMIUM BATTERIES(NICD)

=====
MSDS Safety Information
=====

FSC: 6140
NIIN: 01-448-8402
MSDS Date: 06/02/1999
MSDS Num: CJXXY
Product ID: NICKEL CADMIUM BATTERIES(NICD)
MFN: 01
Article: Y
Responsible Party
Cage: 0J4G8
Name: PANASONIC INDUSTRIAL CO AFFIL MATSUSHITA ELECTRIC
Addr
ess: 2 PANASONIC WAY
City: SECAUCUS NJ 07094
Info Phone Number: 877-726-2228
Emergency Phone Number: 877-726-2228
Published: Y

=====
Contractor Summary
=====

Cage: 0ZJX2
Name: LONG BR DISTRIBUTORS
Address: 3221 PLATT SPRINGS RD
City: WEST COLUMBIA SC 29170
Phone: 803-791-9288
Contract Number: SP0400-99-A-AF37-0080
Cage: 0J4G8
Name: PANASONIC INDUSTRIAL CO DIV OF MATSUSHITA ELECT CORP OF AMER
Addr
ess: TWO PANASONIC WAY
City: SECAUCUS NJ 07094
Phone: 877-726-2228

=====
Item Description Information
=====

Item Manager: S9G
Item Name: BATTERY,STORAGE
Unit of Issue: EA
UI Container Qty: 1
Type of Container: BATTERY

=====
Regulated Components
=====

Regulated Component Name: CADMIUM, (CD)
Regulat

ed Component Name: POTASSIUM HYDROXIDE (K(OH))

CAS: 1310-58-3

Regulated Component Name: SODIUM HYDROXIDE, (NAOH FOR HIGH TEMP. VERSION)

Regulated Component Name: NICKEL HYDROXIDE (NI(OH)₂)

CAS: 12054-48-7

=====
Health Hazards Data
=====

Effects of Exposure: NICKEL CADMIUM BATTERIES DO NOT LEAK ELECTROLYTE UNDER NORMAN USAGE CONDITIONS. SEVERELY OVERCHARGED OR ABUSED BATTERIES MAY LEAK SMALL A

MOUNTS OF ELECTROLYTE. IN CASE OF SKIN EXPOSURE. WASH ANY EXPOSED SKIN WITH COPIOUS AMOUNTS OF WATER. IT IS ADVISABLE TO WEAR GLOVES AND SAFETY GLASSES WHEN HANDLING LEAKING BATTERIES.

First Aid: IN THE CASE OF SKIN EXPOSURE, WASH ANY EXPOSED SKIN WITH COPIOUS AMOUNTS OF WATER. IT IS ADVISABLE TO WEAR GLOVES AND SAFETY GLASSES WHEN HANDLING LEAKING BATTERIES.

=====
Handling and Disposal
=====

=====
Spill Release Procedures: NICKEL CADMIUM BATTERIES DO NOT LEAK ELECTROLYTE UNDER NORMAL USAGE CONDITIONS. SEVERELY OVERCHARGED OR ABUSED BATTERIES MAY LEAK SMALL AMOUNTS OF ELECTROLYTE. IN CASE OF SKIN EXPOSURE, WASH ANY EXPOSED SKIN WITH COPIOUS AMOUNTS OF WATER. IT IS ADVISED TO WEAR GLOVES AND SAFETY GLASSES WHEN HANDLING LEAKING BATTERIES.

Waste Disposal Methods: NICKEL CADMIUM BATTERIES DESTINED FOR RECYCLING CAN BE MANAGED UNDER THE FEDERAL UNIVERSAL WASTE RULE CODIFIED AT 40 CFR PART 273.

DISPOSE ONLY IN ACCORDANCE WITH FEDERAL STATE AND LOCAL REGULATION. BATTERIES GENERATED AS A WASTE ARE SUBJECT TO THE RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) AS A D006 (CADMIUM) HAZARDOUS WASTE.

Handling And Storage Precautions: PANASONIC STRONGLY RECOMMENDS THAT ALL OF ITS CUSTOMERS JOIN THE RBRC NICKEL CADMIUM RECYCLING PROGRAM THUS ALLOWING USE OF A LICENSE SEAL WHICH MEETS ALL THE LABELING REQUIREMENTS OF THE 1998 FEDERAL BATTERY LAW.

Other Precautions

: ASSURE PROPER RECYCLING! ALL PANASONIC NICKEL CADMIUM BATTERIES ARE COVERED BY THE RECHARGEABLE BATTERY RECYCLING CORPORATION'S (RBRC) NICKEL CADMIUM BATTERY RECYCLING PROGRAM. PLEASE CALL 1-800-8-BATTERY FOR INFORMATION ON RECYCLING USED NICKEL CADMIUM BATTERY OR GO TO RRC WEB SITE AT WWW.RBRC.ORG FOR ADDITIONAL INFO.

=====
Fire and Explosion Hazard Information
=====

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED.

Ventilation: NORMAL WORK AREA VENTILATION IS ADEQUATE.

Protective Gloves: GLOVES-WHEN HANDLING LEAKING BATTERIES.

Eye Protection: SAFETY GLASSES WHEN HANDLING LEAKING BATTERIES.

Other Protective Equipment: NONE NORMALLY REQUIRED.

Work Hygienic Practices: IN CASE OF SKIN EXPOSURE, WASH ANY EXPOSED SKIN WITH
COPIOUS AMOUNTS OF WATER.

Su

Supplemental Safety and Health: BATTERIES REFERENCED HEREIN ARE EXEMPT ARTICLES
AND NOT SUBJECT TO OSHA HAZARD COMMUNICATION STANDARD REQUIREMENT. THIS SHEET
IS PROVIDED AS A SERVICE TO OUR CUSTOMERS. ALL OF OUR BATTERIES ARE DEFINED
AS "ARTICLES", THEY ARE EXEMPT FROM REQUIREMENTS OF THE HAZARD COMMUNICATION
STANDARD, HENCE A MSDS IS NOT REQUIRED.

=====
Physical/Chemical Properties
=====

HCC: Z7
=====

Reactivity Data
=====

Toxicological Information
=====

Toxicological Information: NICKEL CADMIUM BATTERIES DO NOT LEAK ELECTROLYTE
UNDER NORMAL USAGE CONDITIONS.

Ecological Information
=====

=====
MSDS Transport Information
=====

Transport Information: PANASONIC SEALED NICKEL CADMIUM BATTERIES ARE CONSIDERED
"DRY CELL" BATTERIES AND ARE UNREGULATED FOR TRANSPORTATION BY U.S.
DEPARTMENT OF TRANSPORTATION (DOT). INTERNATIONAL CIVIL AVIATION ADMINISTRATION
(ICAO), INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA) AND
INTERNATIONAL MARITIME DANGEROUS GOODS REG

ULATIONS (IMDG). AS OF 1/1/1997

IATA REQUIRES BATTERIES BEING TRANSPORTED BY AIR MUST BE PROTECTED FROM SHORT-CIRCUITING AND PROTECTED FROM MOVEMENT THAT COULD LEAD TO SHORT-CIRCUITING. WE RECOMMEND THESE BATTERIES BE SEPARATED TO PREVENT SHORT-CIRCUITS AND SECURELY PACKAGED IN ALL TRANSPORTATION MODES.

Regulatory Information

Other Information

Other Information: THE BATTERIES REFERENCED HEREIN ARE EXEMPT ARTICLES AND ARE NOT SUBJECT TO THE OSHA HAZARD COMMUNICATION STANDARD REQUIREMENT. BECAUSE ALL OF OUR BATTERIES ARE DEFINED AS "ARTICLES", THEY ARE EXEMPT FROM THE REQUIREMENTS OF THE HAZARD COMMUNICATION STANDARD, HENCE A MSDS IS NOT REQUIRED.

Transportation Information

Responsible Party Code: 0J4G8
Trans ID NO: 150936
Product ID: NICKEL CADMIUM BATTERIES(NICD)
MSDS Prepared Date: 06/02/1999
Review Date: 01/04/2000
MFN: 1
Net Unit Weight: EACH
Multiple KIT Number: 0
Unit Of Issue: EA
Container QTY: 1
Type Of Container: BATTERY

Additional Data: MFRS MSDS STATES PANASONIC SEALED NICKEL CADMIUM BATTERIES ARE "DRYCELL" BATTERIES AND NOT REGULATED FOR TRANSPORTATION BY DOT, IMO, IATA, AFI. IATA REQUIRES BATTERIES BE PROTECTED FROM SHORT-CIRCUITING AND MOVEMENT THAT COULD LEAD TO SHORT-CIRCUITING.

Detail DOT Information

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED

FOR THIS MODE OF TRANSPORTATION

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: NICKEL CADMIUM BATTERIES(NICD)

Cage: 0J4G8

Company Name: PANASONIC INDUSTRIAL CO DIV OF MATSUSHITA ELECT CORP OF AMER

Street: TWO PANASONIC WAY

City: SECAUCUS NJ

Zipcode: 07094

Health Emergency Phone: 877-726-2228

Date Of Label Review: 01/04/2000

Status Code: A

Label Date: 01/04/2000

Origination Code: F

Eye Protection IND: NO

Skin Protection IND: NO

Signal Word: NONE

Respir

atory Protection IND: NO

Health Hazard: None

Contact Hazard: None

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: NICKEL CADMIUM BATTERIES DO NOT LEAK ELECTROLYTE UNDER
NORMAN USAGE CONDITIONS. SEVERELY OVERCHARGED OR ABUSED BATTERIES MAY LEAK
SMALL AMOUNTS OF ELECTROLYTE. IN CASE OF SKIN EXPOSURE. WASH ANY EXPO SED
SKIN WITH COPIOUS AMOUNTS OF WATER.IT IS ADVISABLE TO WEAR GLOVES AND SAFETY
GLASSES WHEN HANDLING LEAKING BATTERIES. THIS BATTERY ISDEFINED AS AN
"ARTIC

LE" AND IS EXEMPT FROM THE REQUIREMENTS OF THE COMMUNICATION STANDARD,
HENCE A MSDS IS NOT REQUIRED.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any perso
n or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding
Department
of Defense or other government situation.