

LANG DENTAL MFG INC -- JET ACRYLIC POWDER

=====  
MSDS Safety Information  
=====

FSC: 6520  
NIIN: 01-119-6388  
MSDS Date: 11/12/1999  
MSDS Num: CJYZB  
Product ID: JET ACRYLIC POWDER  
MFN: 02  
Responsible Party  
Cage: 21725  
Name: LANG DENTAL MFG CO INC  
Address: 175 MESSNER DR  
Box: 969  
City: WHEELING IL 600  
90  
Info Phone Number: 800-222-5264  
Emergency Phone Number: 800-535-5053  
Resp. Party Other MSDS No.: PRODUCT NUMBER: 1493

=====  
Item Description Information  
=====

Item Manager: S9M  
Item Name: RESIN ASSORTMENT,ACRYLIC,DENTAL  
Unit of Issue: PG  
UI Container Qty: 1  
Type of Container: KIT

=====  
Ingredients  
=====

=====  
Name: PARTICULATES, NOC  
&lt; Wt: 99.

-----  
Name: DIALKYL PHTHALATE (CAS 84-66-2)  
&lt; Wt: 15.

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: NONE PROVIDED BY MFR.  
Route Of Entry Inds - Inhalation: YES  
Skin: NO  
Ingestion: NO  
Effects of Exposure: OSHA CLASSIFIES THIS MATERIAL AS PARTICULATES, NOT  
OTHERWISE CLASSIFIED. EYES, SKIN AND RESPIRATORY TRACT MAY BE I

IRRITATED BY

GROSS OVEREXPOSURE TO PARTICULATES, NOT OTHERWISE CLASSIFIED, NO MATTER HOW THEY ARE GENERATED. AVOID INHALATION OF DUST. KEEP DUST OUT OF EYES TO PREVENT POSSIBLE IRRITATION.

Explanation Of Carcinogenicity: NONE PROVIDED BY MFR.

Signs And Symptoms Of Overexposure: NONE PROVIDED BY MFR. MOSTLY IRRITATION.

Medical Conditions Aggravated By Exposure: NONE PROVIDED BY MFR.

First Aid: INHALATION: REMOVE TO FRESH AIR. GET MEDICAL HELP IF DISCOMFORT PERSISTS. EYES: FLUSH WITH WATER FOR 15 MINUTES, INCLUDING UNDER EYELIDS. GET

MEDICAL HELP IF DISCOMFORT PERSISTS. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL HELP IF DISCOMFORT PERSISTS. INGESTION: RINSE MOUTH OUT WITH WATER. CALL DOCTOR IF AMOUNT WAS LARGE.

=====  
Handling and Disposal  
=====

Spill Release Procedures: SWEEP UP TO AVOID SLIPPING HAZARD. KEEP AIRBORNE PARTICULATE AT A MINIMUM WHEN CLEANING UP SPILLS.

Neutralizing

Agent: NONE PROVIDED BY MFR.

Waste Disposal Methods: MAY BE DISPOSED OF IN LANDFILL OR INCINERATED. FOLLOW FEDERAL, STATE, AND LOCAL REGULATIONS FOR DISPOSAL.

Handling And Storage Precautions: STORE IN COOL DRY PLACE. KEEP CONTAINER CLOSED TO PREVENT WATER ABSORPTION AND CONTAMINATION.

Other Precautions: NONE PROVIDED BY MFR.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Text:

NOT PROVIDED

Autoignition Temp Text: NOT PROVIDED

Lower Limits: NOT PROVIDED

Upper Limits: NOT PROVIDED

Extinguishing Media: WATER, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures: AVOID EXTINGUISHING METHODS WHICH MAY GENERATE DUST CLOUDS. WATER STREAM CAN DISPERSE DUST IN AIR, PRODUCING A FIRE HAZARD AND POSSIBLE EXPLOSION HAZARD IF EXPOSED TO IGNITION SOURCE.

Unusual Fire/Explosion Hazard: POLYMER DUST IS COMBUSTIBLE. THE EXPLOSIVE LIMITS OF THE POLYMER PARTICLES SUSPENDED IN AIR ARE APPROXIMATELY THOSE OF

COAL DUST. FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS.

=====  
Control Measures  
=====

Respiratory Protection: USE TYPE FOR PARTICULATES NOT OTHERWISE CLASSIFIED, IF NEEDED

Ventilation: LOCAL EXHAUST AT PROCESSING EQUIPMENT

Protective Gloves: IF HOT PLASTIC IS HANDLED

Eye Protection: SAFETY GLASSES

Other Protective Equipment: NONE PROVIDED BY MFR.

Work Hyg

Hygienic Practices: WASH THOROUGHLY AFTER USE AND BEFORE EATING OR SMOKING.

Supplemental Safety and Health: NONE PROVIDED BY MFR.

=====  
Physical/Chemical Properties  
=====

HCC: N1

Spec Gravity: 1.25 (H2O=1)

Solubility in Water: INSOLUBLE

Appearance and Odor: FINE POWDER. FAINT ODOR IN BULK  
=====

Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: HEATING ABOVE 240 DEG C (464 DEG F)

Materials To Avoid: STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: METHYL METHACRYLATE MONOMER AND OXIDES OF CARBON

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR  
=====

Toxicological Information  
=====

Toxicological Information: NO INFORMATION PROVIDED IN MSDS.  
=====

Ecological Information  
=====

Ecological: NO INFORMATION PROVIDED IN MSDS.  
=====

MSDS Transport Information  
=====

Transport Information: PER MSDS SHIPPING NAME: SYNTHETIC GUM RESIN GRANULAR, NOIBN.  
=====

Regulatory Information  
=====

Sara Title III Information: NO INFORMATION PROVIDED IN MSDS.

Federal Regulatory Information: NO INFORMATION PROVIDED IN MSDS.

State Regulatory Information: NO INFORMATION PROVIDED IN MSDS.  
=====

Other Information  
=====

Other Information: FOR MSDS ON LIQUID PART, SEE MFN: 1, SAME NSN.  
=====

=====

Transportation Information

=====

Responsible Party Cage: 21725  
Trans ID NO: 151083  
Product ID: JET ACRYLIC POWDER  
MSDS Prepared Date: 11/12/1999  
Review Date: 01/19/2000  
MFN: 2  
Net Unit Weight: 6X2 OZ  
Multiple KIT Number: 0  
Unit Of Issue: PG  
Container QTY: 1  
Type Of Container: KIT  
Additional Data: FOR LIQUID ACRYLIC SOLUTION, MFN: 1, SAME NSN.

=====

Detail DOT Information

=====

=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IAT  
A PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: JET ACRYLIC POWDER  
Cage: 21725  
Company Name: LANG

DENTAL MFG CO INC  
Street: 175 MESSNER DR  
PO Box: 969  
City: WHEELING IL  
Zipcode: 60090  
Health Emergency Phone: 800-535-5053  
Label Required IND: Y  
Date Of Label Review: 01/19/2000  
Status Code: A

Year Procured: 1996  
Origination Code: F  
Signal Word: CAUTION  
Respiratory Protection IND: YES  
Health Hazard: Slight  
Contact Hazard: Slight  
Fire Hazard: Slight  
Reactivity Hazard: None

Hazard And Precautions: OSHA CLASSIFIES THIS MATERIAL AS PARTICULATES, NOT OTHERWISE CLASSIFIED. EYES, SKIN AND RESPIRATOR

Y TRACT MAY BE IRRITATED BY

GROSS OVEREXPOSURE TO PARTICULATES, NOT OTHERWISE CLASSIFIED, NO MATTER HOW THEY ARE GENERATED. AVOID INHALATION OF DUST. KEEP DUST OUT OF EYES TO PREVENT POSSIBLE IRRITATION. FIRST AID: INHALATION: REMOVE TO FRESH AIR. GET MEDICAL HELP IF DISCOMFORT PERSISTS. EYES: FLUSH WITH WATER FOR 15 MINUTES, INCLUDING UNDER EYELIDS. GET MEDICAL HELP IF DISCOMFORT PERSISTS. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL HELP IF DISCOMFORT PERSISTS. INGESTION: RINSE MOUTH

OUT WITH WATER. CALL DOCTOR IF AMOUNT WAS LARGE.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor

any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation

n.